

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-12

Print Date: 2025-09-17

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifiers

Product name : Hydrazine solution

Product Number : H432566
Brand : aladdin

CAS-No. : 302-01-2(THF)

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2),H225

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2),H315

Eye irritation (Category 2),H319

Skin sensitization (Category 1),H317

Carcinogenicity (Category 1B),H350

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335



P301+P330+P331

14078 Meridian Parkway, Riverside, CA. 92518

Short-term (acute) aquatic hazard (Category 1),H400

Long-term (chronic) aquatic hazard (Category 1),H410

# 2.2 GHS Label elements, including precautionary statements

| Pictogram                  |   |
|----------------------------|---|
| Signal word                | Danger  |
| Hazard statement(s)        |   |
| H225                       | Highly Flammable liquid and vapor   |
| H315                       | Causes skin irritation  |
| H317                       | May cause an allergic skin reaction   |
| H318                       | Causes serious eye damage   |
| H319                       | Causes serious eye irritation   |
| H335                       | May cause respiratory irritation  |
| H336                       | May cause drowsiness or dizziness   |
| H350                       | May cause cancer  |
| H351                       | Suspected of causing cancer   |
| H411                       | Toxic to aquatic life with long lasting effects                                   |
| H302+H332                  | Harmful if swallowed or if inhaled  |
| Precautionary statement(s) |   |
| P210                       | Keep away from heat, hot surface, sparks, open flames and other ignition sources. |
|                            | No smoking.   |
| P233                       | Keep container tightly closed.  |
| P240                       | Ground/bond container and receiving equipment.                                    |
| P241                       | Use explosion-proof [electrical/ventilating/lighting//] equipment.                |
| P242                       | Use only non-sparking tools.  |
| P243                       | Take precautionary measures against static discharge.                             |
| P260                       | Do not breathe dust/fume/gas/mist/vapors/spray.                                   |
| P261                       | Avoid breathing dust/fume/gas/mist/vapors/spray.                                  |
| P264                       | Wash hands [and] thoroughly after handling.                                       |
| P270                       | Do not eat, drink or smoke when using this product.                               |
| P271                       | Use only outdoors or in a well-ventilated area.                                   |
| P272                       | Contaminated work clothing should not be allowed out of the workplace.            |
| P273                       | Avoid release to the environment.   |
| P280                       | Wear protective gloves/protective clothing/eye protection/face protection.        |
| P321                       | Specific treatment (see on this label).   |
| P330                       | Rinse mouth.  |
| P363                       | Wash contaminated clothing before reuse.  |
| P391                       | Collect spillage.   |
| D004 D000 D004             |   |

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.



#### 14078 Meridian Parkway, Riverside, CA. 92518

| P302+P352 | IF ON SKIN: wash with plenty of water. |
|-----------|--|
|-----------|--|

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P203 Obtain, read and follow all safety instructions before use.
P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

P318 if exposed or concerned, get medical advice.

P302+P361+P354 IF ON SKIN: Take off Immediately all contaminated clothing. Immediately rinse

with water for several minutes.

P316 Get emergency medical help immediately.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### **SECTION 3: Composition/information on ingredients**

# 3.2 Mixtures

Synonyms : no data available

Formula : H4N2 Molecular weight : 32.046

Component Classification Concentration

#### **Tetrahydrofuran**

CAS-No.: 109-99-9 Flam. Liq. 2; Acute Tox. 4; Eye Irrit. 2; Carc. 2; STOT SE 3; H225, H302, >= 70 - < 90 %

EC-No.: 203-726-8 H319, H351, H336, H335 Concentration limits: >= 25 %: Eye Irrit. 2, H319;

>= 25 %: STOT SE 3, H335;

#### **Hydrazine standard solution**



14078 Meridian Parkway, Riverside, CA. 92518

Component Classification Concentration

CAS-No.: 302-01-2 Flammable liquid category 3; Acute toxicity category 3; Acute toxicity EC-No.: 206-114-9 category 2; Acute toxicity category 3; Skin corrosion/irritation category

1B; Serious eye damage/eye irritation category 1; Skin allergy category 1; Carcinogenicity category 2; Acute (short-term ) Aquatic Hazard Category 1; Long-term Aquatic Hazard Category 1; H226, H301, H330, H311, H314,

H318, H317, H351, H400, H410 M-factor-Aquatic Acute: 1-Aquatic

Chronic: 1

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

### Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides, Nitrogen oxides (NOx)

### 5.3 Advice for firefighters



14078 Meridian Parkway, Riverside, CA. 92518

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Avoid exposure - obtain special instructions before use. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store under inert gas. Dry residue is explosive. Test for peroxide formation periodically and before distillation. Dry residue is explosive. Store under inert gas. Test for peroxide formation periodically and before distillation.

### 7.3 Specific end use(s)

no data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters



14078 Meridian Parkway, Riverside, CA. 92518

# 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

#### Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance no data available b) Odour no data available c) Odour Threshold no data available d) pH no data available e) Melting point/freezing point no data available

f) Initial boiling point and boiling range  $65 \, ^{\circ}\text{C}$  g) Flash point  $-20 \, ^{\circ}\text{C}$ 

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available m) Relative density 0.886g/mLat 25°C



14078 Meridian Parkway, Riverside, CA. 92518

n) Water solubility no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Heat, flames and sparks. Extremes of temperature and direct sunlight.

### 10.5 Incompatible materials

Zinc, Oxidizing agents, Organic materials, Oxygen, Copper

### 10.6 Hazardous decomposition products

Carbon oxides, Nitrogen oxides (NOx)

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Acute toxicity

mixture

Acute toxicity estimate Oral - 1.012 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and

gastrointestinal tract.

Acute toxicity estimate Inhalation - 4 h - 18,98 mg/l - vapor(Calculation method)

Symptoms: Possible symptoms:, mucosal irritations, Cough, Shortness of breath, Possible

damages:, damage of respiratory tract



14078 Meridian Parkway, Riverside, CA. 92518

Acute toxicity estimate Dermal - > 2.000 mg/kg (Calculation method)

#### Components

#### Tetrahydrofuran

Acute toxicity

LD50 Oral - Rat - male and female - 1.650 mg/kg

Remarks: (ECHA)

Symptoms: Irritation of mucous membranes Acute toxicity estimate Oral - 1.650 mg/kg (ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - male and female - 6 h - > 14,7 mg/l - vapor

(US-EPA)

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

#### Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

#### **Aspiration hazard**

no data available

# **Additional Information**

Central nervous system depression, Cough, chest pain, Difficulty in breathing, Exposure to high airborne concentrations can cause anesthetic effects., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded. This substance should be handled with particular care. Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12: Ecological information**

### 12.1 Toxicity



#### 14078 Meridian Parkway, Riverside, CA. 92518

Components

Tetrahydrofuran

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 2.160 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test EC50 - Daphnia magna (Water flea) - 3.485 mg/l -48 h

(OECD Test Guideline 202)

Toxicity tofish(Chronic toxicity)

flow-through test NOEC - Pimephales promelas (fathead minnow) - 216 mg/l - 33 d

Remarks: (ECHA)

Hydrazine

Toxicity to fish static test LC50 - Poecilia reticulata (guppy) - 0,61 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia
and other aquatic

invertebrates

semi-static test EC50 - Daphnia pulex (Water flea) - 0,16 mg/l- 48 h

(US-EPA)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances:

Hydrazine hydrate

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) -0,017 mg/l - 48 h

(Regulation (EC) No. 440/2008, Annex, C.3)

Toxicity to bacteria static test EC50 - activated sludge - 5,5 mg/l - 3 h

(OECD Test Guideline 209)

Toxicity to daphnia and other aquatic invertebrates(Chronictoxicity) semi-static test NOEC - Daphnia magna (Water flea) - 0,123mg/l - 21 d

(OECD Test Guideline 211)

### 12.2 Persistence and degradability

no data available

# 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no data available



14078 Meridian Parkway, Riverside, CA. 92518

### **SECTION 13:**

### 13.1 Disposal considerations

#### **Product**

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 1993 Packing group: II Class: 3

Proper shipping name: Flammable liquid, Reportable Quantity(RQ): no data

Poison Inhalation Hazard: no data

n.o.s. (Hydrazine, Tetrahydrofuran) available available

(Hydrazine, Tetrahydrofuran) Environmental Hazards: no

**IMDG** 

UN number: 1993 Packing group: II EMS-No: no data available Proper shipping name: Flammable liquid, n.o.s. (Hydrazine, Tetrahydrofuran) (Hydrazine, Tetrahydrofuran)

IATA

UN number: 1993 Packing group: II Class: 3

Proper shipping name: Flammable liquid, n.o.s. (Hydrazine, Tetrahydrofuran) (Hydrazine, Tetrahydrofuran)

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

 Creation Date
 24-Aug-2023

 Revision Date
 12-Sep-2025

 Print Date
 17-Sep-2025

**Revision Summary** SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.