

ALADDIN SCIENTIFIC CORPORATION
14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1
Revision Date: 2025-09-12
Print Date: 2025-09-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Isobutyl methacrylate
Product Number : I106679
Brand : aladdin
CAS-No. : 97-86-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION
Address : 14078 Meridian Parkway,
Riverside, CA. 92518
Telephone : +1 (833) 552-7181
Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300
CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (category 3), H226

Skin corrosion/irritation (category 2), H315

Serious eye damage/eye irritation (category 2A), H319

Skin allergies (category 1), H317

Specific target organ toxicity (single exposure) (category 3), respiratory tract irritation, H335

Acute (short-term) aquatic hazard (category 1), H400

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

| | |
|------|-------------------------------------|
| H226 | Flammable liquid and vapor |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H335 | May cause respiratory irritation |
| H400 | Very toxic to aquatic life |

Precautionary statement(s)

| | |
|----------------|--|
| P210 | Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof [electrical/ventilating/lighting/.../] equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing dust/fume/gas/mist/vapors/spray. |
| P264 | Wash hands [and ...] thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P321 | Specific treatment (see ... on this label). |
| P302+P352 | IF ON SKIN: wash with plenty of water. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower]. |
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| P333+P313 | IF SKIN irritation or rash occurs: Get medical advice/attention. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |
| P370+P378 | In case of fire: Use ... to extinguish. |
| P405 | Store locked up. |
| P403+P232 | Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container to an approved waste disposal plant. |
| P332+P317 | If skin irritation occurs: Get medical help. |
| P319 | Get medical help if you feel unwell. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

3.1 Substances

| | |
|------------------|---|
| Synonyms | : Methacrylic Acid Isobutyl Ester |
| Formula | : C ₈ H ₁₄ O ₂ |
| Molecular weight | : 142.2 |
| CAS No. | : 97-86-9 |
| EC-NO. | : 202-613-0 |

| Component | Classification | Concentration |
|------------------------------|---|---|
| Isobutyl methacrylate | Flammable liquid category 3; skin corrosion/sting Irritant Category 2; serious eye damage/eyes Irritation category 2A; skin allergy category No. 1; Specific target organ system toxicity (One exposure) Category 3; Acute (Short-term) Aquatic hazard category 1; H226, H315, H319, H317, H335, H400 M-factor-Aquatic Acute: 1 | ≥99%, contains 15-20 ppm MEHQ as stabilizer |

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam carbon dioxide (CO₂) dry powder

Unsuitable extinguishing media

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides are combustible. Vapor is heavier than air, so it can spread along the ground. Forms explosive mixtures with air at high temperatures. Hazardous gases or vapors may be generated in the event of a fire.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let the product enter the drain. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from open flames, hot surfaces and ignition sources. Take measures to prevent electrostatic discharge. Change contaminated clothing immediately. Use skin protection lotion. Wash hands and face after using this substance. For preventive measures, see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Recommended storage temperature 2-8 °C

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|-------------------------------|
| a) Appearance | form: Liquid color: Colorless |
| b) Odour | no data available |
| c) Odour Threshold | no data available |
| d) pH | no data available |
| e) Melting point/freezing point | -37°C |
| f) Initial boiling point and boiling range | 155°C |
| g) Flash point | 49°C |
| h) Evaporation rate | no data available |
| i) Flammability (solid, gas) | no data available |

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

| | |
|---|--|
| j) Upper/lower flammability or explosive limits | no data available |
| k) Vapour pressure | no data available |
| l) Vapour density | no data available |
| m) Relative density | 0.89 |
| n) Water solubility | Almost insoluble in water; Miscible in ether and ethanol |
| o) Partition coefficient: n-octanol/water | no data available |
| p) Auto-ignition temperature | no data available |
| q) Decomposition temperature | no data available |
| r) Viscosity | no data available |
| s) Explosive properties N | no data available |
| t) Oxidizing properties N | no data available |

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Polymerization occurs under sunlight, ultraviolet light, or when heated.

10.4 Conditions to avoid

heating

10.5 Incompatible materials

Oxidizing agents, strong acids and strong bases

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50-Oncorhynchus mykiss (rainbow trout)-20.0 mg/l-96 h

(OECD Test Guideline 203)

Toxicity to water flea and other aquatic invertebrates

Flow test EC50-Daphnia magna (Water flea)-> 29 mg/l-48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50-Pseudokirchneriella subcapitata-16 mg/l-72 h

(OECD Test Guideline 201)

Static test NOEC-Pseudokirchneriella subcapitata-5.8 mg/l-72 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2283

Packing group: III

Class: 3

Proper shipping name: Isobutyl methacrylate, stabilized

Reportable Quantity(RQ): no data available

Poison Inhalation Hazard: no data available

Environmental Hazards: YES

IMDG

UN number: 2283

Packing group: III

EMS-No: no data available

Proper shipping name: Isobutyl methacrylate, stabilized

IATA

UN number: 2283

Packing group: III

Class: 3

Proper shipping name: Isobutyl methacrylate, stabilized

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By

Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

| | |
|-------------------------|-------------------------|
| Creation Date | 04-Nov-2021 |
| Revision Date | 12-Sep-2025 |
| Print Date | 15-Sep-2025 |
| Revision Summary | SDS sections updated v1 |

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.