

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-12

Print Date: 2025-09-15

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Isobutyraldehyde

Product Number : I108291
Brand : aladdin
CAS-No. : 78-84-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 5), H303

Serious eye damage/eye irritation (Category 2A), H319

Germ cell mutagenicity (Category 2), H341

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335

Short-term (acute) aquatic hazard (Category 3), H402

2.2 GHS Label elements, including precautionary statements



14078 Meridian Parkway, Riverside, CA. 92518

Pictogram		
Signal word	Danger	
Hazard statement(s)		
H225	Highly Flammable liquid and vapor	
H303	May be harmful if swallowed	
H319	Causes serious eye irritation	
H335	May cause respiratory irritation	
H341	Suspected of causing genetic defects	
H402	Harmful to aquatic life	
Precautionary statement(s)		
P201	Obtain special instructions before use.	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources No smoking.	
P202	Do not handle until all safety precautions have been read and understood.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P264	Wash hands [and] thoroughly after handling.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P312	Call a POISON CENTER or doctor/ if you feel unwell.	
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.	
P337+P313	IF eye irritation persists: Get medical advice/attention.	
P370+P378	In case of fire: Use to extinguish.	
P405	Store locked up.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	
P403+P235	Store in a well-ventilated place. Keep cool.	
P501	Dispose of contents/container to an approved waste disposal plant.	
	• • • • • • • • • • • • • • • • • • • •	

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

P304+P340+P312

POISON CENTER or doctor. if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a



14078 Meridian Parkway, Riverside, CA. 92518

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : 2-methylpropanal;2-methylpropionaldehyde;Isobutanal;

Formula : C4H8O

Molecular weight : 72.11

CAS No. : 78-84-2

EC-NO. : 201-149-6

Component	Classification	Concentration
Isobutyraldehyde		
	Flam. Liq. 2; Eye Irrit. 2; H225, H319	≥98%

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance

If inhaled

After inhalation: fresh air In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors.



14078 Meridian Parkway, Riverside, CA. 92518

Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. $2-8^{\circ}\text{C}$, Under Inert Atmosphere , Air sensitive; Heat sensitive

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters



14078 Meridian Parkway, Riverside, CA. 92518

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If it is safe, prevent further leakage or spillage and do not allow the product to enter the sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point -65.9° C f) Initial boiling point and boiling range 64° C g) Flash point -6.7° C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.79

n) Water solubility Slightly miscible with water.



14078 Meridian Parkway, Riverside, CA. 92518

o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with: Strong oxidizing agents Strong acids strong reducing agents Exothermic reaction with: alkaline substances Strong bases

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 3,730 mg/kg (OECD Test Guideline 401) Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

LC50 Inhalation - Rat - male - 4 h - > 23.6 mg/l - vapor (OECD Test Guideline 403) Symptoms: Inhalation may lead to the formation of oedemas in the respiratory tract., Symptoms may be delayed.

LD50 Dermal - Rabbit - male - 5,583 mg/kg Remarks: (ECHA)

Skin corrosion/irritation



14078 Meridian Parkway, Riverside, CA. 92518

Skin - Rabbit Result: No skin irritation - 4 h(OECD Test Guideline 404) Remarks: After long-term exposure to the

chemical: Dermatitis

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye irritation. - 24 h (OECD Test Guideline 405)

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: NQ4025000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Further hazardous properties cannot be excluded but unlikely when the product is handled appropriately. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Pimephales promelas (fathead minnow) - 23 mg/l - 96 h Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 277 mg/l - 48 h (Regulation (EC) No. 440/2008, Annex, C.2) Remarks: (above the solubility limit in the test medium)

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 83.7 mg/l - 72 h (DIN 38412) Remarks: (above the solubility limit in the test medium)

Toxicity to bacteria static test NOEC - activated sludge - 100 mg/l - 14 Days Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d Result: 80 - 90 % - Readily biodegradable. (OECD Test Guideline 301C)

12.3 Bioaccumulative potential

no data available



14078 Meridian Parkway, Riverside, CA. 92518

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2045 Packing group: II Class: 3

Proper shipping name: Isobutyl Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

aldehyde available available available

Environmental Hazards: no

IMDG

UN number: 2045 Packing group: II EMS-No: no data available

Proper shipping name: Isobutyl aldehyde

IATA

UN number: 2045 Packing group: II Class: 3

Proper shipping name: Isobutyl aldehyde

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information



14078 Meridian Parkway, Riverside, CA. 92518

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date29-Oct-2021Revision Date12-Sep-2025Print Date15-Sep-2025

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.