

ALADDIN SCIENTIFIC CORPORATION  
14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1  
Revision Date: 2025-09-14  
Print Date: 2025-09-21

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Isobutyl acetate(IBAC)  
Product Number : I110418  
Brand : aladdin  
CAS-No. : 110-19-0

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

### 1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION  
Address : 14078 Meridian Parkway,  
Riverside, CA. 92518  
Telephone : +1 (833) 552-7181  
Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300  
CHEMTREC®, Outside the USA :

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Danger

Hazard statement(s)

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

H225	Highly Flammable liquid and vapor
H336	May cause drowsiness or dizziness
<b>Precautionary statement(s)</b>	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting/.../] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P370+P378	In case of fire: Use ... to extinguish.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.
P319	Get medical help if you feel unwell.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms	: iso-Butyl acetate; 2-Methylpropyl acetate; Acetic Acid Isobutyl Ester
Formula	: C6H12O2
Molecular weight	: 116.16
CAS No.	: 110-19-0
EC-NO.	: 203-745-1

Component	Classification	Concentration
<b>Isobutyl acetate(IBAC)</b>	Flammable liquid category 2; Specific target Official systemic toxicity (primary exposure) category 3; Acute (short-term) aquatic hazards Don't 3; H225, H336, H402	≥99%

## SECTION 4: First aid measures

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: <https://www.aladdinsci.com/>

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

## 4.1 Description of first aid measures

### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Dry powder Dry sand

#### Unsuitable extinguishing media

Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

### 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

### 7.3 Specific end use(s)

no data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Component	CAS No.	Value	Control parameters	Basis
Isobutyl acetate	110-19-0	TWA	150 ppm	U.S.A. ACGIH threshold limit value (TLV)
	Note	Upper respiratory tract irritation the value adopted or the accompanying symbol for eye irritation is the value or symbol recommended to be changed in the NIC. See the expected change announcement (NIC)		
		TWA	150 ppm 700 mg/m <sup>3</sup>	U.S.A. NIOSH recommended exposure limits

		TWA	150 ppm700 mg/m3	U.S.A. Occupational exposure limits (OSHA) - table Z-1 air pollutant limits
		PEL	150 ppm700 mg/m3	Allowable exposure limits for chemical pollutants in California (article 107, paragraph 8)
		TWA	50 ppm	U.S.A. ACGIH threshold limit value (TLV)
		STEL	150 ppm	U.S.A. ACGIH threshold limit value (TLV)
		TWA	150 ppm700 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000

## 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please

clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

#### **Body Protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

---

## **SECTION 9: Physical and chemical properties**

### **9.1 Information on basic physical and chemical properties**

a) Appearance	form: liquid color: Colorless
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	-99°C
f) Initial boiling point and boiling range	118°C
g) Flash point	22°C
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	0.871-0.874
n) Water solubility	Miscible with ethanol, ether, methanol and acetone. Slightly miscible with water and carbon tetrachloride.
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

- |                           |                   |
|---------------------------|-------------------|
| s) Explosive properties N | no data available |
| t) Oxidizing properties N | no data available |

## 9.2 Other safety information

no data available

---

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Strong oxidizing agents, Strong bases

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 13.413 mg/kg

(OECD Test Guideline 401)

Inhalation: No data available

LD50 Dermal - Rabbit - male - > 17.400 mg/kg

(OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (OECD Test Guideline 404)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitisation

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

**Germ cell mutagenicity**

Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells  
Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test  
Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method:  
OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system:  
Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline  
476 Result: negative Test Type: Micronucleus test Species: Mouse Cell type: Bone marrow Application Route: Oral  
Method: OECD Test Guideline 474 Result: negative

**Carcinogenicity**

no data available

**Reproductive toxicity**

no data available

**Specific target organ toxicity - single exposure**

May cause drowsiness or dizziness.

**Specific target organ toxicity - repeated exposure**

no data available

**Aspiration hazard**

no data available

**Additional Information**

Repeated dose toxicity - Rat - male and female - Oral - 92 Days - NOAEL (No observed

adverse effect level) - 316 mg/kg

RTECS: AI4025000

To the best of our knowledge, the chemical, physical, and toxicological properties have not  
been thoroughly investigated.

After absorption of large quantities:

lack of appetite

Headache

narcosis

Handle in accordance with good industrial hygiene and safety practice.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oryzias latipes - 17 mg/l - 96 h

(OECD Test Guideline 203)

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Toxicity to daphnia

and other aquatic

invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - 25 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) -

397 mg/l - 72 h

(OECD Test Guideline 201)

## 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 20 d Result: 81 % - Readily biodegradable. (OECD Test Guideline 301D)

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available

## 12.6 Other adverse effects

Harmful to aquatic life. Discharge into the environment must be avoided.

---

## SECTION 13:

### 13.1 Disposal considerations

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### Contaminated packaging

Dispose of as unused product.

---

## SECTION 14: Transport information

#### DOT (US)

UN number: 1213

Packing group: II

Class: 3

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Proper shipping name: ISOBUTYL  
ACETATEReportable Quantity(RQ): no data  
availablePoison Inhalation Hazard: no data  
available

Environmental Hazards: no

**IMDG**

UN number: 1213

Packing group: II

EMS-No: no data available

Proper shipping name: ISOBUTYL ACETATE

**IATA**

UN number: 1213

Packing group: II

Class: 3

Proper shipping name: ISOBUTYL ACETATE

**SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

**SECTION 16: Other information****Prepared By**

Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

**Creation Date**

14-Jan-2022

**Revision Date**

14-Sep-2025

**Print Date**

21-Sep-2025

**Revision Summary**

SDS sections updated v1

**Disclaimer**

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.