

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2023-10-08

Print Date: 2023-12-05

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifiers

Product name : Phosmet
Product Number : I114895
Brand : aladdin

CAS-No. : 732-11-6(Acetone)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 800-424-9300 CHEMTREC®, Outside the USA : 001-703-527-3887

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Danger

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H316 Causes mild skin irritation



14078 Meridian Parkway, Riverside, CA. 92518

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.
P337+P313 IF eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

a POISON CENTER or doctor. if you feel unwell.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Synonyms : Imidan; Phosphorodithioic acid S-[(1,3-dihydro-1,3-dioxo-2H-isoindol-2-

yl)methyl] 0,0-dimethyl ester

Formula : C11H12N04PS2

Molecular weight : 317.32

Component Classification Concentration

Acetone



14078 Meridian Parkway, Riverside, CA. 92518

Component		Classification	Concentration
	CAS-No.: 67-64-1 EC-No.: 200-662-2	Flammable liquid category 2; Skin corrosion/sting. Category 3; Serious eye damage/eyes. Irritation category 2A; Specific target organ Systemic toxicity (first exposure) category 3; H225, H316, H319, H336	
Phosm	net		
	CAS-No. : 732-11-6 EC-No. :	Acute toxicity, oral (Class 3), H301 Acute toxicity, inhalation (Class 4), H332 Reproductive toxicity (Category 2), H361 Specific target organ systemic toxicity (single exposure) (Category 1), nervous system, H370 Acute (short-term) aquatic hazard (Category 1), H400 Long term aquatic hazards (Category 1), H410	

### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

no data available

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

no data available

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.



14078 Meridian Parkway, Riverside, CA. 92518

## 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert.

## 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

## 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions. Take up with liquid-absorbent material. Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

## 7.3 Specific end use(s)

no data available

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

## 8.2 Exposure controls

Appropriate engineering controls



14078 Meridian Parkway, Riverside, CA. 92518

General industrial hygiene practice.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

no data available

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance	no data available
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available

e) Melting point/freezing point 71.9°C

f) Initial boiling point and boiling range no data available

g) Flash point >100°C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.791

n) Water solubility no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available



14078 Meridian Parkway, Riverside, CA. 92518

r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

## 9.2 Other safety information

no data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

Vapors may form explosive mixture with air.

## 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

## 10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with: chromosulfuric acid chromyl chloride ethanolamine Fluorine Strong oxidizing agents strong reducing agents Nitric acid chromium(VI) oxide Risk of explosion with: nonmetallic oxyhalides halogen-halogen compounds Chloroform nitrating acid nitrosyl compounds hydrogen peroxide halogen oxides organic nitro compounds peroxi compounds Exothermic reaction with: Bromine Alkali metals alkali hydroxides Halogenated hydrocarbon Sulfur dichloride phosphorous oxichloride

### 10.4 Conditions to avoid

Warming.

## 10.5 Incompatible materials

rubber, various plastics

## 10.6 Hazardous decomposition products

no data available

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 5.800 mg/kg

Remarks: (ECHA)

LC50 Inhalation - Rat - 4 h - 76 mg/l

Remarks: Unconsciousness

**Drowsiness** 



narcosis

## ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Dizziness
(External MSDS)
LD50 Dermal - Rabbit - 20.000 mg/kg
Remarks: (IUCLID)
Skin corrosion/irritation Skin - Rabbit Result: Mild skin irritation - 24 h(Draize Test) Remarks: (RTECS) Serious eye damage/eye irritation
Eyes - Rabbit Result: Eye irritation - 24 h (Draize Test) Remarks: (RTECS)
Respiratory or skin sensitisation  Maximization Test - Guinea pig Result: Not a skin sensitizer. Remarks: (ECHA) Chronic exposure may cause dermatitis.
Germ cell mutagenicity Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Mouse lymphoma test Metabolic activation: without metabolic activation Method: OECD Test Guideline 476
Result: negative
Carcinogenicity
no data available
Reproductive toxicity
no data available
Specific target organ toxicity - single exposure
Inhalation - May cause drowsiness or dizziness Narcotic effects
Specific target organ toxicity - repeated exposure
no data available
Aspiration hazard no data available
Additional Information
RTECS: AL3150000 To the best of our knowledge, the chemical, physical, and toxicological properties have not been
thoroughly investigated. After absorption:
Headache
Salivation
Nausea
Vomiting
Dizziness



14078 Meridian Parkway, Riverside, CA. 92518

Coma

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

Kidney - Irregularities - Based on Human Evidence

Skin - Dermatitis - Based on Human Evidence

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish flow-through test

LC50 - Pimephales promelas (fathead minnow) - 6.210 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates

static test LC50 - Daphnia pulex (Water flea) - 8.800 mg/l - 48 h Remarks: (ECHA)

Toxicity to algae

static test NOEC - M.aeruginosa - 530 mg/l - 8 d (DIN 38412) Remarks: (maximum permissible toxic concentration) (IUCLID)

Toxicity to bacteria

static test EC50 - activated sludge - 61,15 mg/l - 30 min (OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 91 % - Readily biodegradable. (OECD Test Guideline 301B) Biochemical Oxygen Demand (BOD) 1.850 mg/g Remarks: (IUCLID) Chemical Oxygen Demand (COD) 2.070 mg/g Remarks: (IUCLID) Theoretical oxygen demand 2.200 mg/g Remarks: (Lit.)

### 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

no data available



14078 Meridian Parkway, Riverside, CA. 92518

### **SECTION 13:**

## 13.1 Disposal considerations

**Product** 

Dispose of the remaining and non recyclable solution to a licensed company.

Contaminated packaging

Discard as unused product.

## **SECTION 14: Transport information**

Environmental Hazards: no

DOT (US)

UN number: 1090 Packing group: II Class: 3

Proper shipping name: ACETONE Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available

available

....

IMDG

UN number: 1090 Packing group: II EMS-No: no data available

Proper shipping name: ACETONE

IATA

UN number: 1090 Packing group: II Class: 3

Proper shipping name: ACETONE

## **SECTION 15: Regulatory information**

This material safety data sheet complies with the requirements of Regulation (EC) No.

1907/2006.

National legislation

Seveso III: Directive 2012/18/EU of the European

Parliament and of the Council on the control of

major-accident hazards involving dangerous

substances.

: FLAMMABLE LIQUIDS

Other regulations

Take note of Dir 94/33/EC on the protection of young people at work.

### **SECTION 16: Other information**



14078 Meridian Parkway, Riverside, CA. 92518

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

 Creation Date
 08-Oct-2023

 Revision Date
 08-Oct-2023

 Print Date
 05-Dec-2023

Revision Summary SDS sections updated v1

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.