

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-25

Print Date: 2024-02-01

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Indium tin oxide

Product Number : I123224
Brand : aladdin
CAS-No. : 50926-11-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

2.2 GHS Label elements, including precautionary statements

Pictogram

(!

Danger

Signal word

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H319 Causes serious eye irritation



14078 Meridian Parkway, Riverside, CA. 92518

| H336 | May cause drowsiness or dizziness |
|----------------------------|----------------------------------------------------------------------------------|
| Precautionary statement(s) | |
| P210 | Keep away from heat, hot surface, sparks, open flames and other ignition |
| | sources No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof [electrical/ventilating/lighting//] equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing dust/fume/gas/mist/vapors/spray. |
| P264 | Wash hands [and] thoroughly after handling. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN |
| | with water [or shower]. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses if present and easy to do - continue rinsing. |
| P337+P313 | IF eye irritation persists: Get medical advice/attention. |
| P370+P378 | In case of fire: Use to extinguish. |
| P405 | Store locked up. |
| P403+P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container to an approved waste disposal plant. |
| P304+P340+P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call |
| | a POISON CENTER or doctor. if you feel unwell. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : ITO

Formula : In2O3/SnO2 Molecular weight : no data available

| Component | | Classification | Concentration |
|-------------------|-----------|-----------------------------------------------------------------------|---------------|
| Isopropyl Alcohol | | | |
| CAS-No. : | 67-63-0 | Flam. Liq. 2; Eye Irrit. 2; STOT SE 3; H225, H319, H336 Concentration | |
| EC-No.: | 200-661-7 | limits: >= 20 %: STOT SE 3, H336; | |
| | | | |

Indium oxide



14078 Meridian Parkway, Riverside, CA. 92518

Component Classification Concentration

CAS-No.: 1312-43-2 EC-No.: 215-193-9

Tin oxide

CAS-No.: 18282-10-

5

EC-No.: 242-159-0

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician

In case of skin contact

Wash off with soap and plenty of water. Consult a physician

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

5.2 Special hazards arising from the substance or mixture

Carbon oxides, Tin/tin oxides, Indium/indium oxides

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary



14078 Meridian Parkway, Riverside, CA. 92518

5.4 Further information

Use water spray to cool unopened containers

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13)

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Recommended storage temperature: -20 °C Handle and store under inert gas. Hygroscopic

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.



14078 Meridian Parkway, Riverside, CA. 92518

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU)

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Impervious clothing., Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| a) Appearance | no data available |
|--------------------------------------------|-------------------|
| b) Odour | no data available |
| c) Odour Threshold | no data available |
| d) pH | no data available |
| e) Melting point/freezing point | no data available |
| f) Initial boiling point and boiling range | no data available |
| g) Flash point | no data available |
| h) Evaporation rate | no data available |
| i) Flammability (solid, gas) | no data available |
| | |

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 1.040 g/cm3 at 25 °C (77 °F)

n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available



14078 Meridian Parkway, Riverside, CA. 92518

t) Oxidizing properties N

no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Reacts with air to form peroxides.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Aluminum, Acids, Oxidizing agents, Strong oxidizing agents, Potassium, Halogenated compounds, Strong acids, Acid anhydrides, Aluminum, Sodium/sodium oxides, Magnesium

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available



14078 Meridian Parkway, Riverside, CA. 92518

Specific target organ toxicity - single exposure no data available Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available

Additional Information

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Dizziness, narcosis, Drowsiness, Inorganic tin salts are poorly absorbed into the body. When parenterally administered tin salts are highly toxic. Tin oxide inhaled as a dust or fume leads to a benign pneumoconiosis with no sign of interference with pulmonary function. Deposited dust appears nodular with the particles being mostly extracelluar. No necrosis, foreign-body giant-cell reaction, or collagen formation has been seen. Tin salts that have gained access to the blood stream are highly toxic and produce neurologic damage and paralysis. With most common tin salts, the toxicity profile is complicated by hydrolysis in body fluids producing unphysiologic pH values. The reported symptoms of hyperemia, vascular changes with bleeding in the central nervous system, liver, heart, and other organs may be due to tin itself or to the unphysiological pH changes. Ingestion produces vomiting due to the gastric irritation from the activity and astringency of tin compounds. Injection of inorganic tin salts produces diarrhea, muscle paralysis, and twitching.

SECTION 12: Ecological information

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product



14078 Meridian Parkway, Riverside, CA. 92518

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Contaminated packaging

Dispose of as unused product

SECTION 14: Transport information

DOT (US)

UN number: 1219 Packing group: II Class: 3

Proper shipping name: Isopropanol, Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

SOLUTION available available

Environmental Hazards: no

IMDG

UN number: 1219 Packing group: II EMS-No: no data available

Proper shipping name: Isopropanol, SOLUTION

IATA

UN number: 1219 Packing group: II Class: 3

Proper shipping name: Isopropanol, SOLUTION

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date10-Sep-2020Revision Date25-Jan-2024Print Date01-Feb-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.