

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-10-08

Print Date: 2024-10-08

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Karstedt Catalyst Solution

Product Number : K110178
Brand : aladdin
CAS-No. : 68478-92-2

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

## 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

Specific target organ toxicity - repeated exposure (Category 2), H373

Aspiration hazard (Category 1), H304



14078 Meridian Parkway, Riverside, CA. 92518

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Hazard statement(s)

Signal word

H226 Flammable liquid and vapor H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

Danger

H315 Causes skin irritation H332 Harmful if inhaled

H335 May cause respiratory irritation

H373 Causes damage to organs through prolonged or repeated exposure

H401 Toxic to aquatic life

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER or doctor/... if you feel unwell.

P331 Do NOT induce vomiting.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS



14078 Meridian Parkway, Riverside, CA. 92518

# SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Synonyms : Umicore HS221;Platinum(0)-1,3-divinyl-1,1,3,3-tetramethyldisiloxane

complex solution; Karstedt catalyst;1,3-Divinyl-1,1,3,3-tetramethyldisiloxaneplatinum(0)

Formula : C8H18OPtSi2 Molecular weight : 381.48

Component Classification Concentration

Xylene

CAS-No.: 1330-20-7 Flam. Liq. 2; Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; STOT RE 2; <= 100 %

EC-No.: 215-535-7 Asp. Tox. 1; Aquatic Chronic 3; H225, H332, H312, H315, H319, H335,

H373, H304, H412

**Karstedt Catalyst Solution** 

CAS-No.: 68478-92- Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335 >= 1 - < 10 %

2

EC-No.: 270-844-4

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

no data available

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

Suitable extinguishing media

Foam, carbon dioxide (CO2), dry powder

Unsuitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

# 5.2 Special hazards arising from the substance or mixture

The properties of the product after decomposition are unknown Flammable Steam is heavier than air, so it can spread over the ground. Form explosive mixtures with air at high temperatures When caught on fire, it may cause the production of hazardous gases or vapors

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations

#### 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Handle and store under inert gas. Moisture sensitive.



14078 Meridian Parkway, Riverside, CA. 92518

# 7.3 Specific end use(s)

no data available

## **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

no data available

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless to Yellow

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 12-13 °C f) Initial boiling point and boiling range 138 °C

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.984

n) Water solubility no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions

# 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

no data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known. Other decomposition products

# **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects



#### 14078 Meridian Parkway, Riverside, CA. 92518

Acute toxicity

LD50 Oral - Rat - male - 3.523 mg/kg (Xylene)

(EC Directive 92/69/EEC B.1 Acute Toxicity (Oral))

Remarks: (ECHA)

LC50 Inhalation - Rat - male - 4 h - 29 mg/l (Xylene)

(Regulation (EC) No. 440/2008, Annex, B.2)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

LD50 Dermal - Rabbit - male - 12.126 mg/kg (Xylene)

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

May cause respiratory irritation. - Respiratory system (Xylene) Acute oral toxicity - Gastrointestinal disturbance (Xylene) Acute inhalation toxicity - mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract, Inhalation may lead to the formation of oedemas in the respiratory tract. (Xylene)

Additional Information

Blurred vision, Incoordination., Headache, Nausea, Vomiting, Dizziness, Weakness, anemia, Prolonged or repeated exposure to skin causes defatting and dermatitis. (Xylene)

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. (Xylene)

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

### 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

Toxic to aquatic life.

### **SECTION 13:**

# 13.1 Disposal considerations

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

DOT (US)

UN number: 1307 Packing group: III Class: 3

Proper shipping name: Xylenes Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available available

Environmental Hazards: no

IMDG

UN number: 1307 Packing group: III EMS-No: no data available

Proper shipping name: Xylenes

IATA

UN number: 1307 Packing group: III Class: 3

Proper shipping name: Xylenes

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.



14078 Meridian Parkway, Riverside, CA. 92518

## **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date10-Sep-2020Revision Date08-Oct-2024Print Date08-Oct-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.