

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-26

Print Date: 2024-02-02

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : titrant-component for volumetric Karl Fischer titration

Product Number : K123000 Brand : aladdin

CAS-No. : no data available

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (category 2), H225

Acute toxicity, oral (category 3), H301

Acute toxicity, inhalation (category 3), H331

Acute toxicity, dermal (category 3), H311

Specific target organ system toxicity (single exposure) (category 1), eyes, central nervous system, H370

2.2 GHS Label elements, including precautionary statements

Pictogram







Signal word

Danger



14078 Meridian Parkway, Riverside, CA. 92518

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H370 Causes damage to organs

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P311 Call a POISON CENTER or doctor/...

P330 Rinse mouth.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor/...

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Volumetric two-component Karl Fischer reagent; two-component Karl

Fischer test solution

Formula : no data available
Molecular weight : no data available
CAS No. : no data available
EC-NO. : no data available



14078 Meridian Parkway, Riverside, CA. 92518

Component	Classification	Concentration
titrant-component for volumetric Karl Fischer titration		
	Flammable liquid category 2; acute toxicity category No. 3; Specific target organ system toxicity (One contact) Category 1; H225, H301, H331, H311, H370	•

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: Move the injured to a place with fresh air. See a doctor immediately. If breathing stops: Immediately perform mechanical respiration, and use oxygen if necessary.

In case of skin contact

In case of skin contact: immediately remove/take off all contaminated clothing. Wash skin/shower with water. Call a doctor immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides are combustible. Beware of tempering. Vapor is heavier than air, so it can spread along the ground. In case of fire, hazardous gas or vapor may be generated. Forms explosive mixture with air at moderate temperature

5.3 Advice for firefighters



14078 Meridian Parkway, Riverside, CA. 92518

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Persons who do not wear personal breathing apparatus should not enter the hazardous area. Keep a safe distance and wear appropriate protective clothing to avoid skin contact. Remove the container from the hazardous area and cool it with water. Prevent firefighting water from polluting the surface and groundwater system.

6.2 Environmental precautions

Do not let the product enter the drain. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover the sewer. Collect, contain, and extract the leakage. Observe the material restrictions that may apply (see sections 7 and 10). Remove dry. Discard. Clean up the affected area. Avoid dust generation.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operate under a fume hood. Do not inhale the substance/mixture. Avoid generating vapor or smoke. Keep away from open flames, hot surfaces and sources of ignition. Take measures to prevent electrostatic discharge. Change contaminated clothing immediately. Use skin protection lotion. Wash hands and face after using this substance. For preventive measures, see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep the container tightly closed and store in a dry and ventilated place. Keep away from heat and fire sources. Store this substance in a lockable place or a place where only qualified or approved persons can enter it.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls



14078 Meridian Parkway, Riverside, CA. 92518

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the

dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type

ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face

supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

no data available
no data available

j) Upper/lower flammability or

explosive limits no data available



14078 Meridian Parkway, Riverside, CA. 92518

k) Vapour pressure no data available I) Vapour density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available no data available p) Auto-ignition temperature q) Decomposition temperature no data available no data available r) Viscosity s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Warm up

10.5 Incompatible materials

Various plastics, magnesium, zinc alloy

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral-100.1 mg/kg

(Expert Opinion)

Remarks: Classification according to EU CLP Regulation 1272/2008, Annex 6 (Table 3.1/3.2)



14078 Meridian Parkway, Riverside, CA. 92518

Symptoms: nausea, vomiting

Acute toxicity estimate Inhalation-4 h-3.1 mg/l

(Expert Opinion)

Remarks: Classification according to EU CLP Regulation 1272/2008, Annex 6 (Table 3.1/3.2)

Symptoms: Symptoms of irritation in the respiratory tract.

Acute toxicity estimate Dermal-300.1 mg/kg

(Expert Opinion)

Remarks: Classification according to EU CLP Regulation 1272/2008, Annex 6 (Table 3.1/3.2)

Skin corrosion/irritation

Skin-Rabbit Results: No skin irritation. Remarks: (ECHA) Drying effect that causes rough or cracked skin.

Serious eye damage/eye irritation

Eyes-Rabbit Result: No eye irritation Remarks: (ECHA)

Respiratory or skin sensitisation

Sensitivity test:-Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

As far as we know, this chemical, physical and toxic properties have not been fully studied. System effects: Acidosis, decreased blood pressure, excitement, convulsions, drunkenness, dizziness, drowsiness, headache, visual impairment, blindness, anesthesia, coma. Symptoms will be delayed. Destruction: Liver, kidney, and heart cause irreversible damage to the optic nerve. Other dangers cannot be ruled out. This substance must be handled with special care

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50-bluegill sunfish-15,400.0 mg/l-96 h



14078 Meridian Parkway, Riverside, CA. 92518

(US-EPA)

Toxicity to water flea and other aquatic invertebrates

Semi-static test EC50-Daphnia magna (Water flea)-18,260 mg/l-96 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50-Pseudokirchneriella subcapitata (green algae)-approximately 22,000.0 mg/l

-96 h

(OECD Test Guideline 201)

Toxicity to bacteria static test IC50-activated sludge-> 1,000 mg/l-3 h

(OECD Test Guideline 209)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

Will not be adsorbed by the soil.

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Hand over the remaining and non-recyclable solution to a licensed company for disposal.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1230 Packing group: II Class: 3



14078 Meridian Parkway, Riverside, CA. 92518

Proper shipping name: Methanol Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: No

IMDG

UN number: 1230 Packing group: II EMS-No: no data available

Proper shipping name: Methanol

IATA

UN number: 1230 Packing group: II Class: 3

Proper shipping name: Methanol

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

 Creation Date
 19-Oct-2021

 Revision Date
 26-Jan-2024

 Print Date
 02-Feb-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.