

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-21

Print Date: 2024-01-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Lithium bis(trimethylsilyl)amide
Product Number : L106746
Brand : aladdin
CAS-No. : 4039-32-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION
Address : 14078 Meridian Parkway,
Riverside, CA. 92518
Telephone : +1 (833) 552-7181
Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300
CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (category 2), H225

Self-heating substances and mixtures (category 1), H251

Acute toxicity, inhalation (category 5), H333

Skin corrosion/irritation (category 1B), H314

Serious eye damage/eye irritation (Category 1), H318

Reproductive toxicity (category 2), H361

Specific target organ toxicity (single exposure) (category 3), narcotic effects, H336

Specific target organ toxicity (repeated exposure) (category 2), H373

Aspiration hazard (category 1), H304

Acute (short-term) aquatic hazard (category 2), H401

Long-term aquatic hazard (category 3), H412

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word

Hazard statement(s)

H225	Highly Flammable liquid and vapor
H251	Self-heating; may catch fire
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage
H333	May be harmful if inhaled
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H373	Causes damage to organs through prolonged or repeated exposure
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects

Precautionary statement(s)

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P202	Do not handle until all safety precautions have been read and understood.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and ...] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P235+P410	Keep cool. Protect from sunlight.
P310	Immediately call a POISON CENTER or doctor/physician.
P363	Wash contaminated clothing before reuse.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P370+P378	In case of fire: Use ... to extinguish.
P405	Store locked up.
P407	Maintain air gap between stacks or pallets.
P420	Store separately.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.
P301+P312+P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms	: LiHMDS; Bis(trimethylsilyl)amine lithium salt; Lithium Hexamethyldisilazide; Hexamethyldisilazane Lithium Salt; 1,1,1,3,3,3-Hexamethyldisilazane lithium salt
Formula	: C6H18LiNSi2
Molecular weight	: 167.32

Component	Classification	Concentration
Toluene		
CAS-No. : 108-88-3	Flammable liquids Category 2; Acute toxicity Category 5; Skin corrosion/irritation Category 2; Reproductive toxicity Category 2; Specific target organ toxicity - single exposure Category 3; Specific target organ toxicity - repeated exposure Category 2; Aspiration hazard Category 1; Short-term (acute) aquatic hazard Category 2; Long-term (chronic) aquatic hazard Category 3; H225, H333, H315, H361, H336, H373, H304, H401, H412 Concentration limits: 20 %: STOT SE 3, H336;	
EC-No. : 203-625-9		
Lithium bis(trimethylsilyl)amide		
CAS-No. : 4039-32-1	Flammable solid category 1; self-heating substance And mixture category 1; skin corrosion/thorn Irritant Category 1B; serious eye damage/eye irritation Category 1; H228, H251, H314, H318	
EC-No. : 223-725-		

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

If swallowed

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

carbon dioxide (CO₂) dry powder

Unsuitable extinguishing media

Water foam

5.2 Special hazards arising from the substance or mixture

Carbon oxide Nitrogen oxide Lithium oxide Silica is combustible. Beware of tempering. Vapor is heavier than air, so it can spread over the ground. In case of fire, hazardous gas or vapor may be generated. Forms explosive mixture with air at moderate temperature

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: <https://www.aladdinsci.com/>

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Do not flush with water.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Never allow product to get in contact with water during storage. Filled with argon, sensitive to air and humidity, Store at 2-8 °C.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	no data available
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	no data available
f) Initial boiling point and boiling range	no data available
g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

SECTION 10: Stability and reactivity

10.1 Reactivity

Vapours may form explosive mixture with air. Reacts violently with water

10.2 Chemical stability

no data available

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Warm up.

10.5 Incompatible materials

Do not contact with water. , Strong oxidant, alcohol, acid

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

mixture

Acute toxicity

Symptoms: Swallowing can cause severe burns to the mouth and throat, and there is a danger of perforation of the esophagus and stomach.

Acute toxicity estimate Inhalation-4 h-31.73 mg/l

(Calculation method)

Symptoms: mucosal irritation, cough, shortness of breath, possible damage:, damage to the respiratory tract

Lithium Bistrimethylsilylamide

Acute toxicity

Oral: No data available

Symptoms: Swallowing can cause severe burns to the mouth and throat, and there is a danger of perforation of the esophagus and stomach.

Symptoms: mucosal irritation, cough, shortness of breath, possible damage:, damage to the respiratory tract

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Skin corrosion/irritation

The mixture can cause burns.

Serious eye damage/eye irritation

The mixture can cause serious eye damage. Danger of blindness!

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

The mixture may cause drowsiness or dizziness.

Aspiration hazard

no data available

Additional Information

Lung irritation, chest pain, pulmonary edema, toluene inhalation studies have shown animal penile, foreskin, scrotal hypersensitivity and ulcers.

Burning sensation:, cough, wheezing, laryngitis, shortness of breath, cramps, inflammation, sore throat, cramps, inflammation, bronchitis, pneumonia, pulmonary edema, the substance

The damage to mucosal tissues and upper respiratory tract, eyes and skin is huge.

Other dangers cannot be ruled out.

This substance must be handled with special care.

Operate in accordance with good industrial hygiene and safety regulations.

SECTION 12: Ecological information

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2924

Packing group: II

Class: 3 (8)

Proper shipping name: Flammable liquid, corrosive, n.o.s. (1,1,1,3,3,3-hexamethyldisilazane lithium salt, Toluene)

Reportable Quantity(RQ): no data available

Poison Inhalation Hazard: no data available

Environmental Hazards: No

IMDG

UN number: 2924

Packing group: II

EMS-No: no data available

Proper shipping name: Flammable liquid, corrosive, n.o.s. (1,1,1,3,3,3-hexamethyldisilazane lithium salt, Toluene)

IATA

UN number: 2924

Packing group: II

Class: 3 (8)

Proper shipping name: Flammable liquid, corrosive, n.o.s. (1,1,1,3,3,3-hexamethyldisilazane lithium salt, Toluene)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Prepared By	Regulatory Affairs ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com
Creation Date	27-Dec-2021
Revision Date	21-Jan-2024
Print Date	26-Jan-2024
Revision Summary	SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.