SAFETY DATA SHEET

Version: v1 Revision Date: 2024-01-16 Print Date: 2024-01-23

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	: Lithium perchlorate
Product Number	: L110163
Brand	: aladdin
CAS-No.	: 7791-03-9

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemic	als,Manufacture of substances.
-------------------------------------	--------------------------------

1.3 Company

Company	: ALADDIN SCIENTIFIC CORPORATION
Address	: 14078 Meridian Parkway,
Riverside, CA. 92518	
Telephone	: +1 (833) 552-7181
Fax	: no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA	: 1-800-424-9300
CHEMTREC®, Outside the USA	:

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Oxidizing solids (Category 2), H272

Acute toxicity, Oral (Category 4), H302

Skin corrosion/irritation (Category 1A), H314

Serious eye damage/eye irritation (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word

Danger

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Hazard statement(s)	
H272	May intensify fire; oxidizer
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation
Precautionary statement(s)	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition
	sources No smoking.
P220	Keep away from clothing and other combustible materials.
P221	Take any precaution to avoid mixing with combustibles/
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P363	Wash contaminated clothing before reuse.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN
	with water [or shower].
P370+P378	In case of fire: Use to extinguish.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved waste disposal plant.
P301+P312+P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304+P340+P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	Immediately call a POISON CENTER/ doctor.
P305+P351+P338+P310	IF IN EYES: Rinse cautiously with water for several minutes. If contact lenses are
	worn and can be easily removed, remove Contact lenses. Continue rinsing.
	Immediately call an emergency center/doctor.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Perchloric Acid Lithium Salt
Formula	: LiClO4
Molecular weight	: 106.39
CAS No.	: 7791-03-9
EC-NO.	: 232-237-2

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Component	Classification	Concentration
Cremnangentchlorate	Classification	Concentration
	no data available	anhydrous,99.9% metals basis

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Use dry chemical, carbon dioxide or alcohol-resistant foam. Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas Lithium oxides Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Separately or together with other oxidising substances only and away from sources of ignition and heat.Because of their oxidation potential these products can raise the burning rate of combustible substances substantially or ignite combustible substances on contact with them. Hygroscopic.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

> workday. Personal protective equipment Eye/face protection Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Skin protection Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it. **Body Protection** Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. Respiratory protection Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU). Control of environmental exposure Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	form: Powder, Crystals and/or Chunks color: White
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	236°C
f) Initial boiling point and boiling range	no data available
g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or	
explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	2.42
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	r no data available

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion with: combustible substances

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - > 300 - < 2,000 mg/kg (OECD Test Guideline 423) Symptoms: Irritation symptoms in the respiratory tract.

Skin corrosion/irritation Skin - In vitro study Result: Causes burns. - 60 min (OECD Test Guideline 431) Serious eye damage/eye irritation no data available Respiratory or skin sensitisation no data available Germ cell mutagenicity Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation

aladdin ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Method: OECD Test Guideline 471 Result: negative Carcinogenicity no data available Reproductive toxicity no data available Specific target organ toxicity - single exposure Inhalation - May cause respiratory irritation. Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available Additional Information Large doses of lithium ion have caused dizziness and prostration, and can cause kidney damage if sodium intake is limited. Dehydration, weight loss, dermatological effects, and thyroid disturbances have been reported. Central nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur.

nervous system effects that include slurred speech, blurred vision, sensory loss, ataxia, and convulsions may occur. Diarrhea, vomiting, and neuromuscular effects such as tremor, clonus, and hyperactive reflexes may occur as a result of repeated exposure to lithium ion., To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. The following applies to lithium compounds in general: when handled or used inappropriately, the absorption of large quantities is followed by CNS disorders, agitation, spasms, ataxia (impaired locomotor coordination) due to disturbed electrolyte balance.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae) - > 120 mg/l - 72 h (OECD Test Guideline 201)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment



no data available

12.6 Other adverse effects

Further information on ecology An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. Discharge into the environment must be avoided.

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)		
UN number: 1481	Packing group: II	Class: 5.1
Proper shipping name:	Reportable Quantity(RQ): no data	Poison Inhalation Hazard: no data
PERCHLORATES, INORGANIC, N.O.S.	available	available
Environmental Hazards: no		
IMDG		
UN number: 1481	Packing group: II	EMS-No: no data available
Proper shipping name: PERCHLORATE	S, INORGANIC, N.O.S.	
ΙΑΤΑ		
UN number: 1481	Packing group: II	Class: 5.1
Proper shipping name: PERCHLORATE	ES, INORGANIC, N.O.S.	

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By	Regulatory Affairs ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com
Creation Date	16-Nov-2023
Revision Date	16-Jan-2024
Print Date	23-Jan-2024



ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Revision Summary

SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.