

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-20

Print Date: 2025-09-26

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Lead nitrate
Product Number : L112118
Brand : aladdin
CAS-No. : 10099-74-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Oxidizing solids (Category 2), H272

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Serious eye damage (Category 1), H318

Skin sensitization (Category 1), H317

Reproductive toxicity (Category 1A), H360FD

Specific target organ toxicity - repeated exposure (Category 1), Blood, Central nervous system, Immune system,

Kidney, H372



P405

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

2.2 GHS Label elements, including precautionary statements

Pictogram		
Signal word	Danger	
Hazard statement(s)		
H272	May intensify fire; oxidizer	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H341	Suspected of causing genetic defects	
H350	May cause cancer	
H360	May damage fertility or the unborn child	
H370	Causes damage to organs	
H372	Causes damage to organs through prolonged or repeated exposure	
H410	Very toxic to aquatic life with long lasting effects	
H302+H332	Harmful if swallowed or if inhaled	
Precautionary statement(s)		
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources.	
	No smoking.	
P220	Keep away from clothing and other combustible materials.	
P260	Do not breathe dust/fume/gas/mist/vapors/spray.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P264	Wash hands [and] thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P321	Specific treatment (see on this label).	
P330	Rinse mouth.	
P391	Collect spillage.	
P302+P352	IF ON SKIN: wash with plenty of water.	
P304+P340	4+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P333+P313	IF SKIN irritation or rash occurs: Get medical advice/attention.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P370+P378	In case of fire: Use to extinguish.	

Store locked up.



14078 Meridian Parkway, Riverside, CA. 92518

P501 Dispose of contents/container to an approved waste disposal plant.

P203 Obtain, read and follow all safety instructions before use.

P264+P265 Wash hands [and ...] thoroughly after handling. Do not touch eyes.

P301+P317 IF SWALLOWED: Get medical help.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

P318 if exposed or concerned, get medical advice.

P317 Get emergency medical help.
P319 Get medical help if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : Plnmbous nitnate Lead(II) nitrate

Formula : PbN2O6 Molecular weight : 331.21

Component Classification Concentration

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available



14078 Meridian Parkway, Riverside, CA. 92518

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Nitrogen oxides (NOx) Lead oxides Not combustible. Has a fire-promoting effect due to release of oxygen. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

7.2 Conditions for safe storage, including any incompatibilities



14078 Meridian Parkway, Riverside, CA. 92518

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: Powder, Crystals and/or Chunks color: white

b) Odour no data available c) Odour Threshold no data available



14078 Meridian Parkway, Riverside, CA. 92518

d) pH	no data available
d) pH	no data availabl

e) Melting point/freezing point 470°C

f) Initial boiling point and boiling range no data available g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available no data available k) Vapour pressure no data available I) Vapour density m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available no data available q) Decomposition temperature no data available r) Viscosity s) Explosive properties N no data available no data available t) Oxidizing properties N

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Risk of explosion with: organic combustible substances ammonium compounds acetates Alcohols Esters

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information



14078 Meridian Parkway, Riverside, CA. 92518

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available Acute toxicity estimate Inhalation - 1,6 mg/l

(Expert judgment)

Acute toxicity estimate Inhalation - 1,6 mg/l

(Expert judgment)

Symptoms: Possible damages:, mucosal irritations

LD50 Dermal - Rat - male and female - > 2.000 mg/kg

(OECD Test Guideline 402)

Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Lead(II) oxide red

Skin corrosion/irritation

Skin - In vitro study Result: non-corrosive (OECD Test Guideline 431) Skin - In vitro study Result: No skin irritation - 42 min (OECD Test Guideline 439)

Serious eye damage/eye irritation

Eyes - Bovine cornea Result: Causes serious eye damage. - 4 h (OECD Test Guideline 437)

Respiratory or skin sensitisation

Local lymph node assay (LLNA) - Mouse Result: positive (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Result: negative Remarks: (in analogy to similar products) (ECHA) Test Type: Micronucleus test Species: Rat Cell type: Red blood cells (erythrocytes) Application Route: Oral Result: positive Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: lead(II) acetate Test Type: Chromosome aberration test Species: Monkey Cell type: lymphocyte Application Route: Oral Result: positive Remarks: (in analogy to similar products) (ECHA) Test Type: comet assay Species: Mouse Cell type: Liver cells Application Route: Inhalation Result: negative Remarks: (in analogy to similar products) (ECHA)

Carcinogenicity

no data available

Reproductive toxicity

May damage the unborn child. Positive evidence from human epidemiological studies. May damage fertility. Positive evidence from human epidemiological studies.

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - Blood, Central nervous system, Immune system, Kidney

Aspiration hazard



14078 Meridian Parkway, Riverside, CA. 92518

no data available

Additional Information

RTECS: OG2100000 Lead salts have been reported to cross the placenta and to induce embryo- and fetomortality. To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: After absorption: After a latency period: Salivation Vomiting drop in blood pressure A lethal effect is possible after the uptake of large quantities. The following applies to lead compounds in general: Due to the poor absorbability via the gastrointestinal tract, only very high doses lead to acute cases of intoxication. After a latency period of several hours, metallic taste, nausea, vomiting, and colics occur, in many instances followed by shock. Chronic uptake causes peripheral muscular weakness ("drop-wrist"), anaemia, and central-nervous disorders. Women of child-bearing age should not be exposed to the substance over longer periods of time (observe critical threshold). The following applies to nitrites/nitrates in general: methaemoglobinaemia after the uptake of large quantities. Other dangerous properties can not be excluded. This substance should be handled with particular care.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Oncorhynchus mykiss (rainbow trout) - 0,1 mg/l - 96 h

Remarks: (ECHA)

Toxicity to daphnia EC50 - Daphnia magna (Water flea) - 1,8 mg/l - 48 h

and other aquatic invertebrates

Remarks: (ECOTOX Database)

Toxicity to algae EC50 - algae - 0,024 - 0,029 mg/l - 28 h

Remarks: (Lit.)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

Depending on the concentration, phosphorus and/or nitrogen compounds may contribute to the eutrophication of drinking- water supplies. Discharge into the environment must be avoided. Very toxic to aquatic organisms, may cause



14078 Meridian Parkway, Riverside, CA. 92518

long-term adverse effects in the aquatic environment.

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1469 Packing group: II Class: 5.1 (6.1)

Proper shipping name: LEAD NITRATE Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: no

IMDG

UN number: 1469 Packing group: II EMS-No: no data available

Proper shipping name: LEAD NITRATE

IATA

UN number: 1469 Packing group: II Class: 5.1 (6.1)

Proper shipping name: LEAD NITRATE

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date14-Sep-2021Revision Date20-Sep-2025Print Date26-Sep-2025

Revision Summary SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.