

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-21

Print Date: 2024-01-26

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Lanthanum(III) chloride

Product Number : L113547

Brand : aladdin

CAS-No. : 10099-58-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

## 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®. Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290

Acute toxicity, Oral (Category 5), H303

Serious eye damage (Category 1), H318

Skin sensitization (Category 1), H317

Short-term (acute) aquatic hazard (Category 2), H401

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

## 2.2 GHS Label elements, including precautionary statements



#### 14078 Meridian Parkway, Riverside, CA. 92518

Pictogram



Danger





Signal word

Hazard statement(s)

H290 May be corrosive to metals

Precautionary statement(s)

P234 Keep only in original container.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P390 Absorb spillage to prevent material damage.

P391 Collect spillage.

P302+P352 IF ON SKIN: wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P406 Store in corrosive resistant/... container with a resistant inner liner.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Lanthanum(III) chloride

Formula : Cl3La

Molecular weight : 245.26

CAS No. : 10099-58-8

EC-NO. : 233-237-5

Component Classification Concentration

Lanthanum(III) chloride



14078 Meridian Parkway, Riverside, CA. 92518

Component	Classification	Concentration
	金属腐蚀物 类别 1; 急性毒性 类别 5; 严重眼睛损伤 类别 1; 皮肤过敏 类别 1; 急性 (短 期) 水生危害 类别 2; 长期水 生危害 类别 2; H290, H303, H318, H317, H401, H411	anhydrous, beads, 99.9% metals basis

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

no data available

## 5.2 Special hazards arising from the substance or mixture

Hydrogen chloride gas Lanthanum oxides

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

no data available



14078 Meridian Parkway, Riverside, CA. 92518

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust. For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Handle and store under inert gas. Storage class (TRGS 510): 8B: Non-combustible, corrosive hazardous materials

# 7.3 Specific end use(s)

no data available

### SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

Component	CAS	Value	Control	Basis
	No.		parameters	



14078 Meridian Parkway, Riverside, CA. 92518

10099-	PC-	2.5 mg/m3	Occupation
58-8	TWA		exposure
			limit of
			workplace
			hazardous
			factors
			Learning
			harmful
			factors

# 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as

a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### SECTION 9: Physical and chemical properties



14078 Meridian Parkway, Riverside, CA. 92518

## 9.1 Information on basic physical and chemical properties

a) Appearance form: Beads color: white

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available

e) Melting point/freezing point 860°C f) Initial boiling point and boiling range 1000°C

g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 3.84

n) Water solubility no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

## 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Avoid moisture.

## 10.5 Incompatible materials

Strong oxidizing agents, Strong acids



14078 Meridian Parkway, Riverside, CA. 92518

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male and female - 2,621 mg/kg

Inhalation: No data available

LD50 Dermal - Rabbit - > 1,638 mg/kg

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation Remarks: (ECHA)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irreversible effects on the eye (OECD Test Guideline 405)

Respiratory or skin sensitisation

Sensitisation test: - Mouse Result: positive (OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: Mouse Test system: Other cell types Remarks: Morphological transformation. Test Type: Micronucleus test Species: Rat Cell type: Red blood cells (erythrocytes) Method: OECD Test Guideline 474 Result: negative

Carcinogenicity no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

**Additional Information** 

RTECS: 0E4375000

Cough, Shortness of breath, Headache, Nausea, Vomiting

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish semi-static test LC50 - Cyprinus carpio (Carp) - > 5 mg/l - 21 d

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

(OECD Test Guideline 204)

Toxicity to daphnia

and other aquatic

invertebrates

static test EC50 - Daphnia - ca. 2.083 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to algae static test EC50 (calculated) - Desmodesmus subspicatus (green

algae) - 22.9 mg/l - 72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC50 - activated sludge - 390 mg/l - 3 h

(OECD Test Guideline 209)

## 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

Toxic to aquatic life with long lasting effects.

#### **SECTION 13:**

# 13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

Contaminated packaging

Dispose of as unused product.



14078 Meridian Parkway, Riverside, CA. 92518

# **SECTION 14: Transport information**

DOT (US)

UN number: 3260 Packing group: III Class: 8

Proper shipping name: CORROSIVE Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

SOLID, ACIDIC, INORGANIC, N.O.S. available available

(Lanthanum(III) chloride) Environmental Hazards: no

**IMDG** 

UN number: 3260 Packing group: III EMS-No: no data available

Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Lanthanum(III) chloride)

IATA

UN number: 3260 Packing group: III Class: 8

Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Lanthanum(III) chloride)

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

 Creation Date
 14-Dec-2021

 Revision Date
 21-Jan-2024

 Print Date
 26-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.