

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-20

Print Date: 2025-09-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 2-Methoxyethanol
Product Number : M102852
Brand : aladdin
CAS-No. : 109-86-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION
Address : 14078 Meridian Parkway,
Riverside, CA. 92518
Telephone : +1 (833) 552-7181
Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300
CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Reproductive toxicity (Category 1B), H360FD

Specific target organ toxicity - single exposure (Category 1), Immune system, H370

Specific target organ toxicity - repeated exposure (Category 2), thymus, H373

For the full text of the H-Statements mentioned in this Section, see Section 16

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word

Hazard statement(s)

H226	Flammable liquid and vapor
H360	May damage fertility or the unborn child
H370	Causes damage to organs
H373	Causes damage to organs through prolonged or repeated exposure
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled

Precautionary statement(s)

P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and ...] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P321	Specific treatment (see ... on this label).
P330	Rinse mouth.
P302+P352	IF ON SKIN: wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use ... to extinguish.
P405	Store locked up.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.
P203	Obtain, read and follow all safety instructions before use.
P301+P317	IF SWALLOWED: Get medical help.
P318	if exposed or concerned, get medical advice.
P317	Get emergency medical help.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Ethylene glycol monomethyl ether Methyl cellosolve Methyl glycol
Formula	: C3H8O2
Molecular weight	: 76.09
CAS No.	: 109-86-4
EC-NO.	: 203-713-7

Component	Classification	Concentration
2-Methoxyethanol	Flam. Liq. 3; Acute Tox. 4; Repr. 1B; STOT SE 1; STOT RE 2; H226, H302, H332, H312, H360FD, H370, H373	AR

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Moisture sensitive , Fill with argon and store dry.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Hazard composition and occupational exposure limits

Component	CAS No.	Value	Control parameters	Basis
2-Methoxyethanol	109-86-4	PC-TWA	15 mg/m ³	Occupational exposure limits for workplace hazards - chemical hazards
		Note	Skin	

Biological limits

Component	CAS No.	parameters	Value	Biological specimens	Basis
2-Methoxyethanol	109-86-4	2-Methoxyethanol	1mg/g creatinine	urine	ACGIH - Biological Limits (BEI)
	Note	When you leave work on the last working day of the work week			

8.2 Exposure controls

Appropriate engineering controls

Replace contaminated clothing immediately. Use skin protective lotion. Wash hands and wash your face after using this substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A-(P2)

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	form: liquid color: Colorless to light yellow
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	-85.1°C
f) Initial boiling point and boiling range	125°C
g) Flash point	46.1°C
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	0.964-0.969
n) Water solubility	It is miscible with water and can be miscible with alcohols, ketones and hydrocarbons.
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with: Aluminum magnesium bases Zinc Risk of explosion with: Oxidizing agents Air Possible formation of: Peroxides

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

Aluminum, various plastics

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rabbit - 890 mg/kg Remarks: Behavioral:General anesthetic. Blood:Other hemolysis with or without anemia. (RTECS) Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis. Acute toxicity estimate Inhalation - Expert judgment - 4 h - 11 mg/l LD50 Dermal - Rabbit - 1.280 mg/kg Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 4 h (Directive 67/548/EEC, Annex V, B.4.)

Serious eye damage/eye irritation

Eyes - Rabbit Result: slight irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Chromosome aberration test Species: Mouse Application Route: Oral Method: OECD Test Guideline 475 Result: negative

Carcinogenicity

no data available

Reproductive toxicity

May damage the unborn child. May damage fertility.

Specific target organ toxicity - single exposure

Causes damage to organs. - Immune system

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - thymus

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Aspiration hazard

no data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 90 d - NOAEL (No observed adverse effect level) - < 71 mg/kg - LOAEL (Lowest observed adverse effect level) - 71 mg/kg Remarks: (ECHA) RTECS: KL5775000 Effects due to ingestion may include:, Changes in the blood count, Headache, Central nervous system depression, Ingestion of large amounts may cause:, Damage of the:, Liver, Kidney, Central nervous system To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: Changes in the blood count Headache Inhalation of high vapor concentrations can cause CNS-depression and narcosis. After absorption of large quantities: Damage to: Liver Kidney Central nervous system Other dangerous properties can not be excluded. This substance should be handled with particular care.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish static test LC50 - Lepomis macrochirus (Bluegill sunfish) - > 10.000 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - Daphnia magna (Water flea) - 27.000 mg/l - 48 h (ISO 6341) Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 25.500 mg/l - 72 h (ISO 8692) Toxicity to bacteria static test EC50 - activated sludge - > 1.000 mg/l - 3 h (OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 20 d Result: 88 % - Readily biodegradable. Remarks: (ECHA)

12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow <= 4).

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:**13.1 Disposal considerations****Product**

Dispose of the remaining and non recyclable solution to a licensed company.

Contaminated packaging

Dispose of as unused product.

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

SECTION 14: Transport information

DOT (US)

UN number: 1188

Packing group: III

Class: 3

Proper shipping name: ETHYLENE

Reportable Quantity(RQ): no data

Poison Inhalation Hazard: no data

GLYCOL MONOMETHYL ETHER

available

available

Environmental Hazards: yes

IMDG

UN number: 1188

Packing group: III

EMS-No: no data available

Proper shipping name: ETHYLENE GLYCOL MONOMETHYL ETHER

IATA

UN number: 1188

Packing group: III

Class: 3

Proper shipping name: ETHYLENE GLYCOL MONOMETHYL ETHER

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By

Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date

23-Nov-2021

Revision Date

20-Sep-2025

Print Date

26-Sep-2025

Revision Summary

SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.