

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-10-15

Print Date: 2024-10-15

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Methylcyclohexane

Product Number : M103330
Brand : aladdin
CAS-No. : 108-87-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Skin irritation (Category 2), H315

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements



14078 Meridian Parkway, Riverside, CA. 92518

Pictogram

Signal word Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H336 May cause drowsiness or dizziness

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P331 Do NOT induce vomiting.

P391 Collect spillage.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P402 Store in a dry place.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

a POISON CENTER or doctor. if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Hexahydrotoluene



14078 Meridian Parkway, Riverside, CA. 92518

Formula : C7H14

Molecular weight : 98.19

CAS No. : 108-87-2

EC-NO. : 203-624-3

Component	Classification	Concentration		
Methylcyclohexane				
	Flam. Liq. 2; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic ≥99% Chronic 1; H225, H315, H336, H304, H400, H410, H410 M-Factor - Aquatic Acute: 1 M-Factor - Aquatic Chronic: 1			

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures



14078 Meridian Parkway, Riverside, CA. 92518

with air at ambient temperatures.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Moisture sensitive.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection



14078 Meridian Parkway, Riverside, CA. 92518

8.1 Control parameters

Component	CAS No.	Value	Control parameters	Basis
Methylcyclohexane	108- 87-2	TWA	400 ppm	U.S.A. ACGIH threshold limit value (TLV)
		TWA	400 ppm1,600 mg/m3	U.S.A. NIOSH recommended exposure limits
		TWA	500 ppm2,000 mg/m3	U.S.A. Occupational exposure limits (OSHA) - table Z-1 air pollutant limits
		TWA	400 ppm1,600 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		PEL	400 ppm1,600 mg/m3	Allowable exposure limits for chemical pollutants in California (article 107, paragraph 8)

8.2 Exposure controls

Appropriate engineering controls

Replace contaminated clothing immediately. Use skin protective lotion. Wash hands and wash your face after using this substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate

government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A-(P2)



14078 Meridian Parkway, Riverside, CA. 92518

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point -126.59° C f) Initial boiling point and boiling range 100.9° C g) Flash point -3.8° C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.77

n) Water solubility Insoluble in water, soluble in ethanol, ether, acetone, benzene, petroleum

ether, carbon tetrachloride, etc.

o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions



14078 Meridian Parkway, Riverside, CA. 92518

Risk of explosion with: Oxygen Exothermic reaction with: Oxidizing agents fire-promoting substances

10.4 Conditions to avoid

Warming.

10.5 Incompatible materials

various plastics

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available LC50 Inhalation - Rat - male - 4 h - > 52,6 mg/l LD50 Dermal - Rabbit - > 86.000 mg/kg Remarks: (Lit.)

Skin corrosion/irritation

Repeated or prolonged exposure may cause skin irritation and dermatitis, due to degreasing properties of the product.

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405) Remarks: The value is given in analogy to the following substances: Cyclohexane Possible damages: slight irritation

Respiratory or skin sensitisation

Buehler Test - Guinea pig Result: Does not cause skin sensitization. (OECD Test Guideline 406) Remarks: The value is given in analogy to the following substances: Cyclohexane

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Metabolic activation: with and without metabolic activation Method: OECD Test Guideline

473 Result: negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

Aspiration hazard, Aspiration may cause pulmonary edema and pneumonitis.

Additional Information

RTECS: GV6125000 prolonged or repeated exposure can cause:, narcosis To the best of our knowledge, the



14078 Meridian Parkway, Riverside, CA. 92518

chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: narcosis Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish semi-static test LC50 - Oryzias latipes (Orange-red killifish) - 2,07 mg/l - 96 h (OECD Test Guideline 203) Toxicity to daphnia and other aquatic invertebrates semi-static test EC50 - Daphnia magna (Water flea) - 0,326 mg/l - 48 h (OECD Test Guideline 202) Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (algae) - 0,134 mg/l - 72 h (OECD Test Guideline 201) static test NOEC - Pseudokirchneriella subcapitata (algae) - 0,0221 mg/l - 72 h (OECD Test Guideline 201) Toxicity to bacteria static test NOEC - activated sludge - 2,755 mg/l - 14 d Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 0 % - Not readily biodegradable. (OECD Test Guideline 301D)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Dispose of the remaining and non recyclable solution to a licensed company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2296 Packing group: II Class: 3

Proper shipping name: Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

METHYLCYCLOHEXANE available available available



14078 Meridian Parkway, Riverside, CA. 92518

Environmental Hazards: yes

IMDG

UN number: 2296 Packing group: II EMS-No: no data available

Proper shipping name: METHYLCYCLOHEXANE

IATA

UN number: 2296 Packing group: II Class: 3

Proper shipping name: METHYLCYCLOHEXANE

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date27-Nov-2023Revision Date15-Oct-2024Print Date15-Oct-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.