

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-12

Print Date: 2025-09-15

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Methyltrichlorosilane

Product Number : M104828
Brand : aladdin
CAS-No. : 75-79-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 4), H312

Skin corrosion/irritation (Category 2), H315

Serious eye damage/eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335

# 2.2 GHS Label elements, including precautionary statements



#### 14078 Meridian Parkway, Riverside, CA. 92518

Pictogram	

Signal word Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H315 Causes skin irritation

H319 Causes serious eye irritation

H331 Toxic if inhaled

H335 May cause respiratory irritation

H302+H312 Harmful if swallowed or in contact with skin

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. -

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.
P337+P313 IF eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P304+P340+P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call

a POISON CENTER/doctor.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### **SECTION 3: Composition/information on ingredients**



14078 Meridian Parkway, Riverside, CA. 92518

#### 3.1 Substances

Synonyms : Trichloromethylsilane;MTS;Trichloro(methyl)silane

Formula : CH3SiCl3

Molecular weight : 149.48

CAS No. : 75-79-6

EC-NO. : 200-902-6

Component	Classification	Concentration
Methyltrichlorosilane		
	no data available	≥99%

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General advice

no data available

#### If inhaled

Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

### In case of skin contact

Remove/Take off immediately all contaminated clothing. Gently washwithplentyof soap and water. Immediately call a POISON CENTER or doctor/physician.

#### In case of eye contact

Rinse cautiously with water for several minutes. Remove contact lenses, if presentand easy to do. Continue rinsing.Immediately call a POISONCENTERor doctor/physician.

#### If swallowed

Immediately call a POISON CENTER or doctor/physician. Rinse mouth. DoNOTinduce vomiting.

# 4.2 Most important symptoms and effects, both acute and delayed

no data available

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Dry chemical, carbon dioxide.

Unsuitable extinguishing media

Foam Water

# 5.2 Special hazards arising from the substance or mixture



14078 Meridian Parkway, Riverside, CA. 92518

Carbon oxides Hydrogen chloride gas silicon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. May not get in touch with: Water Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use extra personal protective equipment (self-contained breathing apparatus). Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Entry to non-involved personnel should be controlled around the leakageareabyroping off, etc.

# 6.2 Environmental precautions

Prevent product from entering drains.

# 6.3 Methods and materials for containment and cleaning up

Absorb spilled material in dry sand or inert absorbent before recoveringit into an airtight container. In case of large amount of spillage, contain a spill by bunding. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Handling is performed in a well ventilated place. Wear suitable protective equipment. Prevent generation of vapour or mist. Keep away from heat/sparks/open flame/hot surfaces. -No smoking. Take measures to prevent the build up of electrostatic charge. Use explosion-proof equipment. Washhandsandface thoroughly after handling. Use a closed system if possible. Use a ventilation, local exhaust if vapour or aerosol will be generated. Avoid contact with skin, eyes and clothing. May develop pressure. Open carefully. Use corrosive resistant equipment.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a cool, dark and well-ventilated place. Store under inert gas. Protect from moisture. Store locked up. Store away from incompatible materials such as oxidizing agents. Moisture-sensitive

# 7.3 Specific end use(s)

no data available



14078 Meridian Parkway, Riverside, CA. 92518

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

#### **Skin protection**

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

## **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

no data available

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available e) Melting point/freezing point -90°C(lit.)
f) Initial boiling point and boiling range 66.4°C

g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available



14078 Meridian Parkway, Riverside, CA. 92518

j) Upper/lower flammability or explosive

limitsno data availablek) Vapour pressureno data availablel) Vapour densityno data available

m) Relative density 1.273

n) Water solubility no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

no data available

# 10.2 Chemical stability

sensitive to moisture

# 10.3 Possibility of hazardous reactions

Violent reactions possible with: Water Alcohols Amines Aldehydes Esters Ketones alkalines Oxidizing agents acids

### 10.4 Conditions to avoid

Do not allow water to enter container because of violent reaction. Warming. Moisture.

# 10.5 Incompatible materials

Light metals, Metals

# 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - < 1,280 mg/kg

(OECD Test Guideline 401)



### 14078 Meridian Parkway, Riverside, CA. 92518

LC50 Inhalation - Rat - male and female - 4 h - 4.17 mg/l - vapor

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - 1,067 mg/kg

Remarks: Behavioral: Altered sleep time (including change in righting reflex).

Liver:Other changes.

Nutritional and Gross Metabolic: Weight loss or decreased weight gain.

#### Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

**Aspiration hazard** 

no data available

**Additional Information** 

# **SECTION 12: Ecological information**

# 12.1 Toxicity

# 12.2 Persistence and degradability

no data available

# 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil



14078 Meridian Parkway, Riverside, CA. 92518

no data available

# 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no data available

# **SECTION 13:**

# 13.1 Disposal considerations

#### **Product**

Recycle to process, if possible. Consult your local regional authorities. You may be able to burn in a chemical incinerator equipped with an afterburner and scrubber system but exert extra care in igniting as this material ishighlyflammable. Observe all federal, state and local regulations when disposing of the substance

### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1250 Packing group: II Class: 3 (8)

Proper shipping name: Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

Methyltrichlorosilane available available

Environmental Hazards: no data available

IMDG

UN number: 1250 Packing group: II EMS-No: no data available

Proper shipping name: Methyltrichlorosilane

IATA

UN number: 1250 Packing group: II Class: 3 (8)

Proper shipping name: Methyltrichlorosilane

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date02-Mar-2022Revision Date12-Sep-2025



14078 Meridian Parkway, Riverside, CA. 92518

Print Date 15-Sep-2025

**Revision Summary** SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.