## SAFETY DATA SHEET

Version: v1 Revision Date: 2024-01-16 Print Date: 2024-01-23

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

:	Manganese
:	M105836
:	aladdin
:	7439-96-5(power)
	:

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substance
--

#### 1.3 Company

Company	: ALADDIN SCIENTIFIC CORPORATION
Address	: 14078 Meridian Parkway,
Riverside, CA. 92518	
Telephone	: +1 (833) 552-7181
Fax	: no data available

#### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA	: 1-800-424-9300
CHEMTREC®, Outside the USA	:

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable solid, category 2 Severe eye injury/eye irritation, category 2B Reproductive toxicity, category 1B

Specific target organ toxicity - single exposure, category 1 Specific target organ toxicity - repeated exposure, category 1

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Hazard statement(s) H228



Flammable solid

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Precautionary statement(s)	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition
	sources No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P370+P378	In case of fire: Use to extinguish.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms	: Manganese powder/manganese flakes/manganese standard solution;
high-purity metal manganese	
Formula	: Mn
Molecular weight	: 54.94
CAS No.	: 7439-96-5(power)
EC-NO.	: 231-105-1

Component	Classification	Concentration	
Manganese			
	no data available	SP,powder	

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

#### 4.2 Most important symptoms and effects, both acute and delayed

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

#### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media Special powder cement for extinguishing metal fires with sand Unsuitable extinguishing media Water carbon dioxide (CO2) foam

#### 5.2 Special hazards arising from the substance or mixture

Unclear nature after product decomposition Flammable Attention! After contact with water, it will release: hydrogen When a fire occurs, it may cause the generation of hazardous gases or vapors

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

no data available

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

## **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

### 7.2 Conditions for safe storage, including any incompatibilities

Room temperature storage, humidity sensitive, argon filled storage

#### 7.3 Specific end use(s)

no data available

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU). Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

<ul> <li>a) Appearance</li> <li>b) Odour</li> <li>c) Odour Threshold</li> <li>d) pH</li> <li>e) Melting point/freezing point</li> <li>f) Initial boiling point and boiling range</li> <li>g) Flash point</li> <li>h) Evaporation rate</li> <li>i) Flammability (solid, gas)</li> <li>j) Upper/lower flammability or</li> <li>explosive limits</li> <li>k) Vapour pressure</li> <li>l) Vapour density</li> <li>m) Relative density</li> <li>n) Water solubility</li> <li>o) Partition coefficient: n-octanol/water</li> <li>p) Auto-ignition temperature</li> </ul>	form: powder color: Grey no data available no data available no data available 1244°C 2095°C no data available no data available
n) Water solubility o) Partition coefficient: n-octanol/water	no data available
q) Decomposition temperature r) Viscosity s) Explosive properties N	no data available no data available no data available no data available
s) Explosive properties N t) Oxidizing properties N	

#### 9.2 Other safety information

no data available

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/

no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

#### 10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

#### 10.6 Hazardous decomposition products

no data available

#### SECTION 11: Toxicological information

#### 11.1 Information on toxicological effects

Acute toxicity LD50 oral rat female>2000 mg/kg (OECD Testing Guidelines 420) LC50 inhalation - rats - males and females -4 hours ->5.14 mg/l (OECD Testing Guidelines 403) Transcutaneous: No data available

Skin corrosion/irritation Skin - Rabbit Result: No skin irritation -4 hours (OECD Testing Guidelines 404) Serious eye damage/eye irritation Eyes - Rabbit Result: No eye irritation (OECD Testing Guidelines 405) Respiratory or skin sensitisation Local lamp node assay (LLNA) - mice Result: Negative (OECD Testing Guidelines 429) Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available Specific target organ toxicity - single exposure no data available Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available Additional Information To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Toxicity to fish semi static test LC50- Oncorhynchus mykiss (rainbow trout) ->3.6 mg/l -96 hours (OECD Testing Guidelines 203) Remarks: (Exceeding the upper solubility limit of the test substance) Toxicity to Daphnia and other aquatic invertebrates Static test EC50- Daphnia magna ->1.6 mg/l -48 hours (OECD Testing Guidelines 202) Remarks: (Exceeding the upper solubility limit of the test substance) Static toxicity test on algae ErC50- Desmodesmus subspicatus (green algae) -4.5 mg/l -72 hours (OECD Testing Guidelines 201) Remarks: (Exceeding the upper solubility limit of the test substance) Static toxicity test for bacteria EC50- Activated sludge ->1000 mg/l -3 hours (OECD Testing Guidelines 209) Remarks: (Exceeding the upper solubility limit of the test substance)

## 12.2 Persistence and degradability

no data available

#### 12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

## SECTION 13:

#### 13.1 Disposal considerations

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/

Product

## SECTION 14: Transport information

DOT (US)		
UN number: 3089	Packing group: III	Class: 4.1
Proper shipping name: Metal powder,	Reportable Quantity(RQ): no data	Poison Inhalation Hazard: no data
flammable, n.o.s	available	available
Environmental Hazards: no		
IMDG		
UN number: 3089	Packing group: III	EMS-No: no data available
Proper shipping name: Metal powder, flammable, n.o.s		
ΙΑΤΑ		
UN number: 3089	Packing group: III	Class: 4.1
Proper shipping name: Metal powder, t	flammable, n.o.s	

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### SECTION 16: Other information

Prepared By	Regulatory Affairs ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com
Creation Date	13-Oct-2023
Revision Date	16-Jan-2024
Print Date	23-Jan-2024
Revision Summary	SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.