

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-11

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 5-Methyl-2-hexanone

Product Number : M140685
Brand : aladdin
CAS-No. : 110-12-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Inhalation (Category 4), H332

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram

Warning

Signal word

Hazard statement(s)

H226 Flammable liquid and vapor

H332 Harmful if inhaled



14078 Meridian Parkway, Riverside, CA. 92518

| Precautionary statement(s) | |
|----------------------------|--|
| P210 | Keep away from heat, hot surface, sparks, open flames and other ignition |
| | sources No smoking. |
| P233 | Keep container tightly closed. |
| P240 | Ground/bond container and receiving equipment. |
| P241 | Use explosion-proof [electrical/ventilating/lighting//] equipment. |
| P242 | Use only non-sparking tools. |
| P243 | Take precautionary measures against static discharge. |
| P261 | Avoid breathing dust/fume/gas/mist/vapors/spray. |
| P271 | Use only outdoors or in a well-ventilated area. |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection. |
| P303+P361+P353 | IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN |
| | with water [or shower]. |
| P370+P378 | In case of fire: Use to extinguish. |
| P403+P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of contents/container to an approved waste disposal plant. |
| P304+P340+P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call |
| | a POISON CENTER or doctor. if you feel unwell. |

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Isobutylacetone;Isopentyl methyl ketone;Methyl isoamyl ketone

Formula : C7H140

Molecular weight : 114.19

CAS No. : 110-12-3

EC-NO. : 203-737-8

| Component | Classification | Concentration |
|---------------------|---------------------------------------|---|
| 5-Methyl-2-hexanone | | |
| | Flam. Liq. 3; Acute Tox. 4;H226, H332 | 99%,anhydrous,with molecular sieves,Water≤50 ppm |

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice



14078 Meridian Parkway, Riverside, CA. 92518

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. If breathing stops: mouth-to-mouth breathing or artificial respiration. Oxygen if necessary. Immediately call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most). Consult doctor if feeling unwell.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Carbon dioxide (CO2) Foam Dry powder Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.



14078 Meridian Parkway, Riverside, CA. 92518

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Change contaminated clothing. Preventive skin protection recommended. Wash hands after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Hazard composition and occupational exposure limits

| Component | CAS No. | Value | Control parameters | Basis |
|-------------------------|------------|-------|-----------------------|--|
| 5-Methyl-2- hexanone | 110-12-3 | TWA | 20 ppm | U.S.A. ACGIH threshold limit value (TLV) |
| | | STEL | 50 ppm | U.S.A. ACGIH threshold limit value (TLV) |
| | | TWA | 50 ppm240 mg/m3 | U.S.A. NIOSH recommended exposure limits |



14078 Meridian Parkway, Riverside, CA. 92518

| _ | TWA | 100 ppm475 | U.S.A. |
|---|-----|-----------------|-----------------|
| | | mg/m3 | Occupational |
| | | | exposure |
| | | | limits (OSHA) - |
| | | | table Z-1 air |
| | | | pollutant |
| | | | limits |
| | | | |
| | PEL | 50 ppm234 mg/m3 | Allowable |
| | | | exposure |
| | | | limits for |
| | | | chemical |
| | | | pollutants in |
| | | | California |
| | | | (article 107, |
| | | | paragraph 8) |
| | | | |

8.2 Exposure controls

Appropriate engineering controls

Replace contaminated clothing Skin protection emulsion is recommended. Wash hands after using this substance Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance

no data available



14078 Meridian Parkway, Riverside, CA. 92518

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point -74°C(lit.) f) Initial boiling point and boiling range 145°C g) Flash point 40°C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available m) Relative density 0.811-0.816

n) Water solubility Miscible in most organic solvents

o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Risk of ignition or formation of inflammable gases or vapours with: Violent reactions possible with: Strong oxidizing agents Amines Isocyanates strong reducing agents Bases acids

10.4 Conditions to avoid

Heating.

10.5 Incompatible materials

various plastics

10.6 Hazardous decomposition products



14078 Meridian Parkway, Riverside, CA. 92518

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 5.657 mg/kg

LC50 Inhalation - Rat - 6 h - 3813 ppm

Remarks: Cardiac:Other changes.

Respiratory disorder

Lungs, Thorax, or Respiration:Other changes.

LD50 Dermal - Rabbit - 8.110 mg/kg

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes - Rabbit Result: Mild eye irritation - 24 h

Respiratory or skin sensitisation

- Guinea pig Did not cause sensitization on laboratory animals.

Germ cell mutagenicity

Test Type: in vitro test Test system: S. typhimurium Metabolic activation: with and without metabolic activation

Method: Mutagenicity (Salmonella typhimurium - reverse mutation assay) Result: negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

Repeated dose toxicity - Rat - male - Gavage - NOAEL (No observed adverse effect level) -> 2.000 mg/kg

RTECS: MP3850000

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated.



14078 Meridian Parkway, Riverside, CA. 92518

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) -

159 mg/l - 96 h

Toxicity to daphnia

and other aquatic

invertebrates

semi-static test EC50 - Daphnia magna (Water flea) - > 100 mg/l -48 h

(OECD Test Guideline 202)

Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (green algae) - >100 mg/l - 72 h

(OECD Test Guideline 201)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 67 % - Readily biodegradable. (OECD Test Guideline 301D)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Dispose of the remaining and non recyclable solution to a licensed company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information



14078 Meridian Parkway, Riverside, CA. 92518

DOT (US)

UN number: 2302 Packing group: III Class: 3

Proper shipping name: 5- Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

METHYLHEXAN-2-ONE available available

Environmental Hazards: no

IMDG

UN number: 2302 Packing group: III EMS-No: no data available

Proper shipping name: 5-METHYLHEXAN-2-ONE

IATA

UN number: 2302 Packing group: III Class: 3

Proper shipping name: 5-METHYLHEXAN-2-ONE

SECTION 15: Regulatory information

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date14-Jan-2022Revision Date10-Jan-2024Print Date11-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.