

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-20

Print Date: 2025-09-26

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Octane
Product Number : O100578
Brand : aladdin
CAS-No. : 111-65-9

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Skin irritation (Category 2), H315

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 GHS Label elements, including precautionary statements



# 14078 Meridian Parkway, Riverside, CA. 92518

Pictogram		
Signal word	Danger	
Hazard statement(s)		
H225	Highly Flammable liquid and vapor	
H302	Harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H312	Harmful in contact with skin	
H315	Causes skin irritation	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
H400	Very toxic to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
Precautionary statement(s)		
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources.	
	No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.	
P264	Wash hands [and] thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
P321	Specific treatment (see on this label).	
P330	Rinse mouth.	
P331	Do NOT induce vomiting.	
P391	Collect spillage.	
P302+P352	IF ON SKIN: wash with plenty of water.	
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN	
	with water [or shower].	
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses if present and easy to do - continue rinsing.	
P362+P364	Take off contaminated clothing and wash it before reuse.	
P370+P378	In case of fire: Use to extinguish.	
P405	Store locked up.	
P403+P233	Store in a well-ventilated place. Keep container tightly closed.	



14078 Meridian Parkway, Riverside, CA. 92518

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.
P264+P265 Wash hands [and ...] thoroughly after handling. Do not touch eyes.
P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P301+P317 IF SWALLOWED: Get medical help.

P317 Get emergency medical help.

P337+P317 If eye irritation persists: Get medical help.
P332+P317 If skin irritation occurs: Get medical help.
P319 Get medical help if you feel unwell.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : n-Octane oktan

Formula : C8H18

Molecular weight : 114.23

CAS No. : 111-65-9

EC-NO. : 203-892-1

Component	Classification	Concentration
Octane		
	Flam. Liq. 2; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic	≥96%

Chronic 1; H225, H315, H336, H304, H400, H410 M-Factor - Aquatic

Acute: 10 - Aquatic Chronic: 1

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air. Call in physician.

### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

### In case of eye contact

After eye contact: rinse out with plenty of water. Remove contact lenses.

### If swallowed

After swallowing: caution if victim vomits. Risk of aspiration! Keep airways free. Pulmonary failure possible after aspiration of vomit. Call a physician immediately.



14078 Meridian Parkway, Riverside, CA. 92518

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

### 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

### 5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

# 6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Dispose of properly. Clean up affected area.

### 6.4 Reference to other sections

For disposal see section 13.



14078 Meridian Parkway, Riverside, CA. 92518

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. hygroscopic , Dry storage.

### 7.3 Specific end use(s)

no data available

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

Component	CAS No.	Value	Control	Basis
	NO.		parameters	
n-octane	111-	PC-	500 mg/m3	Occupational
	65-9	TWA		exposure
				limits for
				hazardous
				factors in the
				workplace -
				chemical
				hazardous
				factors

# 8.2 Exposure controls

#### Appropriate engineering controls

Replace contaminated clothing immediately. Use skin protective lotion. Wash hands and wash your face after using this substance.

### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### Skin protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

### **Body Protection**

Flame retardant antistatic protective clothing.

### **Respiratory protection**



14078 Meridian Parkway, Riverside, CA. 92518

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic

compounds

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point  $-57^{\circ}$ C(lit.) f) Initial boiling point and boiling range  $125^{\circ}$ C g) Flash point  $14^{\circ}$ C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available m) Relative density 0.704-0.709

n) Water solubility Insoluble in water, soluble in most organic solvents such as ethanol, ether,

benzene and acetone.

o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

# 10.2 Chemical stability



14078 Meridian Parkway, Riverside, CA. 92518

The product is chemically stable under standard ambient conditions (room temperature).

# 10.3 Possibility of hazardous reactions

Violent reactions possible with: Strong oxidizing agents

### 10.4 Conditions to avoid

Warming.

### 10.5 Incompatible materials

various plastics, Strong oxidizing agents

### 10.6 Hazardous decomposition products

In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - > 5.000 mg/kg (OECD Test Guideline 401) Remarks: (in analogy to similar compounds) The value is given in analogy to the following substances: isooctane LC50 Inhalation - Rat - male and female - 4 h - > 24,88 mg/l (OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg (OECD Test Guideline 402) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: isooctane

#### Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin. - 24 h (OECD Test Guideline 404) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: isooctane Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2) Drying-out effect resulting in rough and chapped skin.

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: isooctane

#### Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products) **Germ cell mutagenicity** 

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: n-heptaneTest Type: Chromosome aberration test in vitro Test system: rat hepatocytes Method: OECD Test Guideline 473 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: n-heptaneTest Type: In vitro mammalian cell gene mutation test Test system: human lymphoblastoid cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: isooctane

#### Carcinogenicity

no data available



14078 Meridian Parkway, Riverside, CA. 92518

### Reproductive toxicity

no data available

### Specific target organ toxicity - single exposure

Inhalation - May cause drowsiness or dizziness. - Central nervous system Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Specific target organ toxicity - repeated exposure

no data available

### **Aspiration hazard**

Aspiration may cause pulmonary edema and pneumonitis.

#### **Additional Information**

RTECS: RG8400000 burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Vomiting, Central nervous system depression, narcosis To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: After uptake of large quantities: Headache Dizziness Nausea Vomiting agitation somnolence Drowsiness Unconsciousness respiratory arrest It generally applies for aliphatic hydrocarbons with 6 - 18 carbon atoms that they may cause pneumonia, in some cases also pulmonary oedema, upon direct inhalation, i.e. in conditions that can occur only in very special circumstances (nebulizations, spraying, inhalation of aerosols and similar). After absorption of very large quantities: narcosis. Handle in accordance with good industrial hygiene and safety practice.

## **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish mortality LC50 - Oryzias latipes - 0,42 mg/l - 96,0 h Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 0,38 mg/l - 48 h Remarks: (ECHA) Toxicity to algae Growth inhibition NOEC - Pseudokirchneriella subcapitata (microalgae) - 5,8 mg/l - 72 h

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 10 d Result: 70,3 % - Readily biodegradable. Remarks: (ECHA) Theoretical oxygen 3.500 mg/g demand Remarks: (Lit.)

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

# 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no data available



14078 Meridian Parkway, Riverside, CA. 92518

#### **SECTION 13:**

### 13.1 Disposal considerations

#### **Product**

Dispose of the remaining and non recyclable solution to a licensed company.

Contaminated packaging

no data available

# **SECTION 14: Transport information**

DOT (US)

UN number: 1262 Packing group: II Class: 3

Proper shipping name: OCTANES Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: yes

**IMDG** 

UN number: 1262 Packing group: II EMS-No: no data available

Proper shipping name: OCTANES

**IATA** 

UN number: 1262 Packing group: II Class: 3

Proper shipping name: OCTANES

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date13-Dec-2023Revision Date20-Sep-2025Print Date26-Sep-2025

**Revision Summary** SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.