

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-20

Print Date: 2025-09-26

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : n-Octylamine
Product Number : O110545
Brand : aladdin
CAS-No. : 111-86-4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (Class 3), H226

Acute toxicity, oral (Class 3), H301

Acute toxicity, inhalation (Class 4), H332

Acute toxicity, percutaneous (Class 3), H311

Skin corrosion/irritation (Category 1A), H314

Severe eye injury/eye irritation (Category 1), H318

Specific target organ systemic toxicity (single exposure) (Category 3), respiratory irritation, H335

Acute (short-term) aquatic hazard (Category 1), H400



14078 Meridian Parkway, Riverside, CA. 92518

Long term aquatic hazards (Category 2), H411

2.2 GHS Label elements, including precautionary statements

Signal word	Danger
-------------	--------

H226 Flammable liquid and vapor

H301 Toxic if swallowed
H302 Harmful if swallowed
H311 Toxic in contact with skin
H312 Harmful in contact with skin

H314 Causes severe skin burns and eye damage

H318 Causes serious eye damage

H332 Harmful if inhaled

H335 May cause respiratory irritation

H400 Very toxic to aquatic life

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. -

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.



14078 Meridian Parkway, Riverside, CA. 92518

P361+P364	Take off immediately	/ all contaminated clothing ar	nd wash it before reuse.

P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.
P264+P265 Wash hands [and ...] thoroughly after handling. Do not touch eyes.
P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P301+P317 IF SWALLOWED: Get medical help.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

P317 Get emergency medical help.

P302+P361+P354 IF ON SKIN: Take off Immediately all contaminated clothing. Immediately rinse

with water for several minutes.

P316 Get emergency medical help immediately.

P319 Get medical help if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : 1-Aminooctane; 1-Octanamine; Caprylamine ; n-Octan-1-amine

Formula : C8H19N Molecular weight : 129.24 CAS No. : 111-86-4

EC-NO. : MFCD00008247

Component	Classification	Concentration
n-Octylamine		
	no data available	≥99%

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.



14078 Meridian Parkway, Riverside, CA. 92518

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides nitrogen oxide Flammable Vapor is heavier than air, so it can diffuse along the ground. Forming explosive mixtures with air at high temperatures When a fire occurs, it may cause the generation of hazardous gases or vapors

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up



14078 Meridian Parkway, Riverside, CA. 92518

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool and ventilated warehouse. Argon filling; Avoid light

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective



14078 Meridian Parkway, Riverside, CA. 92518

gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless to light yellow

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point $-5-1^{\circ}$ C f) Initial boiling point and boiling range $175-177^{\circ}$ C g) Flash point 60° C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.78

n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity



14078 Meridian Parkway, Riverside, CA. 92518

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

heat

10.5 Incompatible materials

metal

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 oral - rats - males and females -< 200 mg/kg

(OECD Testing Guidelines 401)

LC50 inhalation - rats - males and females -4 hours -1.6 mg/l

(OECD Testing Guidelines 403)

LD50 percutaneous rabbit -> 200-< 2000 mg/kg

LD50 intraperitoneal - mice -100 mg/kg

LD50 Intravenous - Mice -18 mg/kg

Skin corrosion/irritation

Skin - Rabbit Result: Causes severe burns. (OECD Testing Guidelines 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corroded eyes -24 hours (OECD Testing Guidelines 405)

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

Test type: Ames test Testing system: Salmonella Typhimurium Metabolic activation: with or without metabolic activation effect Method: OECD Testing Guidelines 471 Result: Negative Species: Mice Method: OECD Testing



14078 Meridian Parkway, Riverside, CA. 92518

Guidelines 474 Result: Negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

Registration of toxic effects of chemical substances: RG8050000

Burn sensation: cough, wheezing, laryngitis, shortness of breath, spasms, inflammation, sore throat, spasms, inflammation, bronchitis, pneumonia, pulmonary edema, etc

Massive damage to mucosal tissue, upper respiratory tract, eyes, and skin., To our knowledge, this chemical, physical, and toxic property has not yet been fully elucidated

Research.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to Fish LC50- Pimephales promelas -5.19 mg/l -96 hours in a flow cytometry test

(OECD Testing Guidelines 203)

Toxicity to Daphnia and other aquatic invertebrates

Semi static test EC50- Daphnia magna -1.9 mg/l -48 hours

Static Toxicity Test for Algae EC50- Desmodesmus Subspicatus -0.23 mg/l-

72 h

(Tested according to 92/69/EEC.)

12.2 Persistence and degradability

Result: 97% - rapidly biodegradable.

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil



14078 Meridian Parkway, Riverside, CA. 92518

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2734 Packing group: I Class: 8 (3)

Proper shipping name: Liquid polyamine, Reportable Quantity(RQ): no data

Poison Inhalation Hazard: no data

corrosive, flammable, n.o.s. (octane) available available

Environmental Hazards: yes

IMDG

UN number: 2734 Packing group: I EMS-No: no data available

Proper shipping name: Liquid polyamine, corrosive, flammable, n.o.s. (octane)

IATA

UN number: 2734 Packing group: I Class: 8 (3)

Proper shipping name: Liquid polyamine, corrosive, flammable, n.o.s. (octane)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date 21-Apr-2023



14078 Meridian Parkway, Riverside, CA. 92518

Revision Date 20-Sep-2025

Print Date 26-Sep-2025

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.