

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-10

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Propylamine
Product Number : P100390
Brand : aladdin
CAS-No. : 107-10-8

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Corrosive to Metals (Category 1), H290

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335



14078 Meridian Parkway, Riverside, CA. 92518

## 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H290 May be corrosive to metals

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

H402 Harmful to aquatic life

H311+H331 Toxic in contact with skin or if inhaled.

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.
P234 Keep only in original container.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.

P390 Absorb spillage to prevent material damage.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P406 Store in corrosive resistant/... container with a resistant inner liner.
P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.



14078 Meridian Parkway, Riverside, CA. 92518

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : 1-Aminopropane;1-Propylamine

Formula : C3H9N Molecular weight : 59.11 CAS No. : 107-10-8

EC-NO. : MFCD00008205

Component	Classification	Concentration
Propylamine		
	no data available	99%

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

no data available

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**



14078 Meridian Parkway, Riverside, CA. 92518

### 5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible.

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place. Recommended storage temperature 2 - 8 °C

## 7.3 Specific end use(s)



14078 Meridian Parkway, Riverside, CA. 92518

no data available

### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

no data available

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available

e) Melting point/freezing point -83°C f) Initial boiling point and boiling range 48-49°C



#### 14078 Meridian Parkway, Riverside, CA. 92518

g) Flash point -30 °C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.72

n) Water solubility It is miscible with water and can be mixed with ethanol and ether.

o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

## 9.2 Other safety information

no data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

acids, Acid chlorides, Acid anhydrides, Strong oxidizing agents

## 10.6 Hazardous decomposition products

no data available

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Acute toxicity



14078 Meridian Parkway, Riverside, CA. 92518

LD50 Oral - Rat - male and female - 370 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male - 4 h - 6,32 mg/l

(OECD Test Guideline 403)

LD50 Dermal - Rabbit - male - 403 mg/kg

Remarks:

(ECHA)

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

RTECS: UH9100000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

## **SECTION 12: Ecological information**

## 12.1 Toxicity



14078 Meridian Parkway, Riverside, CA. 92518

## 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

Harmful to aquatic life.

#### **SECTION 13:**

## 13.1 Disposal considerations

**Product** 

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 1277 Packing group: II Class: 3(8)

Proper shipping name: PROPYLAMINE Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: no

**IMDG** 

UN number: 1277 Packing group: II EMS-No: no data available

Proper shipping name: PROPYLAMINE

IATA

UN number: 1277 Packing group: II Class: 3(8)

Proper shipping name: PROPYLAMINE

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.



14078 Meridian Parkway, Riverside, CA. 92518

#### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

 Creation Date
 10-Sep-2020

 Revision Date
 10-Jan-2024

 Print Date
 10-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.