

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-20

Print Date: 2025-09-26

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Phenol
Product Number : P100769
Brand : aladdin
CAS-No. : 108-95-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Skin corrosion/irritation (Category 1B), H314

Serious eye damage/eye irritation (Category 1), H318

Germ cell mutagenicity (Category 2), H341

Specific target organ toxicity - repeated exposure (Category 2), Nervous system, Kidney, Liver, Skin, H373

Short-term (acute) aquatic hazard (Category 2), H401



14078 Meridian Parkway, Riverside, CA. 92518

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram	至

Signal word Danger

Hazard statement(s)

H314 Causes severe skin burns and eye damage
H341 Suspected of causing genetic defects

H373 Causes damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

H301+H311+H331 Toxic if swallowed, in contact with skin or if inhaled

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P281 Use personal protective equipment as required.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P302+P352 IF ON SKIN: wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

P203 Obtain, read and follow all safety instructions before use.
P301+P316 IF SWALLOWED: Get emergency medical help immediately.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

P318 if exposed or concerned, get medical advice.

P302+P361+P354 IF ON SKIN: Take off Immediately all contaminated clothing. Immediately rinse

with water for several minutes.

P316 Get emergency medical help immediately.

P319 Get medical help if you feel unwell.

UltraBio™,

molecular

biology, ≥99.5%



ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Synonyms : Hydroxybenzene 2-Methylphenol 2-Hydroxytoluene

: C6H6O Formula Molecular weight : 94.11 : 108-95-2 CAS No. EC-NO. : 203-632-7

Component	Classification	Concentration
Component	Classification	Concentration

Phenol

Acute toxicity Category 3; Skin corrosion/irritation Category 1B; Serious eye damage/eye irritation Category 1; Germ cell mutagenicity Category 2; Suitable for Specific target organ toxicity - repeated exposure Category 2; Short-term (acute) aquatic hazard Category 2; Longterm (chronic) aquatic hazard Category 2; H301, H331, H311, H314, H318, H341, H373, H401, H411

Concentration limits: >= 3 %: Skin Corr. 1B, H314; 1 - < 3 %: Skin Irrit. 2, H315; 1 - < 3 %: Eye Irrit. 2, H319;

SECTION 4: First aid measures

4.1 **Description of first aid measures**

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

After contact with skin: rinse out with polyethylene glycol 400 or a mixture of polyethylene glycol 300/ethanol 2:1 and wash with plenty of water. If neither is available wash with plenty of water. Immediately take off contaminated clothing. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed



14078 Meridian Parkway, Riverside, CA. 92518

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage



14078 Meridian Parkway, Riverside, CA. 92518

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons. Light sensitive , 2-8 °C, filled with argon, stored in a dark place.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Hazard composition and occupational exposure limits

Component	CAS No.	Value	Control parameters	Basis
Phenol	108-95-2	PC-TWA	10 mg/m3	Occupational exposure limits for hazardous factors in the workplace - chemical hazardous factors
	Note	Skin		

Biological limits

Component	CAS No.	parameters	Value	Biological specimens	Basis
Phenol	108-95-2	Phenol	150mmol / mol creatinine	urine	Occupational exposure biological limit
	Note	End of shift a	at work week	end	
		Phenol	125mg/g creatinine	urine	Occupational exposure biological limit



14078 Meridian Parkway, Riverside, CA. 92518

	End of shift at work weekend

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when dusts/vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance no data available b) Odour no data available c) Odour Threshold no data available d) pH no data available e) Melting point/freezing point 38-43 (°C) f) Initial boiling point and boiling range 181.7°C

g) Flash point 79.44°C (closed cup) h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 1.071

n) Water solubility no data available



14078 Meridian Parkway, Riverside, CA. 92518

o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Exothermic reaction with: Aluminum Aldehydes halogens hydrogen peroxide iron(III) compounds Oxidizing agents Strong acids Strong bases formaldehyde Risk of explosion with: nitrites nitrates salts of oxyhalogenic acids peroxi compounds

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

rubber, various plastics, various alloys, various metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - $100.1 \, \text{mg/kg}$ (Calculation method) Oral: No data available Acute toxicity estimate Inhalation - $4 \, \text{h} - 0.51 \, \text{mg/l}$ - dust/mist(Calculation method) Acute toxicity estimate Inhalation - $0.51 \, \text{mg/l}$ - dust/mist (Expert judgment) Acute toxicity estimate Dermal - $660 \, \text{mg/kg}$ (Calculation method) LD50 Dermal - Rat - female - $660 \, \text{mg/kg}$ (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - In vitro study Result: Causes burns. (OECD Test Guideline 431)

Serious eye damage/eye irritation



14078 Meridian Parkway, Riverside, CA. 92518

Eyes - Rabbit Result: Corrosive (OECD Test Guideline 405) Causes serious eye damage. Risk of blindness!

Respiratory or skin sensitisation

Sensitisation test: - Guinea pig Result: negative Remarks: (IUCLID)

Germ cell mutagenicity

Suspected of causing genetic defects. Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster ovary cells Metabolic activation: Metabolic activation Method: OECD Test Guideline 473 Result: positive Test Type: Mutagenicity (mammal cell test): micronucleus. Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: positive

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Nervous system, Kidney, Liver, Skin

Aspiration hazard

no data available

Additional Information

RTECS: SJ3325000 Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Circulatory collapse, tachypnea, paralysis, Convulsions, Coma., necrosis of mouth and G.I. Tract, Jaundice, respiratory failure, cardiac arrest To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Onchorhynchus clarki - $8.9 \, \text{mg/l}$ - $96 \, \text{h}$ (US-EPA) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Ceriodaphnia dubia (water flea) - $3.1 \, \text{mg/l}$ - $48 \, \text{h}$ (US-EPA) Toxicity to algae static test EC50 - Pseudokirchneriella subcapitata (algae) - $61.1 \, \text{mg/l}$ - $96 \, \text{h}$ (US-EPA) Toxicity to bacteria static test IC50 - microorganisms - $21 \, \text{mg/l}$ - $24 \, \text{h}$ Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 100 h Result: 62 % - Readily biodegradable. (OECD Test Guideline 301C)

12.3 Bioaccumulative potential

Bioaccumulation Danio rerio (zebra fish) - 5 h at 25 °C - 2 mg/l(Phenol) Bioconcentration factor (BCF): 17.5 (OECD Test Guideline 305) Remarks: Does not bioaccumulate.

12.4 Mobility in soil

no data available



14078 Meridian Parkway, Riverside, CA. 92518

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

no data available

SECTION 14: Transport information

DOT (US)

UN number: 1671 Packing group: II Class: 6.1

Proper shipping name: PHENOL, SOLID Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: yes

IMDG

UN number: 1671 Packing group: II EMS-No: no data available

Proper shipping name: PHENOL, SOLID

IATA

UN number: 1671 Packing group: II Class: 6.1

Proper shipping name: PHENOL, SOLID

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

 Creation Date
 27-Nov-2023

 Revision Date
 20-Sep-2025

 Print Date
 26-Sep-2025

Revision Summary SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.