

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-12

Print Date: 2025-09-13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 1,3-Propanediamine
Product Number : P103898
Brand : aladdin
CAS-No. : 109-76-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION
Address : 14078 Meridian Parkway,
Riverside, CA. 92518
Telephone : +1 (833) 552-7181
Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300
CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Corrosive to Metals (Category 1), H290

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Dermal (Category 2), H310

Skin corrosion (Sub-category 1B), H314

Serious eye damage (Category 1), H318

Respiratory sensitization (Category 1), H334

Skin sensitization (Category 1), H317

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word

Hazard statement(s)

H226	Flammable liquid and vapor
H290	May be corrosive to metals
H302	Harmful if swallowed
H310	Fatal in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled

Precautionary statement(s)

P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting/.../] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P262	Do not get in eyes, on skin, or on clothing.
P264	Wash hands [and ...] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P284	[In case of inadequate ventilation] Wear respiratory protection.
P321	Specific treatment (see ... on this label).
P330	Rinse mouth.
P363	Wash contaminated clothing before reuse.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P333+P313	IF SKIN irritation or rash occurs: Get medical advice/attention.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.

P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use ... to extinguish.
P405	Store locked up.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.
P264+P265	Wash hands [and ...] thoroughly after handling. Do not touch eyes.
P301+P317	IF SWALLOWED: Get medical help.
P305+P354+P338	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.
P317	Get emergency medical help.
P302+P361+P354	IF ON SKIN: Take off Immediately all contaminated clothing. Immediately rinse with water for several minutes.
P316	Get emergency medical help immediately.
P342+P316	If experiencing respiratory symptoms: Get emergence medical help immediately.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Trimethylenediamine;1,3-Diaminopropane;TMEDA; DAP
Formula	: C3H10N2
Molecular weight	: 74.13
CAS No.	: 109-76-2
EC-NO.	: 203-702-7

Component	Classification	Concentration
1,3-Propanediamine	Flam. Liq. 3; Met. Corr. 1; Acute Tox. 4; Acute Tox. 2; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; H226, H290, H302, H310, H314, H318, H334, H317	≥98%

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician

immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Carbon dioxide (CO₂) Foam Dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NO_x) Combustible. Vapors are heavier than air and may spread along floors. Risk of dust explosion. Forms explosive mixtures with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures**

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

No metal containers. Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Keep locked up or in an area accessible only to qualified or authorized persons. Light & Air sensitive, Hygroscopic, Fill with argon, dry, and store in a dark place.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Replace contaminated clothing immediately. Use skin protective lotion. Wash hands and wash your face after using this substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Recommended Filter type: Filter A (acc. to DIN 3181) for vapours of organic compounds

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer.

These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains. Risk of explosion.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

a) Appearance	form: liquid color: Colorless
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	-12°C
f) Initial boiling point and boiling range	140°C
g) Flash point	51°C
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	0.89
n) Water solubility	Soluble in water, methanol and ether.
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity**10.1 Reactivity**

no data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

Caution! In contact with nitrites, nitrates, nitrous acid possible liberation of nitrosamines! Violent reactions possible with: Strong oxidizing agents acids Exothermic reaction with: Acid anhydrides acid halides

10.4 Conditions to avoid

Avoid moisture. Heating.

10.5 Incompatible materials

Metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - male - 311 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - 4 h - > 17,63 mg/l (OECD Test Guideline 433) LD50 Dermal - Rabbit - male - 178 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - In vitro study Result: Causes burns. (OECD Test Guideline 435)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Irreversible effects on the eye (OECD Test Guideline 405) Causes serious eye damage.

Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: positive (OECD Test Guideline 406) Remarks: (in analogy to similar products) The value is given in analogy to the following substances: ethylenediamine Human experience - Human Result: positive Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: ethylenediamine

Germ cell mutagenicity

Test Type: Ames test Test system: Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

no data available

Aspiration hazard

no data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - 3 Months - NOAEL (No observed adverse effect level) - 22,6 mg/kg - LOAEL (Lowest observed adverse effect level) - 117 mg/kg Repeated dose toxicity - Rat - male and female - inhalation (vapor) - 6 Weeks - NOAEL (No observed adverse effect level) - 48 mg/kg - LOAEL (Lowest observed adverse effect level) - 107 mg/kg Repeated dose toxicity - Mouse - male - Dermal - NOAEL (No observed adverse effect level) - 8,3 mg/kg Remarks: (ECHA) RTECS: TX6825000 Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish static test LC50 - Leuciscus idus (Golden orfe) - > 100 mg/l - 96 h (DIN 38412 part 15) Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia - 27 mg/l - 48 h (Directive 67/548/EEC, Annex V, C.2.) Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 175,1 mg/l - 72 h (DIN 38412) static test NOEC - Desmodesmus subspicatus (green algae) - >= 500 mg/l - 72 h (DIN 38412) Toxicity to bacteria static test EC50 - activated sludge - > 1.000 mg/l - 0,5 h (OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 14 d Result: 96 % - Readily biodegradable. (OECD Test Guideline 301A) Biochemical Oxygen Demand (BOD) 326 mg/g Remarks: (External MSDS)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:**13.1 Disposal considerations****Product**

Dispose of the remaining and non recyclable solution to a licensed company.

Contaminated packaging

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2922

Packing group: II

Class: 3(8)(6.1)

Proper shipping name: CORROSIVE
LIQUID, TOXIC, N.O.S. (1,3-
diaminopropane)

Reportable Quantity(RQ): no data
available

Poison Inhalation Hazard: no data
available

Environmental Hazards: no

IMDG

UN number: 2922

Packing group: II

EMS-No: no data available

Proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (1,3-diaminopropane)

IATA

UN number: 2922

Packing group: II

Class: 3(8)(6.1)

Proper shipping name: CORROSIVE LIQUID, TOXIC, N.O.S. (1,3-diaminopropane)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By

Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date

29-Nov-2021

Revision Date

12-Sep-2025

Print Date

13-Sep-2025

Revision Summary

SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.