

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-17

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Parathion-methyl solution

Product Number : P109833 Brand : aladdin

CAS-No. : 298-00-0(chloroform)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®. Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Eye irritation (Category 2), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Long-term (chronic) aquatic hazard (Category 2), H411

Acute toxicity - Category 3, Dermal

Acute toxicity - Category 2, Inhalation

Specific target organ toxicity - repeated exposure, Category 2

2.2 GHS Label elements, including precautionary statements



P501

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Pictogram	
Signal word	Danger
Hazard statement(s)	, and the second
H225	Highly Flammable liquid and vapor
H226	Flammable liquid and vapor
H300	Fatal if swallowed
H311	Toxic in contact with skin
H316	Causes mild skin irritation
H319	Causes serious eye irritation
H330	Fatal if inhaled
H336	May cause drowsiness or dizziness
H373	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects
Precautionary statement(s	s)
P210	Keep away from heat, hot surface, sparks, open flames and other ignition
	sources No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and] thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P391	Collect spillage.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN
	with water [or shower].
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses if present and easy to do - continue rinsing.
P332+P313	IF SKIN irritation occurs: Get medical advice/attention.
P337+P313	IF eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use to extinguish.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P410+P403	Protect from sunlight. Store in a well-ventilated place.

Dispose of contents/container to an approved waste disposal plant.



14078 Meridian Parkway, Riverside, CA. 92518

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

a POISON CENTER or doctor. if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : Methyl parathion 0,0-Dimethyl 0-(4-nitrophenyl) phosphorothioate

Formula : C8H10NO5PS

Molecular weight : 263.21

Component	Classification	Concentration
Chloroform		
CAS-No.: 67-66-3 EC-No.: 200-663-8	Acute Toxicity Category 4; Acute Toxicity Category No 3; Skin corrosion/irritation category 2; Serious eye damage/eye irritation category 2A; Carcinogenicity Category 2; Reproductive toxicity Category 2; Specific target organ system toxicity (One contact) Category 3; Specificity Target organ system toxicity (repeated exposure) Category 1; Acute (short-term) aquatic hazard Category 3; H302, H331, H315, H319, H351, H361, H336, H372, H402 Concentration limit: 20 %: STOT SE 3, H336;	
Parathion-methyl solution		
CAS-No.: 298-00-0 EC-No.: 206-050-1	Flammable liquid category 3; acute toxicity category 2; acute toxicity category 3; specific target organ toxicity (repeated exposure) category 2; acute (short-term) aquatic hazard category 1; long-term aquatic hazard category 1; H226, H300, H330, H311, H373, H400, H410 M-factor-Aquatic	

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

Acute: 100-Aquatic Chronic: 100

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media
Foam Carbon dioxide (CO2) Dry powder
Unsuitable extinguishing media
no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Carbon oxides Mixture with combustible ingredients. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

7.2 Conditions for safe storage, including any incompatibilities

Store in a cool place. Keep the container tightly closed and store in a dry and ventilated place. store at 2-8°C , light sensitive

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and



14078 Meridian Parkway, Riverside, CA. 92518

approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance no data available b) Odour no data available c) Odour Threshold no data available d) pH no data available no data available e) Melting point/freezing point f) Initial boiling point and boiling range no data available g) Flash point no data available no data available h) Evaporation rate i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

1

m) Relative density

n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

Warming.

10.5 Incompatible materials

Bases, Oxidizing agents, Acetone reacts violently with phosphorous oxychloride. Strong oxidizing agents

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

chloroform

LD50 Oral - Rat - male - 908 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - 6 h - 9.17 mg/l - vapor

Acute toxicity estimate Inhalation - Expert judgment - 4 h - 3.1 mg/l - vapor

Skin corrosion/irritation

Repeated exposure with the mixture may cause skin dryness or cracking.

Serious eye damage/eye irritation

Mixture causes serious eye irritation.

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Mixture may cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information



14078 Meridian Parkway, Riverside, CA. 92518

12.1 Toxicity

chloroform

Toxicity to algae static test ErC50 - Chlamydomonas reinhardtii (green algae) - 13.3mg/l - 72 h

Remarks: (ECHA) (Chloroform)

Toxicity to bacteria Remarks: (ECHA)

(Chloroform)

Toxicity to fish(Chronic toxicity)

flow-through test NOEC - Oryzias latipes - 0.15 mg/l - 9 Months

Remarks: (ECHA)

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) semi-static test NOEC - Daphnia magna (Water flea) - 6.3 mg/l - 21d

Remarks: (ECHA)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information



14078 Meridian Parkway, Riverside, CA. 92518

DOT (US)

UN number: 1888 Packing group: II Class: 3 (6.1)

Proper shipping name: chloroform Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: Yes

IMDG

UN number: 1888 Packing group: II EMS-No: no data available

Proper shipping name: chloroform

IATA

UN number: 1888 Packing group: II Class: 3 (6.1)

Proper shipping name: chloroform

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date10-Oct-2023Revision Date10-Jan-2024Print Date17-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.