

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2023-12-04

Print Date: 2023-12-04

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Propionic acid
Product Number : P110446
Brand : aladdin
CAS-No. : 79-09-4

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 800-424-9300 CHEMTREC®, Outside the USA : 001-703-527-3887

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 5), H303

Acute toxicity, Dermal (Category 5), H313

Skin corrosion/irritation (Category 1B), H314

Serious eye damage/eye irritation (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335

# 2.2 GHS Label elements, including precautionary statements



### 14078 Meridian Parkway, Riverside, CA. 92518

Pictogram

Signal word

Hazard statement(s)

H226 Flammable liquid and vapor

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation

H303+H313 May be harmful if swallowed or in contact with skin

Danger

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER or doctor/... if you feel unwell.

P363 Wash contaminated clothing before reuse.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P304+P340+P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/ doctor.

P305+P351+P338+P310 IF IN EYES: Rinse cautiously with water for several minutes. If contact lenses are

worn and can be easily removed, remove Contact lenses. Continue rinsing.

Immediately call an emergency center/doctor.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# SECTION 3: Composition/information on ingredients

### 3.1 Substances



14078 Meridian Parkway, Riverside, CA. 92518

Synonyms : Propanoic acid Propanyl acid

Formula : C3H6O2
Molecular weight : 74.08
CAS No. : 79-09-4

EC-NO. : 201-176-3, 201-176-3

| Component      | Classification   | Concentration          |
|----------------|--|------------------------|
| Propionic acid |  |                        |
|                | Flam. Liq. 3; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; H226, H314, H318, H335 Concentration limits: >= 25 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit. 2, H315; 10 - < 25 %: Eye Irrit. 2, H319; >= 10 %: STOT SE 3, H335 | analytical<br>standard |

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

no data available

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures



14078 Meridian Parkway, Riverside, CA. 92518

with air at elevated temperatures. Development of hazardous combustion gases or vapours possible in the event of fire

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

Use water spray to cool unopened containers.

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations

#### 6.4 Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep the container closed and store it in a dry, ventilated and cool place.

# 7.3 Specific end use(s)

no data available

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters



14078 Meridian Parkway, Riverside, CA. 92518

| Component         | CAS<br>No   | value      | Control parameter | foundation  |
|-------------------|-------------|------------|-------------------|---|
| propionic<br>acid | 79-<br>09-4 | PC-<br>TWA | 30 mg/m3          | Occupational exposure limits for occupational hazards in the workplace-chemical hazards |

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If it is safe, prevent further leakage or spillage and do not allow the product to enter the sewer system.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available e) Melting point/freezing point -24--23 °C f) Initial hoiling point and boiling range 141.1 °C

f) Initial boiling point and boiling range 141.1°C g) Flash point 58°C



14078 Meridian Parkway, Riverside, CA. 92518

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available

I) Vapour density 0.993

m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Exothermic reaction with: Oxidizing agents Reducing agents alkalines Risk of ignition or formation of inflammable gases or vapours with: Iron Zinc magnesium Lead

### 10.4 Conditions to avoid

Heating.

### 10.5 Incompatible materials

no data available

# 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity



#### 14078 Meridian Parkway, Riverside, CA. 92518

LD50 Oral - Rat - male and female - 3,455.1 mg/kg (OECD Test Guideline 401)

LC50 Inhalation - Rat - male and female - 1 h - > 19.7 mg/l - vapor (OECD Test Guideline 403)

LD50 Dermal - Rat - female - 3,235 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive Remarks: (ECHA) Remarks: Classified according to Regulation (EU) 1272/2008,

Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. - 24 h Remarks: Classified according to Regulation (EU)

1272/2008, Annex VI (Table 3.1/3.2)

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

Test Type: sister chromatid exchange assay Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 479 Result: negative Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Micronucleus test Species: Chinese hamster Cell type: Bone marrow

Application Route: Intraperitoneal Method: OECD Test Guideline 474 Result: negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

Repeated dose toxicity - Mouse - female - LOAEL (Lowest observed adverse effect level) -

136,9 mg/kg

RTECS: UE5950000

May cause an asthmatic-like bronchitis., Nausea, Dizziness, Headache, Blood disorders,

May cause irritation to eyes and respitatory passages to workers briefly exposed to high

concentrations

To the best of our knowledge, the chemical, physical, and toxicological properties have not

been thoroughly investigated.



14078 Meridian Parkway, Riverside, CA. 92518

Liver - Irregularities - Based on Human Evidence

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish static test LC50 - Leuciscus idus (Golden orfe) - > 10,000 mg/l - 96 h (DIN 38412) Remarks: The value is given in analogy to the following substances: calcium dipropionate

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - > 500 mg/l - 48 h (Directive 67/548/EEC, Annex V, C.2.) Remarks: The value is given in analogy to the following substances: calcium dipropionate

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - > 500 mg/l - 72 h (OECD Test Guideline 201) Remarks: The value is given in analogy to the following substances: calcium dipropionate

Toxicity to bacteria EC50 - Pseudomonas putida - 60 mg/l - 17 h (DIN 38412) Remarks: (IUCLID)

# 12.2 Persistence and degradability

Biodegradability Result: - Readily biodegradable. Chemical Oxygen Demand (COD) 1,420 mg/g Remarks: (IUCLID) Theoretical oxygen demand 1,510 mg/g Remarks: (IUCLID) Ratio BOD/ThBOD 69 - 78 % Remarks: (IUCLID)

# 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no data available

### **SECTION 13:**

# 13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.



14078 Meridian Parkway, Riverside, CA. 92518

# **SECTION 14: Transport information**

DOT (US)

UN number: 3463 Packing group: II Class: 8 (3)

Proper shipping name: Propionic acid Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: no

**IMDG** 

UN number: 3463 Packing group: II EMS-No: no data available

Proper shipping name: Propionic acid

IATA

UN number: 3463 Packing group: II Class: 8 (3)

Proper shipping name: Propionic acid

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### **SECTION 16: Other information**

**Regulatory Affairs** 

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date04-Dec-2023Revision Date04-Dec-2023Print Date04-Dec-2023

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.