

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-20

Print Date: 2025-09-26

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

# 1.1 Product identifiers

Product name : Propanol
Product Number : P119680
Brand : aladdin
CAS-No. : 71-23-8

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

# 2.2 GHS Label elements, including precautionary statements

**Pictogram** 





Signal word

Hazard statement(s)

H225 Highly Flammable liquid and vapor



### 14078 Meridian Parkway, Riverside, CA. 92518

H313 May be harmful in contact with skin

H318 Causes serious eye damage

H336 May cause drowsiness or dizziness

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition sources. -

No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant. P264+P265 Wash hands [and ...] thoroughly after handling. Do not touch eyes.

P305+P354+P338 IF IN EYES: Immediately rinse with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing.

P317 Get emergency medical help.

P319 Get medical help if you feel unwell.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

**Synonyms** : 1-Propanol; Prophlic alcohol

: C3H8O Formula Molecular weight : 60.10 : 71-23-8 CAS No. : 200-746-9 EC-NO.

Classification Component Concentration

**Propanol** 



14078 Meridian Parkway, Riverside, CA. 92518

Component	Classification	Concentration
	no data available	anhydrous, ≥99.7%

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

no data available

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

# Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.



14078 Meridian Parkway, Riverside, CA. 92518

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

# 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

### 7.3 Specific end use(s)

no data available

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

# 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

# **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without



14078 Meridian Parkway, Riverside, CA. 92518

touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

#### Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point -127.0°C f) Initial boiling point and boiling range 97.2°C g) Flash point 22°C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.804

n) Water solubility Soluble in water (2.75 % v/v) at 25 °C, alcohol, ether, acetone, and

hydrocarbons.

o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available



14078 Meridian Parkway, Riverside, CA. 92518

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Exothermic reaction with: Alkaline earth metals alcoholates Alkali metals Release of: Hydrogen Violent reactions possible with: Strong oxidizing agents

### 10.4 Conditions to avoid

Warming.

# 10.5 Incompatible materials

rubber, various plastics

### 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

#### Acute toxicity

Oral: No data available Symptoms: Risk of aspiration upon vomiting., Aspiration may cause pulmonary edema and pneumonitis.

LC50 Inhalation - Rat - male and female - 4 h - > 33,8 mg/l

(OECD Test Guideline 403)

Symptoms: Possible damages:, mucosal irritations

LD50 Dermal - Rabbit - male - 4.032 mg/kg

(OECD Test Guideline 402)

### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

# Serious eye damage/eye irritation

Eyes - Rabbit Result: Causes serious eye damage. (OECD Test Guideline 405)

### Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: negative Remarks: (ECHA) Patch test: - Human Result: negative Remarks: (IUCLID)



14078 Meridian Parkway, Riverside, CA. 92518

### Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test system: Chinese hamster lung cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 473 Result: negative

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

### Specific target organ toxicity - single exposure

May cause drowsiness or dizziness. - Central nervous system

Specific target organ toxicity - repeated exposure

no data available

#### Aspiration hazard

no data available

#### **Additional Information**

RTECS: UH8225000

Central nervous system depression, prolonged or repeated exposure can cause:, narcosis, Skin irritation To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Systemic effects: Headache Vertigo inebriation Unconsciousness narcosis After uptake of large quantities: Coma Other dangerous properties can not be excluded. Handle in accordance with good industrial hygiene and safety practice.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 4.555 mg/l - 96 h

(OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 3.644 mg/l - 48 h

(DIN 38412)

Toxicity to algae static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 9.170 mg/l - 48 h

Remarks: (ECHA)

Toxicity to bacteria static test IC50 - activated sludge - > 1.000 mg/l - 3 h

(OECD Test Guideline 209)

### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 20 d Result: 75 % - Readily biodegradable. Remarks: (ECHA) Chemical



14078 Meridian Parkway, Riverside, CA. 92518

Oxygen Demand (COD) 2.230 mg/g Remarks: (IUCLID) Theoretical oxygen demand 2.400 mg/g Remarks: (Lit.) Ratio BOD/ThBOD < 2%

# 12.3 Bioaccumulative potential

The product is miscible in water and readily biodegradable in both water and soil. Accumulation is not expected.

# 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no data available

### **SECTION 13:**

# 13.1 Disposal considerations

#### **Product**

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

### **Contaminated packaging**

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1274 Packing group: II Class: 3

Proper shipping name: n-PROPANOL Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: no

**IMDG** 

UN number: 1274 Packing group: II EMS-No: no data available

Proper shipping name: n-PROPANOL

**IATA** 

UN number: 1274 Packing group: II Class: 3

Proper shipping name: n-PROPANOL

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.



14078 Meridian Parkway, Riverside, CA. 92518

### **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date01-Apr-2022Revision Date20-Sep-2025Print Date26-Sep-2025

**Revision Summary** SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.