

SAFETY DATA SHEET

Version: v1
Revision Date: 2026-03-26
Print Date: 2026-03-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Poly(hexamethylene diisocyanate) (Poly HDI)
Product Number : P1492579
Brand : aladdin
CAS-No. : 28182-81-2

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION
Address : 14078 Meridian Parkway,
Riverside, CA. 92518
Telephone : +1 (833) 552-7181
Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300
CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, inhalation (category 3), H331

Skin allergy (category 1), H317

Specific target organ systemic toxicity (single exposure) (Category 3), respiratory irritation, H335

2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word	Danger
Hazard statement(s)	
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H335	May cause respiratory irritation
Precautionary statement(s)	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: wash with plenty of water.
P333+P313	IF SKIN irritation or rash occurs: Get medical advice/attention.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved waste disposal plant.
P304+P340+P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: 1,6-Diisocyanatohexane polymer ; HMDI homopolymer ; 1,6-Diisocyanatohexane homopolymer
Formula	: no data available
Molecular weight	: no data available
CAS No.	: 28182-81-2
EC-NO.	: 500-060-2

Component	Classification	Concentration
Poly(hexamethylene diisocyanate) (Poly HDI)	no data available	viscosity 1750 - 3250 cP (25 °C)

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

The properties of the product after decomposition are unknown Flammable Steam is heavier than air, so it can spread over the ground. Under rapid heating, it forms an explosive mixture with air When caught on fire, it may cause the production of hazardous gases or vapors

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

7.2 Conditions for safe storage, including any incompatibilities

Storage at 2-8 °C, sensitive to humidity

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection,use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	form: Liquid color: Colorless to Light Yellow
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	no data available

f) Initial boiling point and boiling range	no data available
g) Flash point	170 °C
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	1.12g/mL at 25°C
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Possible violent reactions may occur with it: strong oxidant

10.4 Conditions to avoid

Strong heating

10.5 Incompatible materials

Water, strong alkali, strong oxidant, metal, amine, alcohol, surface active material

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - Female ->2500 mg/kg

(OECD Testing Guideline 423)

Acute toxicity estimate inhalation -4 h -7.7 mg/l - vapor (calculation method)

LC50 inhalation - rat - male and female -4 h -0.39 mg/l - aerosol

(OECD Testing Guideline 403)

LD50 transdermal - rat - male and female ->2000 mg/kg

(OECD Testing Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: Mild irritation -4 hours (OECD Testing Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Testing Guideline 405)

Respiratory or skin sensitisation

Maximum Response Test - Guinea Pig Result: Causing allergies. (OECD Testing Guideline 406)

Germ cell mutagenicity

Test type: Ames test Testing system: Escherichia coli/Salmonella typhimurium Metabolic activation: with or without metabolic activation effect Method: OECD Testing Guideline 471 Result: Negative Test type: Mutational (mammalian cell test): Chromosomal mutation negative Testing System: Chinese Hamster Lung Cells Metabolic activation: with or without metabolic activation effect Method: OECD Testing Guideline 473 Result: Negative Test type: In vitro mammalian cell gene mutation assay Testing system: Chinese hamster ovary cells Metabolic activation: with or without metabolic activation effect Method: OECD Testing Guidelines 476 Result: Negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation (vapor) - may cause respiratory irritation. -Respiratory tract Corresponding values have been specified for the following substances: 1,6-hexamethylene diisocyanate

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly

investigated.

SECTION 12: Ecological information

12.1 Toxicity

Static toxicity test for algae EC50- *Desmodesmus subspicatus* ->1000 mg/l -72 h (OECD Testing Guidelines 201)

12.2 Persistence and degradability

Aerobic - exposure time 28 days Result: 1% - Not easily biodegradable. (OECD Testing Guideline 301D)

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.

Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2206

Packing group: III

Class: 6.1



ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Proper shipping name: Isocyanate, toxic, unspecified (homopolymer of 1,6-diisocyanatohexane) Reportable Quantity(RQ):no data available Poison Inhalation Hazard:no data available

Environmental Hazards:no data available

IMDG

UN number: 2206 Packing group: III EMS-No:no data available
Proper shipping name: Isocyanate, toxic, unspecified (homopolymer of 1,6-diisocyanatohexane)

IATA

UN number: 2206 Packing group: III Class: 6.1
Proper shipping name: Isocyanate, toxic, unspecified (homopolymer of 1,6-diisocyanatohexane)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By	Regulatory Affairs ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com
Creation Date	26-Mar-2026
Revision Date	26-Mar-2026
Print Date	26-Mar-2026
Revision Summary	SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.