

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-14

Print Date: 2025-09-21

### SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Potassium triphosphate

Product Number : P165312
Brand : aladdin
CAS-No. : 13845-36-8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

### 2.2 GHS Label elements, including precautionary statements

**Pictogram** 

**!** 

Signal word Warning

Hazard statement(s)

H302 Harmful if swallowed H315 Causes skin irritation

H319 Causes serious eye irritation
H335 May cause respiratory irritation

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.



14078 Meridian Parkway, Riverside, CA. 92518

P264 Wash hands [and ...] thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P321 Specific treatment (see ... on this label).

P330 Rinse mouth.

P302+P352 IF ON SKIN: wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

P264+P265 Wash hands [and ...] thoroughly after handling. Do not touch eyes.

P301+P317 IF SWALLOWED: Get medical help.
P337+P317 If eye irritation persists: Get medical help.
P332+P317 If skin irritation occurs: Get medical help.
P319 Get medical help if you feel unwell.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

 Synonyms
 : KTPP

 Formula
 : K5O10P3

 Molecular weight
 : 448.41

 CAS No.
 : 13845-36-8

 EC-NO.
 : 237-574-9

Component Classification Concentration

**Potassium triphosphate** 

no data available ≥85%

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice

no data available

If inhaled



14078 Meridian Parkway, Riverside, CA. 92518

If inhaled, please move the patient to fresh air. If breathing stops, give artificial respiration.

#### In case of skin contact

In case of skin contact, rinse with soap and plenty of water.

#### In case of eye contact

Separate the eyelids and rinse with flowing water or physiological saline. Seek medical attention immediately.

#### If swallowed

Do not induce vomiting. Do not feed anything to unconscious individuals. Rinse your mouth with water. Consult a doctor

### 4.2 Most important symptoms and effects, both acute and delayed

no data available

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

#### Suitable extinguishing media

Water, Foam, Carbon dioxide (CO2), Dry powder

#### Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

no data available

### 5.3 Advice for firefighters

no data available

#### 5.4 Further information

no data available

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

It is recommended that emergency responders wear air-carrying respirators, anti-static clothing, and rubber oil-resistant gloves. Do not touch or step over spillage. All equipment used during work should be grounded. Cut off sources of leaks as much as possible. Eliminate all ignition sources. The warning area is delineated according to the influence area of liquid flow, vapor or dust diffusion, and unrelated personnel are evacuated to the safe area from the crosswind and upwind directions.

### 6.2 Environmental precautions

Collect leaked materials to avoid polluting the environment. Prevent leakage from entering sewers, surface water, and groundwater.



14078 Meridian Parkway, Riverside, CA. 92518

### 6.3 Methods and materials for containment and cleaning up

Small leakage: Collect the leaked liquid in a container that can be sealed as much as possible. Absorb with sand, activated carbon, or other inert materials and transfer to a safe location. Do not flush into the sewer. Massive leakage: Build embankments or dig pits for containment. Close the drainage pipeline. Cover with foam to inhibit evaporation. Transfer to a tank truck or dedicated collector using an explosion-proof pump for recycling or transportation to a waste disposal site for disposal.

#### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Operators should receive specialized training and strictly follow the operating procedures. Operation and disposal should be carried out in places with local or comprehensive ventilation facilities. Avoid contact with eyes and skin, and avoid inhaling vapors. Individual protective measures can be found in Section 8. Keep away from sparks and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with prohibited substances such as oxidants (see section 10 for prohibited substances). When transporting, it is necessary to load and unload gently to prevent damage to the packaging and containers. Empty containers may have residual harmful substances. Wash hands after use and prohibit eating in the workplace. Equip corresponding types and quantities of firefighting equipment and emergency response equipment for leaks.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, ventilated warehouse. The warehouse temperature should not exceed 37°C. They should be stored separately from oxidants and food chemicals, and avoid mixed storage (see Section 10 for incompatible materials). Keep container tightly sealed. Keep away from fire and heat sources. Warehouses must be equipped with lightning protection equipment. The exhaust system should be equipped with a grounding device to eliminate static electricity. Use explosion-proof lighting and ventilation settings. It is prohibited to use equipment and tools that are prone to sparks. The storage area should be equipped with emergency release equipment and suitable containment materials.

### 7.3 Specific end use(s)

no data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment



14078 Meridian Parkway, Riverside, CA. 92518

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

no data available

#### Control of environmental exposure

no data available

a) Appearance

r) Viscosity

s) Explosive properties N

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	no data available
f) Initial boiling point and boiling range	no data available
g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive	•
limits	no data available
k) Vapour pressure	no data available
I) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
g) Decomposition temperature	no data available

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/

no data available no data available



14078 Meridian Parkway, Riverside, CA. 92518

t) Oxidizing properties N

no data available

### 9.2 Other safety information

no data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions

### 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Electrostatic discharge, heat, moisture, etc.

### 10.5 Incompatible materials

Strong oxide, strong acid, alkali.

### 10.6 Hazardous decomposition products

no data available

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure



14078 Meridian Parkway, Riverside, CA. 92518

no data available

Specific target organ toxicity - repeated exposure

no data available

**Aspiration hazard** 

no data available

**Additional Information** 

no data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

no data available

### 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

### 13.1 Disposal considerations

#### Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

#### **Contaminated packaging**

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 3261 Packing group: II Class: 8



14078 Meridian Parkway, Riverside, CA. 92518

Proper shipping name: no data available Reportable Quantity(RQ): no data

available

Poison Inhalation Hazard: no data

available

Environmental Hazards: No

**IMDG** 

UN number: 3261 Packing group: II EMS-No: no data available

Proper shipping name: no data available

**IATA** 

UN number: 3261 Packing group: II Class: 8

Proper shipping name: no data available

### **SECTION 15: Regulatory information**

no data available

#### **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date10-Sep-2020Revision Date14-Sep-2025Print Date21-Sep-2025

**Revision Summary** SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.