

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-17

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Potassium Hydroxide

Product Number : P291840 Brand : aladdin

CAS-No. : 1310-58-3(solution)

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®. Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Corrosive to Metals (Category 1), H290

Acute toxicity, Oral (Category 4), H302

Skin corrosion (Sub-category 1A), H314

Serious eye damage (Category 1), H318

Flammable liquid (Class 2), H225

Severe eye injury/eye irritation (Category 2A), H319

Specific target organ systemic toxicity (single exposure) (Category 3), anesthetic effects, H336

# 2.2 GHS Label elements, including precautionary statements



#### 14078 Meridian Parkway, Riverside, CA. 92518

Pictogram	
Signal word	Danger

Signal word

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H290 May be corrosive to metals H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H319 Causes serious eye irritation

H336 May cause drowsiness or dizziness

H402 Harmful to aquatic life

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed. P234 Keep only in original container.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge. P260 Do not breathe dust/fume/gas/mist/vapors/spray. P264 Wash hands [and ...] thoroughly after handling. P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.

Rinse mouth. P330

P363 Wash contaminated clothing before reuse. P390 Absorb spillage to prevent material damage.

P301+P312 IF SWALLOWED: call a POISON CENTER/doctor/... IF you feel unwell.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P405 Store locked up.

P406 Store in corrosive resistant/... container with a resistant inner liner. P501 Dispose of contents/container to an approved waste disposal plant.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS



14078 Meridian Parkway, Riverside, CA. 92518

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Synonyms : no data available

Formula : KOH Molecular weight : 56.11

Component	Classification	Concentration
Propanol		
CAS-No.: 71-23-8 EC-No.: 200-746-9	Flammable liquid category 2; acute toxicity category No 5; serious eye damage/eye irritation Sex category 1; specific target organ system	
LO-NO 200-740-9	Toxicity (single exposure) category 3; H225, H313, H318, H336	

#### Potassium hydroxide

CAS-No.: 1310-58-3 Corrosive to Metals Category 1; Acute toxicity Category 4; Skin

EC-No.: 215-181-3 corrosion/irritation Category 1A; Serious eye damage/eye irritation

Category 1; Short-term (acute) aquatic hazard Category 3; H290, H302, H314, H318, H402 Concentration limits: >= 0.5 %: Met. Corr. 1, H290; >= 5 %: Skin Corr. 1A, H314; 2 - < 5 %: Skin Corr. 1B, H314; 0.5 - < 2 %: Skin Irrit.

2, H315; 0.5 - < 2 %: Eye Irrit. 2, H319;

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

# 4.2 Most important symptoms and effects, both acute and delayed

no data available

# 4.3 Indication of any immediate medical attention and special treatment needed



14078 Meridian Parkway, Riverside, CA. 92518

no data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Flammable Be careful of backfire. Vapor is heavier than air, so it can diffuse along the ground. When a fire occurs, it may cause the generation of hazardous gases or vapors Forming explosive mixtures with air at mild temperatures

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

no data available

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert.

# 6.2 Environmental precautions

Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

#### SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

No metal containers. Tightly closed.



14078 Meridian Parkway, Riverside, CA. 92518

# 7.3 Specific end use(s)

no data available

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

no data available

#### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available
e) Melting point/freezing point no data available
f) Initial boiling point and boiling range no data available



14078 Meridian Parkway, Riverside, CA. 92518

g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available I) Vapour density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available r) Viscosity no data available no data available s) Explosive properties N t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature). Heat of solution is very high, and with limited amounts of water, violent boiling may occur

# 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Do not heat above melting point.

# 10.5 Incompatible materials

animal/vegetable tissues, glass, various plastics, Metals

# 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects



14078 Meridian Parkway, Riverside, CA. 92518

Acute toxicity

LD50 oral rat 5840 mg/kg

(OECD Testing Guidelines 401)

LC50 inhalation - rats - males and females -4 hours -37.5 mg/l - vapor

(OECD Testing Guidelines 403)

LD50 percutaneous rabbit -12800 mg/kg

Remarks: (RTECS)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation -4 hours (OECD Testing Guidelines 404)

Serious eye damage/eye irritation

Eye Rabbit Results: Eye Irritation (OECD Test Guideline 405) Remarks: (Appendix VI of Regulation (EC) No

1272/2008)

Respiratory or skin sensitisation

Buehler Guinea Pig Trial - Guinea Pig Result: Negative (OECD Testing Guidelines 406)

Germ cell mutagenicity

Test type: Ames test Testing system: Salmonella Typhimurium Metabolic activation: with or without metabolic activation effect Method: OECD Testing Guidelines 471 Result: Negative Test type: In vitro mammalian cell gene mutation test Testing system: Chinese hamster ovarian cells Metabolic activation: with or without metabolic activation effect Method: OECD Testing Guidelines 476 Result: Negative Test type: In vivo micronucleus test Species: Mice Cell type: Bone marrow Poisoning route: intraperitoneal injection Method: OECD Testing Guidelines

474 Result: Negative

Carcinogenicity

This product is not or does not contain components classified as carcinogens by IARC, ACGIH, EPA, and NTP Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation, through the mouth - may cause drowsiness or dizziness- central nervous system Note: Classified according to EU CLP Regulation 1272/2008, Annex 6 (Tables 3.1/3.2)

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

**Additional Information** 

Registration of toxic effects of chemical substances: NT8050000 Central nervous system inhibition, long-term or frequent exposure can cause nausea, headache, vomiting, anesthesia, drowsiness, overexposure may cause moderate and reversible liver effects, inhalation can cause:, pulmonary edema, pneumonia. To our knowledge, this chemical, physical, and toxic property has not been fully studied. After absorption: Headache, dizziness, loss of consciousness, anesthesia. After taking a large amount of anesthesia, coma should be handled in accordance with good industrial hygiene and safety regulations. Kidney irregularity based on human evidence

#### **SECTION 12: Ecological information**

### 12.1 Toxicity



14078 Meridian Parkway, Riverside, CA. 92518

Toxicity to Fish LC50- Pimephales promelas -9640 mg/l -96 h (OECD Test Guideline 203)

Toxicity to Daphnia magna and other aquatic invertebrates EC50- Daphnia magna -13299 mg/l -48 hours Remarks: (IUCLID)

Toxicity to algae IC50- Desmodesmus subspicatus (green algae) ->1000 mg/l -72 hours Remarks: (IUCLID) Toxicity to bacteria EC5- Pseudomonas putida -1050 mg/l -16 h Remarks: (Lit.)

# 12.2 Persistence and degradability

Biodegradable aerobic - exposure time 5 days Result: 53% - rapidly biodegradable. (Directive 67/548/EEC, Appendix V, C.6.) Theoretical oxygen demand 2400 mg/g Remarks: (Lit.) Biochemical Oxygen Demand and Theoretical Biochemistry Oxygen demand ratio 49% Remarks: (IUCLID)

# 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

# 13.1 Disposal considerations

**Product** 

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1219 Packing group: II Class: 3 (8)

Proper shipping name: Potassium Reportable Quantity(RQ): no data hydroxide standard solution Reportable Quantity(RQ): no data available available

Environmental Hazards: no

**IMDG** 

UN number: 1219 Packing group: II EMS-No: no data available



14078 Meridian Parkway, Riverside, CA. 92518

Proper shipping name: Potassium hydroxide standard solution

IATA

UN number: 1219 Packing group: II Class: 3 (8)

Proper shipping name: Potassium hydroxide standard solution

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

**Regulatory Affairs** 

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

 Creation Date
 12-Oct-2023

 Revision Date
 10-Jan-2024

 Print Date
 17-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.