

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-23

Print Date: 2024-01-31

### SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Potassium isopropoxide, 5% w/v in isopropanol

Product Number : P332666
Brand : aladdin
CAS-No. : 6831-82-9

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity - Oral [Category 4]

Skin corrosion/irritation [Category 1] [Sub-category C]

Serious eye damage/eye irritation[Category 1]

Carcinogenicity [Category 1A]

Specific target organ toxicity (single exposure) [Category 3]

# 2.2 GHS Label elements, including precautionary statements

Pictogram







Signal word

Danger



#### 14078 Meridian Parkway, Riverside, CA. 92518

Hazard statement(s)

H225 Highly Flammable liquid and vapor

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302 IF ON SKIN: P330 Rinse mouth.

P361 Take off immediately all contaminated clothing.
P363 Wash contaminated clothing before reuse.

P301+P312 IF SWALLOWED: call a POISON CENTER/doctor/... IF you feel unwell.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : no data available

Formula : C3H7K0 Molecular weight : 98.19



14078 Meridian Parkway, Riverside, CA. 92518

CAS No. : 6831-82-9 EC-NO. : 229-909-2

Component	Classification	Concentration
Potassium isopropoxide, 5% w/v in isopropanol		

no data available no data available

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice

Immediate medical attention is required. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

If inhaled

If steam is accidentally inhaled, transfer to fresh air. If symptoms persist, call your doctor.

In case of skin contact

Wash immediately with soap and plenty of water, and take off all contaminated clothes and shoes at the same time In case of eye contact

Wash immediately with plenty of water and also under the eyelids for at least 15 minutes. If symptoms persist, call your doctor.

If swallowed

Do not induce vomiting. Drink plenty of water. Never feed anything to an unconscious person. Call a doctor or poison control center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media Water,Foam,Carbon dioxide (CO2),Dry powder Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.



14078 Meridian Parkway, Riverside, CA. 92518

### 5.3 Advice for firefighters

Wear self-contained breathing and full protective equipment

### 5.4 Further information

no data available

#### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas. Use personal protective equipment as required. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. See Section 12 for additional Ecological Information.

# 6.3 Methods and materials for containment and cleaning up

If safe, prevent further leakage or spillage. Pick up and transfer to a properly labeled container. Soak with inert absorbent materials (such as sand, silica gel, acid adhesive, universal adhesive, sawdust).

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Ensure adequate ventilation, especially in confined areas. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment. All equipment used when handling the product must be grounded. Avoid contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems. Noxious vapor/odor.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep tightly closed in a dry and cool place. Keep in properly labeled containers. Keep containers tightly closed in a dry, cool and well-ventilated place. Store at room temperature.

### 7.3 Specific end use(s)

no data available

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

### 8.2 Exposure controls

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance	no data available
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available

e) Melting point/freezing point -90 °C

f) Initial boiling point and boiling range no data available g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits

k) Vapour pressure

l) Vapour density

m) Relative density

no data available

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

o) Partition coefficient: n-octanol/water no data available

p) Auto-ignition temperature 455 °C

q) Decomposition temperature no data available
 r) Viscosity no data available
 s) Explosive properties N no data available
 t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Heat, flames and sparks. Exposure to air or moisture over prolonged periods.

### 10.5 Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents.

### 10.6 Hazardous decomposition products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Carbonoxides.

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available



14078 Meridian Parkway, Riverside, CA. 92518

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

**Additional Information** 

no data available

# **SECTION 12: Ecological information**

### 12.1 Toxicity

no data available

## 12.2 Persistence and degradability

no data available

# 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

### 13.1 Disposal considerations

Product

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



#### 14078 Meridian Parkway, Riverside, CA. 92518

UN number: UN3274 Packing group: II Class: 3

Proper shipping name: Alcoholates Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

solution, n.o.s., in alcohol available available

Environmental Hazards: no data available

**IMDG** 

UN number: UN3274 Packing group: II EMS-No: F-E,S-C

Proper shipping name: Alcoholates solution, n.o.s., in alcohol

IATA

UN number: UN3274 Packing group: II Class: 3

Proper shipping name: Alcoholates solution, n.o.s., in alcohol

# **SECTION 15: Regulatory information**

Please note that waste disposal should also meet local regulations. If applicable, the chemical meets the requirements of the Regulations on the Safety Management of Hazardous Chemicals (adopted by the State Council on December 4, 2013).

#### **SECTION 16: Other information**

**Regulatory Affairs** 

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date09-Dec-2022Revision Date23-Jan-2024Print Date31-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.