

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-10

Print Date: 2025-09-11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Phenol solution
Product Number : P431389
Brand : aladdin
CAS-No. : 108-95-2(THF)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION
Address : 14078 Meridian Parkway,
Riverside, CA. 92518
Telephone : +1 (833) 552-7181
Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300
CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 3), H301

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 3), H311

Skin corrosion/irritation (Category 1B), H314

Serious eye damage/eye irritation (Category 1), H318

Germ cell mutagenicity (Category 2), H341

Specific target organ toxicity - repeated exposure (Category 2), Nervous system, Kidney, Liver, Skin, H373

Short-term (acute) aquatic hazard (Category 2), H401

Long-term (chronic) aquatic hazard (Category 2), H411

Flammable liquid (category 2), H225


Acute toxicity, oral (category 4), H302

Serious eye damage/eye irritation (category 2A), H319

Carcinogenicity (Category 2), H351

Specific target organ toxicity (single exposure) (category 3), respiratory tract irritation, narcotic effects, H335, H336

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	
H225	Highly Flammable liquid and vapor
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H319	Causes serious eye irritation
H341	Suspected of causing genetic defects
H351	Suspected of causing cancer
H373	Causes damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
H301+H311+H331	Toxic if swallowed, in contact with skin or if inhaled
H335+H336	May cause respiratory irritation, May cause drowsiness or dizziness
Precautionary statement(s)	
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P202	Do not handle until all safety precautions have been read and understood.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting/...] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and ...] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P391	Collect spillage.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/...
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P361+P364	Take off immediately all contaminated clothing and wash it before reuse.
P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms	: Hydroxybenzene
Formula	: no data available
Molecular weight	: no data available

Component	Classification	Concentration
Phenol		
CAS-No. : 108-95-2 EC-No. : 203-632-7	Acute toxicity category 3; Skin corrosion/sting Excitation class 1B; Serious eye injury/eye Eye irritation category 1; Germ cell induced Mutability category 2; Specific target organ Systemic toxicity (repeated exposure) category 2; Acute (short-term) aquatic hazard category 2; Long-term aquatic hazard category 2; H301, H331, H311, H314, H318, H341, H373, H401, H411	
Tetrahydrofuran		
CAS-No. : 109-99-9 EC-No. : 203-726-8	易燃液体 类别 2; 急性毒性 类别 4; 严重眼睛损伤/眼睛刺激性 类别 2A; 致癌性 类别 2; 特异性靶器官系统毒性 (一次接触) 类别 3; H225, H302, H319, H351, H335, H336	

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

After contact with skin: rinse out with polyethylene glycol 400 or a mixture of polyethylene glycol 300/ethanol 2:1 and wash with plenty of water. If neither is available wash with plenty of water. Immediately take off contaminated clothing. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

If swallowed: give water to drink (two glasses at most). Seek medical advice immediately. In exceptional cases only, if medical care is not available within one hour, induce vomiting (only in persons who are wide awake and fully conscious), administer activated charcoal (20 - 40 g in a 10% slurry) and consult a doctor as quickly as possible. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides Combustible. Vapors are heavier than air and may spread along floors. Forms explosive mixtures with air on intense heating. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Remove container from danger zone and cool with water. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Hazard composition and occupational exposure limits

Component	CAS No.	Value	Control parameters	Basis

Phenol	108-95-2	PC-TWA	10 mg/m3	Occupational exposure limits for hazardous factors in the workplace - chemical hazardous factors
	Note	Skin		

Biological limits

Component	CAS No.	parameters	Value	Biological specimens	Basis
Phenol	108-95-2	Phenol	150mmol / mol creatinine	urine	Occupational exposure biological limit
	Note	End of shift at work weekend			
		Phenol	125mg/g creatinine	urine	Occupational exposure biological limit
		End of shift at work weekend			

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Flame retardant antistatic protective clothing.

Respiratory protection

required when dusts/vapours/aerosols are generated. Our recommendations on

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	no data available
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	no data available
f) Initial boiling point and boiling range	no data available
g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Exothermic reaction with: Aluminum Aldehydes halogens hydrogen peroxide iron(III) compounds Oxidizing agents
Strong acids Strong bases formaldehyde Risk of explosion with: nitrites nitrates salts of oxyhalogenic acids peroxi
compounds

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

rubber, various plastics, various alloys, various metals

10.6 Hazardous decomposition products

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 100.1 mg/kg (Calculation method) Oral: No data available Acute toxicity estimate
Inhalation - 4 h - 0.51 mg/l - dust/mist(Calculation method) Acute toxicity estimate Inhalation - 0.51 mg/l - dust/mist
(Expert judgment) Acute toxicity estimate Dermal - 660 mg/kg (Calculation method) LD50 Dermal - Rat - female - 660
mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - In vitro study Result: Causes burns. (OECD Test Guideline 431)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive (OECD Test Guideline 405) Causes serious eye damage. Risk of blindness!

Respiratory or skin sensitisation

Sensitisation test: - Guinea pig Result: negative Remarks: (IUCLID)

Germ cell mutagenicity

Suspected of causing genetic defects. Test Type: Mutagenicity (mammal cell test): chromosome aberration. Test
system: Chinese hamster ovary cells Metabolic activation: Metabolic activation Method: OECD Test Guideline 473
Result: positive Test Type: Mutagenicity (mammal cell test): micronucleus. Test system: Chinese hamster ovary cells
Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: positive

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure. - Nervous system, Kidney, Liver, Skin

Aspiration hazard

no data available

Additional Information

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: <https://www.aladdinsci.com/>

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

RTECS: SJ3325000 Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Circulatory collapse, tachypnea, paralysis, Convulsions, Coma., necrosis of mouth and G.I. Tract, Jaundice, respiratory failure, cardiac arrest To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - *Onchorhynchus clarki* - 8.9 mg/l - 96 h (US-EPA) Toxicity to daphnia and other aquatic invertebrates static test EC50 - *Ceriodaphnia dubia* (water flea) - 3.1 mg/l - 48 h (US-EPA) Toxicity to algae static test EC50 - *Pseudokirchneriella subcapitata* (algae) - 61.1 mg/l - 96 h (US-EPA) Toxicity to bacteria static test IC50 - microorganisms - 21 mg/l - 24 h Remarks: (ECHA)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 100 h Result: 62 % - Readily biodegradable. (OECD Test Guideline 301C)

12.3 Bioaccumulative potential

Bioaccumulation *Danio rerio* (zebra fish) - 5 h at 25 °C - 2 mg/l(Phenol) Bioconcentration factor (BCF): 17.5 (OECD Test Guideline 305) Remarks: Does not bioaccumulate.

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

no data available

SECTION 14: Transport information

DOT (US)

UN number: 2056

Packing group: II

Class: 3(6.1)

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Proper shipping name: Phenol solution Reportable Quantity(RQ): no data available Poison Inhalation Hazard: no data available

Environmental Hazards: yes

IMDG

UN number: 2056 Packing group: II EMS-No: no data available
Proper shipping name: Phenol solution

IATA

UN number: 2056 Packing group: II Class: 3(6.1)
Proper shipping name: Phenol solution

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulatory information

Law on the Prevention and Control of Occupational Diseases

Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Listed

Other regulations

Please pay attention on the waste treatment should also comply with local regulations requirement.

SECTION 16: Other information

Prepared By Regulatory Affairs
ALADDIN SCIENTIFIC CORPORATION
Email: QualityAssurance@aladdinsci.com

Creation Date 27-Nov-2023

Revision Date 10-Sep-2025

Print Date 11-Sep-2025

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.