SAFETY DATA SHEET

Version: v1 Revision Date: 2024-10-15 Print Date: 2024-10-15

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name	:	Styrene
Product Number	:	S110374
Brand	:	aladdin
CAS-No.	:	100-42-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Labora	atory chemicals,Manufacture of substances.
--------------------------	--

1.3 Company

Company	: ALADDIN SCIENTIFIC CORPORATION
Address	: 14078 Meridian Parkway,
Riverside, CA. 92518	
Telephone	: +1 (833) 552-7181
Fax	: no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA	: 1-800-424-9300
CHEMTREC®, Outside the USA	:

SECTION 2: Hazards identification

2.1	.1 Classification of the substance or mixture		
	GHS Classification in accordance with 29 CFR 1910 (OSHA HCS) Flammable liquids,Category 3		
	Aspiration Toxicity, Category 1		
	Acute Inhalation Toxicity - Vapors, Category 4		
	Skin Corrosion/Irritation, Category 2		
	Serious Eye Damage/Eye Irritation , Category 2		
	Carcinogenicity, Category 2		
	Reproductive Toxicity, Category 2		
	Specific target organ toxicity - (single exposure),Category 3		

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Specific target organ toxicity - (repeated exposure), Category 1

Acute aquatic toxicity, Category 2

Chronic aquatic toxicity , Category 3

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	
H226	Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H361	Suspected of damaging fertility or the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects
Precautionary statement(s)	
P201	Obtain special instructions before use.
P210	Keep away from heat, hot surface, sparks, open flames and other ignition
	sources No smoking.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and] thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P363	Wash contaminated clothing before reuse.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor/
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN
	with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses if present and easy to do - continue rinsing.



stabilized with 10-15ppm TBC

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

P370+P378	In case of fire: Use to extinguish.
P410	Protect from sunlight.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Phenylethytene Ethenylbenzene Styrol Vinyl benzene
Formula	: C8H8
Molecular weight	: 104.15
CAS No.	: 100-42-5
EC-NO.	: 202-851-5

Component	Classification	Concentration
Styrene		
	no data available	Standard for GC,
		≥99.5%(GC),

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

If symptoms persist, call a physician.

If inhaled

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).

In case of skin contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. In case of eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. If swallowed

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.

4.2 Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers. Unsuitable extinguishing media no data available

5.2 Special hazards arising from the substance or mixture

no data available

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

6.2 Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage. Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Keep in suitable, closed containers for disposal. Soak up with inert absorbent material. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges.

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

7.2 Conditions for safe storage, including any incompatibilities

Keep refrigerated. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.Light sensitive , 2-8 °C, filled with argon, stored in a dark place.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands befre breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

The gloves must be checked before use. Please use the correct method to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle contaminated gloves carefully in accordance with relevant laws and regulations and effective laboratory procedures and procedures. Please clean and dry the protective gloves selected for your hands, which must comply with the specifications given in Regulation (EU) 2016/425 and the en 374 standard derived therefrom. Body Protection

Impermeable clothing, flame-retardant and anti-static protective clothing, and the type of protective equipment must be selected according to the concentration and content of the dangerous substance in the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance

form: Liquid color: Colorless

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	-31 °C
f) Initial boiling point and boiling range	145 - 146 °C
g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or	
explosive limits	no data available
k) Vapour pressure	no data available
I) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	Insoluble in water, soluble in alcohol, ether and other organic solvents.
o) Partition coefficient: n-octanol/water	r no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Excess heat. Incompatible products. Keep away from open flames, hot surfaces and sources of ignition. Temperatures above 40°C.

10.5 Incompatible materials

Acids. Halogenated compounds. Copper alloys. Strong oxidizing agents.

10.6 Hazardous decomposition products

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

Carbon monoxide (CO). Carbon dioxide (CO2).

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation no data available Serious eye damage/eye irritation no data available Respiratory or skin sensitisation no data available Germ cell mutagenicity no data available Carcinogenicity no data available Reproductive toxicity no data available Specific target organ toxicity - single exposure no data available Specific target organ toxicity - repeated exposure no data available Aspiration hazard no data available Additional Information RTECS: Not available.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Do not empty into drains. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment. Contains a substance which is:Very toxic to aquatic

organisms, may cause long-term adverse effects in the aquatic environment.

12.2 Persistence and degradability

no data available

ALADDIN SCIENTIFIC CORPORATION 14078 Meridian Parkway, Riverside, CA. 92518

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)		
UN number: 2055	Packing group: III	Class: 3
Proper shipping name: STYRENE	Reportable Quantity(RQ): no data	Poison Inhalation Hazard: no data
MONOMER, STABILIZED	available	available
Environmental Hazards: no data ava	ilable	
IMDG		
UN number: 2055	Packing group: III	EMS-No: no data available
Proper shipping name: STYRENE M	DNOMER, STABILIZED	
ΙΑΤΑ		
UN number: 2055	Packing group: III	Class: 3
Proper shipping name: STYRENE MO	DNOMER, STABILIZED	

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information



Prepared By	Regulatory Affairs ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com
Creation Date	18-Sep-2021
Revision Date	15-Oct-2024
Print Date	15-Oct-2024
Revision Summary	SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.