

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-10

Print Date: 2024-01-11

SECTION 1:Identification of the substance/mixture and of the company/undertaking

Product identifiers 1.1

Product name : Sodium bisulfite solution

Product Number : S299561 **Brand** : aladdin

CAS-No. : 7631-90-5(water)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

> : ALADDIN SCIENTIFIC CORPORATION Company

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

> CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, oral (Category 4), H302

Skin corrosion / irritation (Category 2), H315

Severe eye injury / eye irritation (category 2a), H319

Acute (short term) aquatic hazard (Category 3), H402

2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word

Warning

Hazard statement(s)



14078 Meridian Parkway, Riverside, CA. 92518

H302 Harmful if swallowed

H315 Causes skin irritation

H319 Causes serious eye irritation
H402 Harmful to aquatic life

Precautionary statement(s)

P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 IF ON SKIN: wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.
P337+P313 IF eye irritation persists: Get medical advice/attention.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : Solfurous acid monosodium salt; Sodium acid sulfite; Sodium

hydrogensulfite; hydrogen sulfite sodium

Formula : HNaO3S Molecular weight : 104.06

Component	Classification	Concentration
COHIDOHEIIL	Ciassification	Concentration

Water

CAS-No.: 7732-18-5 EC-No.: 231-791-2

Sodium bisulfite

CAS-No.: 7631-90-5 Acute toxicity, Oral (Category 4), H302;Skin corrosion/irritation (Category EC-No.: 2), H315;Serious eye damage/eye irritation (Category 2A), H319;Short-

term (acute) aquatic hazard (Category 3), H402

SECTION 4: First aid measures

4.1 Description of first aid measures



14078 Meridian Parkway, Riverside, CA. 92518

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

no data available

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Sulfur oxides Sodium oxides Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so.Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up



14078 Meridian Parkway, Riverside, CA. 92518

Pick up and arrange disposal without creating dust. Sweep up and shovel. Do not flush with water. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Provide appropriate exhaust ventilation at places where dust is formed.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage.Do not store near acids.Air and moisture sensitive.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and



14078 Meridian Parkway, Riverside, CA. 92518

approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure no data available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance form: transparent liquid color: Colorless

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available
e) Melting point/freezing point no data available
f) Initial boiling point and boiling range
g) Flash point no data available
h) Evaporation rate no data available
i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 1.48

n) Water solubility
no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature
no data available
q) Decomposition temperature
no data available
r) Viscosity
no data available
s) Explosive properties N
no data available
t) Oxidizing properties N
no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions

Generates dangerous gases or fumes in contact with: Acids

10.4 Conditions to avoid



14078 Meridian Parkway, Riverside, CA. 92518

no data available

10.5 Incompatible materials

Strong oxidizing agents, Strong acids

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Oral: No data available

LD50 Oral - Rat - male and female - 1,540 mg/kg

(OECD Test Guideline 401)

Symptoms: Possible symptoms:, mucosal irritations

LC50 Inhalation - Rat - male and female - 4 h - > 5.5 mg/l - dust/mist

(OECD Test Guideline 403)

Remarks: (ECHA)

The value is given in analogy to the following substances: sodium sulphite

Acute toxicity estimate Dermal - 2.500 mg/kg

(Calculation method)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Remarks: (ECHA)

The value is given in analogy to the following substances: sodium sulphite

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available



14078 Meridian Parkway, Riverside, CA. 92518

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, chest pain

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish static test LC50 - Leuciscus idus (Golden orfe) - > 215 - < 464 mg/l - 96 h Remarks: (ECHA) The value is given in analogy to the following substances: potassium sulfite

Toxicity to daphnia and other aquatic invertebrates static test EC50 - Daphnia magna (Water flea) - 89 mg/l - 48 h Remarks: (ECHA) The value is given in analogy to the following substances: sodium metabisulphite

Toxicity to algae static test ErC50 - Desmodesmus subspicatus (green algae) - 43.8 mg/l - 72 h (OECD Test Guideline 201) Remarks: (ECHA) The value is given in analogy to the following substances: sodium metabisulphite

Toxicity to bacteria static test EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209) Remarks: (ECHA) The value is given in analogy to the following substances: sodium sulphite

Toxicity to fish(Chronic toxicity) flow-through test NOEC - Danio rerio (zebra fish) - >= 316 mg/l - 34 d (OECD Test Guideline 210)

Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available



14078 Meridian Parkway, Riverside, CA. 92518

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: - Packing group: - Class: -

Proper shipping name: Not dangerous Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

goods available available

Environmental Hazards: no

IMDG

UN number: - Packing group: - EMS-No: no data available

Proper shipping name: Not dangerous goods

IATA

UN number: - Packing group: - Class: -

Proper shipping name: Not dangerous goods

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date30-Nov-2023Revision Date10-Jan-2024Print Date11-Jan-2024

Revision Summary SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.