

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-11-18

Print Date: 2024-11-18

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Sodium (meta)arsenite

Product Number : \$463149 Brand : aladdin CAS-No. : 7784-46-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300

Acute toxicity, Inhalation (Category 3), H331

Acute toxicity, Dermal (Category 2), H310

Serious eye damage/eye irritation (Category 2A), H319

Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 1A), H350

Reproductive toxicity (Category 2), H361

Specific target organ toxicity - single exposure (Category 1), H370



14078 Meridian Parkway, Riverside, CA. 92518

Specific target organ toxicity - repeated exposure (Category 1), H372

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

2.2 GHS Label elements, including precautionary statements

Pictogram







Signal word Danger

Hazard statement(s)

H319 Causes serious eye irritation

H331 Toxic if inhaled

H341 Suspected of causing genetic defects

H350 May cause cancer

H361 Suspected of damaging fertility or the unborn child

H370 Causes damage to organs

H372 Causes damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

H300+H310 Fatal if swallowed or in contact with skin

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.

P262 Do not get in eyes, on skin, or on clothing.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P391 Collect spillage.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor/...
P337+P313 IF eye irritation persists: Get medical advice/attention.

P361+P364 Take off immediately all contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P310+P330 IF SWALLOWED: Rinse mouth.Immediately call a POISON CENTER/doctor/.

P304+P340+P311 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call

a POISON CENTER/ doctor.



14078 Meridian Parkway, Riverside, CA. 92518

P302+P352+P310 IF ON SKIN: Wash with plenty of water.Immediately call a POISON

CENTER/doctor.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : Sodium arsenic oxide, Arsenic sodium oxide, sodium arsenite,

Arsenenous acid sodium salt, Arsenite sodium, Sodium dioxoarsenate

Formula : NaAsO2

Molecular weight : 129.91

CAS No. : 7784-46-5

EC-NO. : 232-070-5

Component	Classification	Concentration
Sodium (meta)arsenite		
	no data available	≥90%

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Immediate medical attention is required.

If inhaled

Move to fresh air to avoid direct contact with skin. The use of barriers for mouth to mouth resuscitation requires immediate medical attention. If there is no breathing, artificial respiration is required. Artificial respiration and/or oxygen may be required. If necessary, call your doctor for oxygen or artificial respiration. If steam is accidentally inhaled, remove to fresh air. If symptoms persist, call a physician

In case of skin contact

Need immediate medical attention. Wash immediately with soap and plenty of water, and remove all contaminated clothing and shoes at the same time.

In case of eye contact

Wash immediately with plenty of water. After the initial rinse, remove the contact lenses and continue rinsing for at least 15 minutes. Keep your eyes open while flushing. Call your doctor immediately.

If swallowed

Do not induce vomiting. Call a doctor or poison control center immediately. Never feed anything to an unconscious person. Drink plenty of water.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11



14078 Meridian Parkway, Riverside, CA. 92518

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Sodium oxides Arsenic oxides Not combustible. Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

Wear self-contained breathing and full protective equipment

5.4 Further information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. Keep people away from and upwind of spill/leak.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Prevent product from entering drains. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Should not be released into the environment.

6.3 Methods and materials for containment and cleaning up

If safe, prevent further leakage or spillage. Cover the powder spillage with plastic cloth or waterproof cloth to minimize diffusion. Embankment shall be built before liquid leakage for later treatment. Use personal protective equipment as needed. Cover the powder spillage with plastic cloth or waterproof cloth to minimize diffusion and keep the powder dry. Place in a suitable container for disposal. Avoid dust generation. Thoroughly clean contaminated surfaces.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Wash contaminated



14078 Meridian Parkway, Riverside, CA. 92518

clothing before reuse. Do not breathe dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. May cause damage to organs through prolonged or repeated exposure.

7.2 Conditions for safe storage, including any incompatibilities

Seal the container in a dry and ventilated place. Keep out of reach of children. Store at room temperature. Sensitive to air, filled with argon for storage

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties



14078 Meridian Parkway, Riverside, CA. 92518

9.1 Information on basic physical and chemical properties

a) Appearance form: Powder color: White to Yellow and Faint Grey to Grey

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 615 °C

f) Initial boiling point and boiling range no data available g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available I) Vapour density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available no data available r) Viscosity s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

no data available



14078 Meridian Parkway, Riverside, CA. 92518

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Mouse - 1,450 mg/kg Remarks: (RTECS) Acute toxicity estimate Inhalation - 4 h - 0.51 mg/l - dust/mist (Expert judgment)

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

May cause cancer. Positive evidence from human epidemiological studies.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to daphnia and other aquatic EC50 - Daphnia magna (Water flea) - 1.54 mg/l - 48 h

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil



14078 Meridian Parkway, Riverside, CA. 92518

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Disposal should be in accordance with applicable regional, national and local laws and regulations. Should not be released into the environment.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: UN2027 Packing group: II Class: 6.1

Proper shipping name: Sodium arsenite, Reportable Quantity (RQ): no data Poison Inhalation Hazard: no data

solid available available

Environmental Hazards: yes

IMDG

UN number: UN2027 Packing group: II EMS-No: no data available

Proper shipping name: Sodium arsenite, solid

IATA

UN number: UN2027 Packing group: II Class: 6.1

Proper shipping name: Sodium arsenite, solid

SECTION 15: Regulatory information

Please note that waste disposal should also meet local regulations. If applicable, the chemical meets the requirements of the Regulations on the Safety Management of Hazardous Chemicals (adopted by the State Council on December 4, 2013).

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date 08-Dec-2022



14078 Meridian Parkway, Riverside, CA. 92518

Revision Date 18-Nov-2024

Print Date 18-Nov-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.