

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-11

Print Date: 2025-09-12

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Silver powder
Product Number : S776867
Brand : aladdin
CAS-No. : 7440-22-4

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Short-term (acute) aquatic hazard (Category 1), H400 Long-term (chronic) aquatic hazard (Category 1), H410

# 2.2 GHS Label elements, including precautionary statements

**Pictogram** 

\*\*

Warning

Signal word

Hazard statement(s)

H400 Very toxic to aquatic life

H410 Very toxic to aquatic life with long lasting effects

H411 Toxic to aquatic life with long lasting effects

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

#### Precautionary statement(s)

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : no data available

Formula : Ag

Molecular weight : 107.87

CAS No. : 7440-22-4

EC-NO. : 231-131-3

Component	Classification	Concentration
Silver powder		
	Short-term (acute) aquatic hazard Category 1; Longterm (chronic) aquatic	D50: 0.80-
	hazard Category 1; H400, H410 M-Factor - Aquatic Acute: 1,000 - Aquatic	1.15µm ,
	Chronic: 10,000	Specific surface
		area: 0.40-
		0.65m2/g

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

### In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11



14078 Meridian Parkway, Riverside, CA. 92518

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Silver/silver oxides Not combustible. Ambient fire may liberate hazardous vapours.

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

no data available

### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool and ventilated warehouse. Sensitive to air, store with argon filling.

# 7.3 Specific end use(s)

no data available

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

#### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

#### Control of environmental exposure



14078 Meridian Parkway, Riverside, CA. 92518

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance no data available b) Odour no data available c) Odour Threshold no data available d) pH no data available e) Melting point/freezing point no data available f) Initial boiling point and boiling range no data available no data available g) Flash point no data available h) Evaporation rate i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available no data available k) Vapour pressure no data available I) Vapour density m) Relative density no data available no data available n) Water solubility o) Partition coefficient: n-octanol/water no data available no data available p) Auto-ignition temperature no data available q) Decomposition temperature r) Viscosity no data available s) Explosive properties N no data available no data available t) Oxidizing properties N

# 9.2 Other safety information

no data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Risk of explosion with: Ammonia ammonium compounds ethanol Nitric acid oxalic acid performic acid acetylidene Risk of ignition or formation of inflammable gases or vapours with: halogen-halogen compounds Nitric acid conc. sulfuric acid Exothermic reaction with: azides Ethylene oxide peroxi compounds Organic Substances

### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available



14078 Meridian Parkway, Riverside, CA. 92518

#### 10.4 Conditions to avoid

no data available

### 10.5 Incompatible materials

no data available

# 10.6 Hazardous decomposition products

no data available

### **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 401)

Remarks: (ECHA)

LC50 Inhalation - Rat - male and female - 4 h - > 5.16 mg/l - dust/mist

(OECD Test Guideline 436)

Remarks: (ECHA)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Remarks: (ECHA)

#### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation (OECD Test Guideline 404)

### Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

#### Respiratory or skin sensitisation

- Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (ECHA)

### Germ cell mutagenicity

no data available

### Carcinogenicity

no data available

### Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

#### **Aspiration hazard**

no data available

#### **Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly



14078 Meridian Parkway, Riverside, CA. 92518

investigated.

Hazardous properties cannot be excluded but are unlikely when the product is handled appropriately.

Further data:

Handle in accordance with good industrial hygiene and safety practice.

### **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish

Semi static test

LC50- Pimephales promelas (fat headed catfish) -0.0021 mg/l -96 h

remarks: (ECOTOX database)

Flow test

NOEC - Pimephales promelas (fat headed catfish) -0.00046 mg/l -34 days

remarks: (ECHA)

Toxicity to water fleas and other aquatic invertebrates Semi static test LC50- Daphnia magna -0.00022 mg/l -48 h

remarks: (ECHA)

Semi static test NOEC - Daphnia magna -0.00016 mg/l -21 days

remarks: (ECHA) Toxicity to algae

static test

EC50- Pseudokirchneriella subcapita (green algae) -0.000285 mg/l -72 hours

(OECD Testing Guidelines 201)

remarks: (ECHA)

static test

EC10- Pseudokirchneriella subcapita (green algae) -0.000005 mg/l -72 hours

(OECD Testing Guidelines 201)

remarks: (ECHA)

### 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

# 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects



14078 Meridian Parkway, Riverside, CA. 92518

no data available

### **SECTION 13:**

### 13.1 Disposal considerations

#### **Product**

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

### Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 3077 Packing group: III Class: 9

Proper shipping name: Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

ENVIRONMENTALLY HAZARDOUS available available

SUBSTANCE, SOLID, N.O.S. (colloidal

silver)

**Environmental Hazards: YES** 

**IMDG** 

UN number: 3077 Packing group: III EMS-No: no data available Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (colloidal silver)

IATA

UN number: 3077 Packing group: III Class: 9

Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (colloidal silver)

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

Creation Date13-Mar-2025Revision Date11-Sep-2025Print Date12-Sep-2025

**Revision Summary** SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/