

SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-20

Print Date: 2025-09-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Toluene-d8
Product Number : T102274
Brand : aladdin
CAS-No. : 2037-26-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION
Address : 14078 Meridian Parkway,
Riverside, CA. 92518
Telephone : +1 (833) 552-7181
Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300
CHEMTREC®, Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225

Acute toxicity, Inhalation (Category 4), H332

Skin irritation (Category 2), H315

Eye irritation (Category 2), H319

Reproductive toxicity (Category 2), H361d

Specific target organ toxicity - single exposure (Category 2), H371

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Specific target organ toxicity - repeated exposure (Category 2),H373

Aspiration hazard (Category 1),H304

2.2 GHS Label elements, including precautionary statements

Pictogram	
Signal word	Danger
Hazard statement(s)	
H225	Highly Flammable liquid and vapor
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H319	Causes serious eye irritation
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H361d	Suspected of damaging the unborn child
H371	May cause damage to organs
H373	Causes damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects
Precautionary statement(s)	
P210	Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof [electrical/ventilating/lighting/.../] equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe dust/fume/gas/mist/vapors/spray.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and ...] thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P321	Specific treatment (see ... on this label).
P331	Do NOT induce vomiting.
P302+P352	IF ON SKIN: wash with plenty of water.
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P362+P364	Take off contaminated clothing and wash it before reuse.
P370+P378	In case of fire: Use ... to extinguish.
P405	Store locked up.

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P403+P235	Store in a well-ventilated place. Keep cool.
P501	Dispose of contents/container to an approved waste disposal plant.
P203	Obtain, read and follow all safety instructions before use.
P301+P316	IF SWALLOWED: Get emergency medical help immediately.
P318	if exposed or concerned, get medical advice.
P332+P317	If skin irritation occurs: Get medical help.
P319	Get medical help if you feel unwell.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: Toluene-d8
Formula	: C6D5CD3
Molecular weight	: 100.19
CAS No.	: 2037-26-5
EC-NO.	: 218-009-5

Component	Classification	Concentration
Toluene-d8	no data available	≥99.6 atom% D

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required. Keep eye wide open while rinsing.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

Carbon oxides, silicon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

ALADDIN SCIENTIFIC CORPORATION
 14078 Meridian Parkway, Riverside, CA. 92518

7.2 Conditions for safe storage, including any incompatibilities

Sensitive to humidity; Sensitive to light, avoid light and store with argon gas

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance	form: liquid color: Colorless
b) Odour	no data available
c) Odour Threshold	no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

d) pH	no data available
e) Melting point/freezing point	no data available
f) Initial boiling point and boiling range	110 °C - lit.
g) Flash point	4 °C
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	0.943
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

There is an explosion hazard associated with its effect: Oleum nitric acid silver perchlorate nitrogen dioxide Non-metallic halides Halogen halogen compounds Uranium Hexafluoride Organic nitrate Possible violent reactions may occur with it: strong acid strong oxidant sulfur and Heating up.

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

no data available

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - Male -5580 mg/kg

(Directive 67/548/EEC, Annex V, B.1)

LC50 inhalation - rat - male -4 h -25.7 mg/l - vapor

(OECD Testing Guideline 403)

LD50 transdermal rabbit male ->5000 mg/kg

remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit Result: Stimulating -4 hours Regulation (EC) No. 440/2008, Attachment B.4)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Testing Guideline 405)

Respiratory or skin sensitisation

Maximum Response Test - Guinea Pig Result: Negative Regulation (EC) No. 440/2008, Attachment B.6)

Germ cell mutagenicity

Test type: In vitro mammalian cell gene mutation assay Testing system: Mouse lymphoma test Metabolic activation: with or without metabolic activation effect method: OECD Testing Guidelines 476 Result: Negative Test type: Ames test Testing System: Salmonella Typhimurium Metabolic activation: with or without metabolic activation effect Method: Regulation (EC) No. 440/2008, Attachment B.13/14 (Ames Test) Result: Negative Test type: Chromosome aberration test Species: Rat Cell type: Bone marrow Route of infection: Intraperitoneal Result: Negative remarks: (ECHA)

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Inhalation - may cause drowsiness or dizziness- central nervous system Note: Classified according to Annex 6 (Tables 3.1/3.2) of EU CLP Regulation 1272/2008

Specific target organ toxicity - repeated exposure

Inhalation - Long term or repeated exposure may damage organs- central nervous system Note: Classified according to Annex 6 (Tables 3.1/3.2) of EU CLP Regulation 1272/2008

Aspiration hazard

Inhalation may cause pulmonary edema and pneumonia.

Additional Information

Repeated toxicity - rat - male and female - oral -13 weeks - level of no observed harmful effects -625 mg/kg - lowest level of observed harmful effects -1250 mg/kg

Sleepiness, stimulating effects, dizziness, spasms, headaches, nausea, vomiting, circulatory failure, drowsiness, drunkenness, loss of consciousness, respiratory arrest, central nervous system disorders, respiratory paralysis, death
To our knowledge, the chemical, physical, and toxic properties of this substance have not been fully studied.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish: Flow cytometry test LC50- Oncorhynchus kisutch -5.5 mg/l -96 h

remarks: (ECHA)

Toxicity to water fleas and other aquatic invertebrates EC50- Ceriodapnia dubia -3.78 mg/l -48 h (US-EPA)

Static toxicity test for bacteria EC50- bacteria -84 mg/l -24 hours

remarks: (ECHA)

Toxicity to Fish (Chronic Toxicity) Flow Test NOEC - Oncorhynchus Kisutch -1.39 mg/l -40 days

remarks: (ECHA)

Toxicity to water fleas and other aquatic invertebrates (chronic toxicity) NOEC - Ceriodapnia dubia -0.74 mg/l -7 days (US-EPA)

12.2 Persistence and degradability

Aerobic - exposure time 20 days Result: 86% - rapidly biodegradable.

12.3 Bioaccumulative potential

Leuciscus idus (tall tilapia) -3 days -0.05 mg/l (toluene-d8) Bioaccumulation Factor (BCF): 90

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.

Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 1294

Packing group: II

Class: 3

ALADDIN SCIENTIFIC CORPORATION
 14078 Meridian Parkway, Riverside, CA. 92518

Proper shipping name: TOLUENE	Reportable Quantity(RQ): no data available	Poison Inhalation Hazard: no data available
Environmental Hazards: no		
IMDG		
UN number: 1294	Packing group: II	EMS-No: no data available
Proper shipping name: TOLUENE		
IATA		
UN number: 1294	Packing group: II	Class: 3
Proper shipping name: TOLUENE		

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Prepared By	Regulatory Affairs ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com
Creation Date	03-Mar-2025
Revision Date	20-Sep-2025
Print Date	26-Sep-2025
Revision Summary	SDS sections updated v1

Disclaimer
 Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.