

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-03-01

Print Date: 2024-03-01

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Triethanolamine

Product Number : T108154
Brand : aladdin
CAS-No. : 102-71-6

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®. Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

# 2.2 GHS Label elements, including precautionary statements

Pictogram no data available Signal word no data available

Hazard statement(s)

Precautionary statement(s)

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# **SECTION 3: Composition/information on ingredients**



14078 Meridian Parkway, Riverside, CA. 92518

#### 3.1 Substances

Synonyms : Tris(2-hydroxyethyl)amine

Formula : C6H15N03

Molecular weight : 149.19

CAS No. : 102-71-6

EC-NO. : 203-049-8

Component	Classification	Concentration
Triethanolamine		
	no data available	≥99.0% (GC)

#### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

# 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

Carbon oxide nitrogen oxide Flammable The fire may evolve into: nitrogen oxide Steam is heavier than air, so it can spread over the ground. It forms an explosive mixture with air under sharp heating Hazardous gases or vapours may be generated in case of fire

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

no data available

#### SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

### 7.2 Conditions for safe storage, including any incompatibilities



14078 Meridian Parkway, Riverside, CA. 92518

Store in a cool and ventilated warehouse away from light.

# 7.3 Specific end use(s)

no data available

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

Hazard composition and occupational exposure limit:

Components	CAS No.	value	Control parameters	basis
Triethanolamine	102-71-6	TWA	5 mg/m3	U.S.A. ACGIH Threshold Limit Value (TLV)
		PEL	5 mg/m3	Permissible Exposure Limits for Chemical Pollutants in California (Article 107, Paragraph 8)

# 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type



14078 Meridian Parkway, Riverside, CA. 92518

N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless to Yellow

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available

e) Melting point/freezing point 17.9-21°C f) Initial boiling point and boiling range 190-193°C g) Flash point 179°C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available no data available I) Vapour density m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available no data available r) Viscosity s) Explosive properties N no data available no data available t) Oxidizing properties N

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions



14078 Meridian Parkway, Riverside, CA. 92518

no data available

#### 10.4 Conditions to avoid

Strong heating

# 10.5 Incompatible materials

no data available

### 10.6 Hazardous decomposition products

Non ferrous metal; Light metal

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - Male and Female - 6400 mg/kg

(OECD Test Guideline 401)

Inhalation: no data

LD50 Transdermal - Rabbit -> 2000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Results: No skin irritation - 4 h (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

Maximum reaction test - guinea pigs Result: Negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with or without metabolic activation Method: OECD Test Guideline 476 Result: Negative Test type: sister chromatid exchange test Test system: Chinese hamster ovary cells Metabolic activation: with or without metabolic activation Result: Negative Remarks: (ECHA) Test type: mutagenicity (mammalian cell test): chromosome mutation is negative Test system: Chinese hamster ovary cells Metabolic activation: with or without metabolic activation Method: OECD Test Guideline 473 Result: Negative Test type: Ames test Test system: Salmonella typhimurium Metabolic activation: with or without metabolic activation Method: OECD Test Guideline 471 Result: Negative

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available



14078 Meridian Parkway, Riverside, CA. 92518

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish flow test LC50 - Pimephales promelas - 11800 mg/l - 96 h

Remarks: (ECHA)

Toxicity to Daphnia magna and other aquatic invertebrates

Static test EC50 - Ceriodaphnia dubia - 609.88 mg/l - 48 h

Remarks: (ECHA)

Static toxicity test on algae ErC50 - Desmodesmus subspicatus (green algae) - 216 mg/l - 72 h

(DIN 38412)

Remarks: (ECHA)

Static test of toxicity to bacteria IC50 - activated sludge ->1000 mg/l - 3 h

(OECD Test Guideline 209)

### 12.2 Persistence and degradability

Aerobic - exposure time 5 d Results: About 100% - fast biodegradable. Remarks: (ECHA)

# 12.3 Bioaccumulative potential

Cyprinus carpio - 6 weeks At 25 ° C - 0.25 mg/l (triethanolamine) Bioconcentration factor (BCF):<3.9 (OECD Test Guideline 305) Cyprinus carpio - 6 weeks At 25 ° C - 0.25 mg/l (triethanolamine) Bioconcentration factor (BCF):<3.9 (OECD Test Guideline 305)

# 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects



14078 Meridian Parkway, Riverside, CA. 92518

Biological effects: Because changes in pH can have harmful effects Harmful to drinking water Avoid discharging into the surrounding environment.

### **SECTION 13:**

### 13.1 Disposal considerations

**Product** 

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: no data available Packing group: no data available Class: no data available

Proper shipping name: no data Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available available

Environmental Hazards: no

**IMDG** 

UN number: no data available Packing group: no data available EMS-No: no data available

Proper shipping name: no data available

IATA

UN number: no data available Packing group: no data available Class: no data available

Proper shipping name: no data available

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date01-Mar-2024Revision Date01-Mar-2024Print Date01-Mar-2024

Revision Summary SDS sections updated v1

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.