

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-26

Print Date: 2024-02-02

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : 2,2',4,4'-Tetrachlorobiphenyl  
Product Number : T128735  
Brand : aladdin  
CAS-No. : 2437-79-8

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

### 1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION  
Address : 14078 Meridian Parkway,  
Riverside, CA. 92518  
Telephone : +1 (833) 552-7181  
Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300  
CHEMTREC®, Outside the USA :

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 2), H225

Skin irritation (Category 2), H315

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

Aspiration hazard (Category 1), H304

Short-term (acute) aquatic hazard (Category 1), H400

Long-term (chronic) aquatic hazard (Category 1), H410

### 2.2 GHS Label elements, including precautionary statements

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Pictogram



Danger

Signal word

Hazard statement(s)

H225

Highly Flammable liquid and vapor

H304

May be fatal if swallowed and enters airways

H315

Causes skin irritation

H336

May cause drowsiness or dizziness

H410

Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

P210

Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.

P233

Keep container tightly closed.

P240

Ground/bond container and receiving equipment.

P241

Use explosion-proof [electrical/ventilating/lighting/...] equipment.

P243

Take precautionary measures against static discharge.

P261

Avoid breathing dust/fume/gas/mist/vapors/spray.

P264

Wash hands [and ...] thoroughly after handling.

P271

Use only outdoors or in a well-ventilated area.

P273

Avoid release to the environment.

P331

Do NOT induce vomiting.

P391

Collect spillage.

P301+P310

IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P303+P361+P353

IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].

P332+P313

IF SKIN irritation occurs: Get medical advice/attention.

P370+P378

In case of fire: Use ... to extinguish.

P405

Store locked up.

P403+P233

Store in a well-ventilated place. Keep container tightly closed.

P403+P235

Store in a well-ventilated place. Keep cool.

P501

Dispose of contents/container to an approved waste disposal plant.

P304+P340+P312

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. if you feel unwell.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Synonyms

: BZ NO 47;PCB NO 47;2,2',4,4'-Tetrachloro-1,1'-biphenyl;2,2',4,4'-

## ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

tetrachloro-bipheny;

Formula : C<sub>12</sub>H<sub>6</sub>Cl<sub>4</sub>

Molecular weight : 291.99

| Component           | Classification                                                                                                                                          | Concentration |
|---------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| Isooctane           |                                                                                                                                                         |               |
| CAS-No. : 540-84-1  | Flam. Liq. 2; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic                                                                           |               |
| EC-No. : 208-759-1  | Chronic 1; H225, H315, H336, H304, H400, H410 Concentration limits: >= 20 %: STOT SE 3, H336; M-Factor - Aquatic Acute: 10M-Factor - Aquatic Chronic: 1 |               |
| PCB No 3            |                                                                                                                                                         |               |
| CAS-No. : 2051-62-9 | STOT RE 2; Aquatic Acute 1; Aquatic Chronic 1; H373, H400, H410                                                                                         |               |
| EC-No. : 218-127-7  | Concentration limits: >= 0,005 %: STOT RE 2, H373; >= 0,005 %: STOT RE 2, H373; M-Factor - Aquatic Acute:1                                              |               |

**SECTION 4: First aid measures****4.1 Description of first aid measures**

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed**

no data available

**SECTION 5: Firefighting measures****5.1 Extinguishing media**

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

---

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Unsuitable extinguishing media  
no data available

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides Mixture with combustible ingredients. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

## 5.4 Further information

Use water spray to cool unopened containers.

---

# SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas. For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.

---

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge. For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep the container closed and store it in a dry, ventilated and cool place

## 7.3 Specific end use(s)

no data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

Appropriate engineering controls

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching gloves outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Full contact

Material: butyl-rubber Minimum layer thickness: 0.3 mm Break through time: 480 min Material tested: Butoject®; (KCL 897 / Aldrich Z677647, Size M) Splash contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 30 min Material tested: Camatril®; (KCL 730 / Aldrich Z677442, Size M) data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374 If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type AXBEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

If safety can be ensured, measures can be taken to prevent further leakage or overflow. Don't let products enter the sewer. Avoid discharging into the surrounding environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

- |               |                   |
|---------------|-------------------|
| a) Appearance | no data available |
| b) Odour      | no data available |

## ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

|                                                 |                   |
|-------------------------------------------------|-------------------|
| c) Odour Threshold                              | no data available |
| d) pH                                           | no data available |
| e) Melting point/freezing point                 | no data available |
| f) Initial boiling point and boiling range      | no data available |
| g) Flash point                                  | no data available |
| h) Evaporation rate                             | no data available |
| i) Flammability (solid, gas)                    | no data available |
| j) Upper/lower flammability or explosive limits | no data available |
| k) Vapour pressure                              | no data available |
| l) Vapour density                               | no data available |
| m) Relative density                             | no data available |
| n) Water solubility                             | no data available |
| o) Partition coefficient: n-octanol/water       | no data available |
| p) Auto-ignition temperature                    | no data available |
| q) Decomposition temperature                    | no data available |
| r) Viscosity                                    | no data available |
| s) Explosive properties N                       | no data available |
| t) Oxidizing properties N                       | no data available |

## 9.2 Other safety information

no data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Vapours may form explosive mixture with air.

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

no data available

### 10.4 Conditions to avoid

Heat, flames and sparks.

### 10.5 Incompatible materials

Acid, oxidant, alkali metal, acid chloride, anhydride, reducing agent

### 10.6 Hazardous decomposition products

no data available

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

Mixture causes skin irritation.

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: 2A - Group 2A: Probably carcinogenic to humans (1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane) NTP:

Reasonably anticipated to be a human carcinogen (1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane) OSHA: No

component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

## SECTION 12: Ecological information

### 12.1 Toxicity

isooctane

Toxicity to fish semi-static test LC50 - *Oncorhynchus mykiss* (rainbow trout) - 0,11 mg/l - 96 h (OECD Test Guideline 203)

Toxicity to daphnia and other aquatic invertebrates static test EC50 - *Daphnia magna* (Water flea) - 0,4 mg/l - 48 h  
Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: 2,3,4-Trimethylpentane

Toxicity to bacteria EC0 - *Pseudomonas putida* - 10.000 mg/l Remarks: (IUCLID)

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

## 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available

## 12.6 Other adverse effects

Toxic to aquatic organisms and having long-term lasting effects.

## SECTION 13:

### 13.1 Disposal considerations

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

DOT (US)

UN number: 1262

Proper shipping name: Octanes

Packing group: II

Reportable Quantity(RQ): no data available

Class: 3

Poison Inhalation Hazard: no data available

Environmental Hazards: yes

IMDG

UN number: 1262

Proper shipping name: Octanes

Packing group: II

EMS-No: no data available

IATA

UN number: 1262

Proper shipping name: Octanes

Packing group: II

Class: 3

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

**SECTION 16: Other information**

|                         |                                        |
|-------------------------|----------------------------------------|
| <b>Prepared By</b>      | Regulatory Affairs                     |
|                         | ALADDIN SCIENTIFIC CORPORATION         |
|                         | Email: QualityAssurance@aladdinsci.com |
| <b>Creation Date</b>    | 03-Mar-2023                            |
| <b>Revision Date</b>    | 26-Jan-2024                            |
| <b>Print Date</b>       | 02-Feb-2024                            |
| <b>Revision Summary</b> | SDS sections updated v1                |

**Disclaimer**

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.