

ALADDIN SCIENTIFIC CORPORATION  
14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1  
Revision Date: 2024-01-21  
Print Date: 2024-01-26

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Trimethylolpropane ethoxylate triacrylate  
Product Number : T399277  
Brand : aladdin  
CAS-No. : 28961-43-5

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

### 1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION  
Address : 14078 Meridian Parkway,  
Riverside, CA. 92518  
Telephone : +1 (833) 552-7181  
Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300  
CHEMTREC®, Outside the USA :

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)  
Serious eye damage/eye irritation (category 2A), H319

Skin allergies (category 1B), H317

Acute (short-term) aquatic hazard (category 2), H401

Long-term aquatic hazard (category 3), H412

### 2.2 GHS Label elements, including precautionary statements

Pictogram



Signal word

Warning

Hazard statement(s)

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H401	Toxic to aquatic life
H412	Harmful to aquatic life with long lasting effects
Precautionary statement(s)	
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash hands [and ...] thoroughly after handling.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P333+P313	IF SKIN irritation or rash occurs: Get medical advice/attention.
P337+P313	IF eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to an approved waste disposal plant.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS**

**SECTION 3: Composition/information on ingredients**

**3.1 Substances**

Synonyms	: Trimethylolpropane ethoxylate (7/3 EO/OH) triacrylate; Trimethylolpropane ethoxylate (14/3 EO/OH) triacrylate
Formula	: [H2C=CHCO2(CH2CH2O)nCH2]3CC2H5
Molecular weight	: no data available
CAS No.	: 28961-43-5
EC-NO.	: no data available

Component	Classification	Concentration
Trimethylolpropane ethoxylate triacrylate	Serious eye damage/eye irritation category 2A; Skin allergy Category 1B; Acute (short-term) aquatic hazard Category 2; Long Phase 3 aquatic hazard category 3; H319, H317, H401, H412	average Mw~693

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

General advice

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media

Water, Foam, Carbon dioxide (CO<sub>2</sub>), Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxide is combustible. Vapor is heavier than air, so it can spread along the ground. Forms explosive mixtures with air under rapid heating. Hazardous gases or vapors may be produced in the event of a fire.

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel Do not inhale vapors or aerosols. Avoid material contact. Ensure adequate ventilation. Evacuate dangerous areas, follow emergency procedures, and seek expert opinions. For personal protection, see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

---

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: <https://www.aladdinsci.com/>

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Closed tightly. Sensitive to light and heat.

### 7.3 Specific end use(s)

no data available

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under

appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type

ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face

supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as

NIOSH (US) or CEN (EU).

#### Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a) Appearance	no data available
b) Odour	no data available
c) Odour Threshold	no data available
d) pH	no data available
e) Melting point/freezing point	157 °C
f) Initial boiling point and boiling range	no data available
g) Flash point	113 °C
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or explosive limits	no data available
k) Vapour pressure	no data available
l) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

### 9.2 Other safety information

no data available

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no data available

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

no data available

## 10.4 Conditions to avoid

Strong heating

## 10.5 Incompatible materials

Oxidant, amine, acid, alkali, free radical initiator

## 10.6 Hazardous decomposition products

no data available

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Acute toxicity

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

Toluene inhalation studies have shown animal penis, foreskin, scrotum allergies and ulcers. , As far as we know, the chemical, physical and toxic properties have not yet been completed

Whole research.

**SECTION 12: Ecological information****12.1 Toxicity**

Toxicity to fish static test LC50-Danio rerio (zebrafish)-1.95 mg/l-96 h

(OECD Test Guideline 203)

Toxicity to water flea and other aquatic invertebrates

Static test EC50-Daphnia magna (Water flea)-70.7 mg/l-48 h

(OECD Test Guideline 202)

Toxicity to algae static test ErC50-Desmodesmus subspicatus (green algae)-2.2 mg/l-72 h

(OECD Test Guideline 201)

Toxicity to bacteria static test EC20-activated sludge-292 mg/l-3 h

(OECD Test Guideline 209)

**12.2 Persistence and degradability**

no data available

**12.3 Bioaccumulative potential**

no data available

**12.4 Mobility in soil**

no data available

**12.5 Results of PBT and vPvB assessment**

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Other adverse effects**

no data available

---

**SECTION 13:****13.1 Disposal considerations**

Product

cycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.

Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Dispose of as unused product.

## SECTION 14: Transport information

### DOT (US)

UN number: no data available

Packing group: no data available

Class: no data available

Proper shipping name: Not dangerous goods

Reportable Quantity(RQ): no data available

Poison Inhalation Hazard: no data available

Environmental Hazards: No

### IMDG

UN number: no data available

Packing group: no data available

EMS-No: no data available

Proper shipping name: Not dangerous goods

### IATA

UN number: no data available

Packing group: no data available

Class: no data available

Proper shipping name: Not dangerous goods

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## SECTION 16: Other information

### Prepared By

Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

### Creation Date

27-Oct-2021

### Revision Date

21-Jan-2024

### Print Date

26-Jan-2024

### Revision Summary

SDS sections updated v1

### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.