

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-23

Print Date: 2025-09-29

# SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Tolylene-2,6-diisocyanate

Product Number : T769897
Brand : aladdin
CAS-No. : 91-08-7

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

# 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute Toxicity, Oral (Category 5), H303

Acute toxicity, inhalation (category 2), H330

Skin Corrosion/Irritation (Category 2), H315

Severe eye injury/eye irritation (Category 2A), H319

Respiratory allergy (category 1), H334

Skin allergy (category 1), H317

Carcinogenicity (Category 2), H351

Specific target organ systemic toxicity (single exposure) (Category 3), respiratory irritation, H335

Acute (short-term) aquatic hazard (category 3), H402

Long term aquatic hazard (category 3), H412

# 2.2 GHS Label elements, including precautionary statements



#### 14078 Meridian Parkway, Riverside, CA. 92518

Pictogram	

Signal word Danger

Hazard statement(s)

H303 May be harmful if swallowed

H315 Causes skin irritation

H317 May cause an allergic skin reaction

H319 Causes serious eye irritation

H330 Fatal if inhaled

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 May cause respiratory irritation H351 Suspected of causing cancer

H412 Harmful to aquatic life with long lasting effects

Precautionary statement(s)

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] Wear respiratory protection.

P320 Specific treatment is urgent (see ... on this label).

P321 Specific treatment (see ... on this label).
P302+P352 IF ON SKIN: wash with plenty of water.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P333+P313 IF SKIN irritation or rash occurs: Get medical advice/attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

P203 Obtain, read and follow all safety instructions before use.

P264+P265 Wash hands [and ...] thoroughly after handling. Do not touch eyes.

P318 if exposed or concerned, get medical advice.
P337+P317 If eye irritation persists: Get medical help.
P332+P317 If skin irritation occurs: Get medical help.
P316 Get emergency medical help immediately.

P319 Get medical help if you feel unwell.

P342+P316 If experiencing respiratory symptoms: Get emergence medical help immediately.



14078 Meridian Parkway, Riverside, CA. 92518

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Synonyms : no data available
Formula : C9H6N2O2
Molecular weight : 174.16
CAS No. : 91-08-7
EC-NO. : 202-039-0

Component Classification Concentration	1
--	---

Tolylene-2,6-diisocyanate

no data available ≥98%

### **SECTION 4: First aid measures**

# 4.1 Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

### If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

#### Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.



14078 Meridian Parkway, Riverside, CA. 92518

#### Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides Flammable Steam is heavier than air, so it can spread over the ground. Under rapid heating, it forms an explosive mixture with air When caught on fire, it may cause the production of hazardous gases or vapors

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

no data available

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

### 6.4 Reference to other sections

For disposal see section 13.

### **SECTION 7: Handling and storage**

### 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace.



14078 Meridian Parkway, Riverside, CA. 92518

Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

# 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, ventilated warehouse. Moisture sensitive; ight sensitive; heat sensitive; 2-8  $^{\circ}$ C, filled with argon, stored away from light.

# 7.3 Specific end use(s)

no data available

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

### Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: liquid color: Colorless to light yellow clear



### 14078 Meridian Parkway, Riverside, CA. 92518

b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 13°C f) Initial boiling point and boiling range 129-133°C g) Flash point > 110°C

h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or explosive

limits no data available k) Vapour pressure no data available I) Vapour density no data available m) Relative density 1.2260g/ml n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available no data available p) Auto-ignition temperature q) Decomposition temperature no data available r) Viscosity no data available no data available s) Explosive properties N t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Heating up. Strong heating

# 10.5 Incompatible materials

Alcohols, strong bases, amines, acids, strong oxidants

# 10.6 Hazardous decomposition products

no data available



14078 Meridian Parkway, Riverside, CA. 92518

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

### Acute toxicity

LD50 Oral - Rat - Male and Female -> 2000 mg/kg (OECD Test Guideline 401)

Acute toxicity estimate inhalation -4 hours -0.501 mg/l - vapor (expert judgment)

Transcutaneous: No data available

#### Skin corrosion/irritation

Skin - Rat Result: Skin irritation Remarks: (ECHA)

#### Serious eye damage/eye irritation

Eyes - Human Result: Eye irritation Remarks: (ECHA)

#### Respiratory or skin sensitisation

-Guinea pig Result: Contact with the skin can cause allergies. Remarks: (ECHA)

#### Germ cell mutagenicity

Test type: Ames test Testing System: Salmonella Typhimurium Metabolic activation: with or without metabolic activation effect Method: OECD Testing Guideline 471 Result: Negative

#### Carcinogenicity

Suspected of causing cancer.

### Reproductive toxicity

no data available

#### Specific target organ toxicity - single exposure

no data available

#### Specific target organ toxicity - repeated exposure

no data available

#### **Aspiration hazard**

no data available

#### **Additional Information**

Registration of Toxic Effects of Chemical Substances: CZ6310000

Cough, shortness of breath, headache, nausea, vomiting,

To our knowledge, the chemical, physical, and toxic properties of this substance have not been fully studied.

# **SECTION 12: Ecological information**

### 12.1 Toxicity

Static toxicity test on fish LC50- Pimephales promelas -164 mg/l -96 h Remarks: (ECHA)

Static toxicity test on algae ErC50- Desmodesmus subspicatus (green algae) ->70 mg/l -72 h Remarks: (ECHA)

(toluene-2,6-diisocyanate)

Toxicity to bacteria note: (ECHA) (Toluene-2,6-diisocyanate)

#### 12.2 Persistence and degradability

Biodegradable aerobic biochemical oxygen demand - exposure time 28 days Result: 0% - Not easily biodegradable.

Remarks: (ECHA)



14078 Meridian Parkway, Riverside, CA. 92518

### 12.3 Bioaccumulative potential

no data available

# 12.4 Mobility in soil

no data available

# 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

### 13.1 Disposal considerations

#### **Product**

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

#### **Contaminated packaging**

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 2078 Packing group: II Class: 6.1

Proper shipping name: TOLUENE Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

DIISOCYANATE available available

Environmental Hazards: no

**IMDG** 

UN number: 2078 Packing group: II EMS-No: no data available

Proper shipping name: TOLUENE DIISOCYANATE

IATA

UN number: 2078 Packing group: II Class: 6.1

Proper shipping name: TOLUENE DIISOCYANATE

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**



14078 Meridian Parkway, Riverside, CA. 92518

Prepared By Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION Email: QualityAssurance@aladdinsci.com

 Creation Date
 30-Jun-2025

 Revision Date
 23-Sep-2025

 Print Date
 29-Sep-2025

**Revision Summary** SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.