

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-16

Print Date: 2024-01-23

### SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Vanadium pentoxide

Product Number : V306009
Brand : aladdin
CAS-No. : 1314-62-1

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Oral (Category 2), H300

Acute toxicity, Inhalation (Category 2), H330

Germ cell mutagenicity (Category 2), H341

Carcinogenicity (Category 2), H351

Reproductive toxicity (Category 2), H361

Effects on or via lactation, H362

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335

Specific target organ toxicity - repeated exposure (Category 1), H372



14078 Meridian Parkway, Riverside, CA. 92518

Short-term (acute) aquatic hazard (Category 2), H401

Long-term (chronic) aquatic hazard (Category 2), H411

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Danger





Signal word

Hazard statement(s)

....

H335 May cause respiratory irritation

H341 Suspected of causing genetic defects

H351 Suspected of causing cancer

H361 Suspected of damaging fertility or the unborn child

H362 May cause harm to breast-fed children

H372 Causes damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

H300+H330 Fatal if swallowed or if inhaled

Precautionary statement(s)

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P263 Avoid contact during pregnancy/while nursing.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] Wear respiratory protection.

P330 Rinse mouth.
P391 Collect spillage.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P308+P313 IF exposed or concerned: Get medical advice/attention.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to an approved waste disposal plant.

P304+P340+P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Immediately call a POISON CENTER/ doctor.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS



14078 Meridian Parkway, Riverside, CA. 92518

### SECTION 3: Composition/information on ingredients

#### 3.1 Substances

Synonyms : Vanadic anhydride ,Vanadic acid anhydride ,Vanadium pentoxide

Formula : 05V2
Molecular weight : 181.88
CAS No. : 1314-62-1

EC-NO. : no data available

Component	Classification	Concentration
Vanadium pentoxide		
	no data available	99.5%

#### **SECTION 4: First aid measures**

## 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

Unsuitable extinguishing media

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

no data available

## 5.2 Special hazards arising from the substance or mixture

Vanadium/vanadium oxides Not combustible. Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

no data available

#### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

## 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

### 7.2 Conditions for safe storage, including any incompatibilities



14078 Meridian Parkway, Riverside, CA. 92518

Store in a cool, ventilated warehouse. Moisture sensitive.

## 7.3 Specific end use(s)

no data available

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

a) Appearance
b) Odour
c) Odour Threshold
d) pH
no data available
no data available
no data available

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

e) Melting point/freezing point	no data available
f) Initial boiling point and boiling range	no data available
g) Flash point	no data available
h) Evaporation rate	no data available
i) Flammability (solid, gas)	no data available
j) Upper/lower flammability or	
explosive limits	no data available
k) Vapour pressure	no data available
I) Vapour density	no data available
m) Relative density	no data available
n) Water solubility	no data available
o) Partition coefficient: n-octanol/water	no data available
p) Auto-ignition temperature	no data available
q) Decomposition temperature	no data available
r) Viscosity	no data available
s) Explosive properties N	no data available
t) Oxidizing properties N	no data available

## 9.2 Other safety information

no data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Exothermic reaction with: Alkali metals halogen-halogen compounds Acids Risk of explosion with: performic acid Risk of ignition or formation of inflammable gases or vapours with: Alkaline earth metals highly flammable solvents oxidisable substances sulfur (in the presence of atmospheric oxygen and/or moisture)

#### 10.4 Conditions to avoid

no data available

## 10.5 Incompatible materials

no data available

## 10.6 Hazardous decomposition products

no data available



14078 Meridian Parkway, Riverside, CA. 92518

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate Oral - 220 mg/kg (Acute toxicity estimate according to Regulation (EC) No. 1272/2008) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Inhalation - 0.05 mg/l - dust/mist (Acute toxicity estimate according to Regulation (EC) No. 1272/2008) Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

LC50 Dermal - Rat - male and female - > 2,500 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - in vitro test Result: No skin irritation - 15 min Remarks: (ECHA)

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Suspected of causing genetic defects. Test Type: Micronucleus test Species: Mouse Cell type: Red blood cells (erythrocytes) Application Route: Inhalation Method: OECD Test Guideline 474 Result: negative Test Type: Transgenic rodent somatic cell gene mutation assay Species: Mouse Application Route: Inhalation Method: OECD Test Guideline 488 Result: negative Test Type: comet assay Species: Mouse Application Route: Inhalation Result:

negative Remarks: (ECHA)

Carcinogenicity

Presumed to have carcinogenic potential for humans

Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility. Studies indicating a hazard to babies during the lactation period

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. - Respiratory Tract

Specific target organ toxicity - repeated exposure

Inhalation - Causes damage to organs through prolonged or repeated exposure. - Respiratory Tract Remarks:

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Aspiration hazard

no data available

Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. Vanadium and its compounds generally cause irritations after eye and skin contact and mucosal irritations, coughing, and dyspnoea after inhalation. After absorption of toxic quantities changes in the blood picture, loss of weight, cardiovascular complaints. Other dangerous properties can not be excluded. This substance should be handled with particular care.

## **SECTION 12: Ecological information**



14078 Meridian Parkway, Riverside, CA. 92518

## 12.1 Toxicity

Toxicity to fish(Chronic toxicity) Growth inhibition NOEC - Pimephales promelas (fathead minnow) - 0.24 mg/l - 28 d Remarks: (ECOTOX Database)

### 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

### 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

## 13.1 Disposal considerations

Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

DOT (US)

UN number: 2862 Packing group: III Class: 6.1

Proper shipping name: VANADIUM Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

PENTOXIDE available available

Environmental Hazards: yes

**IMDG** 

UN number: 2862 Packing group: III EMS-No: no data available

Proper shipping name: VANADIUM PENTOXIDE

IATA

UN number: 2862 Packing group: III Class: 6.1

Proper shipping name: VANADIUM PENTOXIDE

Phone: +1 (833) 552-7181 Email: QualityAssurance@aladdinsci.com Website: https://www.aladdinsci.com/



14078 Meridian Parkway, Riverside, CA. 92518

### **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date23-Oct-2023Revision Date16-Jan-2024Print Date23-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.