

# SAFETY DATA SHEET

Version: v1

Revision Date: 2025-09-10

Print Date: 2025-09-12

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : o-Xylene solution  
Product Number : X117370  
Brand : aladdin  
CAS-No. : 95-47-6(Carbon disulfide)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

### 1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION  
Address : 14078 Meridian Parkway,  
Riverside, CA. 92518  
Telephone : +1 (833) 552-7181  
Fax : no data available

### 1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300  
CHEMTREC®, Outside the USA :

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquids (Category 3), H226

Acute toxicity, Oral (Category 5), H303

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Skin corrosion/irritation (Category 2), H315

Serious eye damage/eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), respiratory tract irritation, H335

Aspiration hazard (Category 1), H304

Short-term (acute) aquatic hazard (Category 2), H401

Long-term (chronic) aquatic hazard (Category 3), H412

## 2.2 GHS Label elements, including precautionary statements

Pictogram



Danger

Signal word

Hazard statement(s)

|           |                                                   |
|-----------|---------------------------------------------------|
| H226      | Flammable liquid and vapor                        |
| H303      | May be harmful if swallowed                       |
| H304      | May be fatal if swallowed and enters airways      |
| H315      | Causes skin irritation                            |
| H319      | Causes serious eye irritation                     |
| H335      | May cause respiratory irritation                  |
| H401      | Toxic to aquatic life                             |
| H412      | Harmful to aquatic life with long lasting effects |
| H312+H332 | Harmful in contact with skin or if inhaled        |

Precautionary statement(s)

|                |                                                                                                                                  |
|----------------|----------------------------------------------------------------------------------------------------------------------------------|
| P210           | Keep away from heat, hot surface, sparks, open flames and other ignition sources. - No smoking.                                  |
| P241           | Use explosion-proof [electrical/ventilating/lighting/...] equipment.                                                             |
| P242           | Use only non-sparking tools.                                                                                                     |
| P243           | Take precautionary measures against static discharge.                                                                            |
| P264           | Wash hands [and ...] thoroughly after handling.                                                                                  |
| P271           | Use only outdoors or in a well-ventilated area.                                                                                  |
| P273           | Avoid release to the environment.                                                                                                |
| P280           | Wear protective gloves/protective clothing/eye protection/face protection.                                                       |
| P312           | Call a POISON CENTER or doctor/... if you feel unwell.                                                                           |
| P301+P310      | IF SWALLOWED: Immediately call a POISON CENTER/doctor/...                                                                        |
| P303+P361+P353 | IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN with water [or shower].                         |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing. |
| P332+P313      | IF SKIN irritation occurs: Get medical advice/attention.                                                                         |
| P370+P378      | In case of fire: Use ... to extinguish.                                                                                          |
| P403           | Store in a well-ventilated place.                                                                                                |
| P501           | Dispose of contents/container to an approved waste disposal plant.                                                               |
| P304+P340+P312 | IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor. if you feel unwell.   |

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

|                  |                                                  |
|------------------|--------------------------------------------------|
| Synonyms         | : o-Xylene O-Dimethylbenzene 1,2-Dimethylbenzene |
| Formula          | : no data available                              |
| Molecular weight | : no data available                              |

| Component                               | Classification                                                                                                                                                                                                                                                                                                                                                                                                                                                             | Concentration |
|-----------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
| <b>Carbon disulfide</b>                 |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| CAS-No. : 75-15-0<br>EC-No. : 200-843-6 | Flammable liquid category 2; acute toxicity category Category 3; Acute toxicity Category 4; Skin rot Erosion/irritation category 2; serious eye damage/ Eye irritation Category 2A; Reproductive toxicity Category 2; Specific target organ system toxicity (Repeated exposure) Category 1; Acute (Short-term) Aquatic hazard category 2; H225, H301, H332, H315, H319, H361, H372, H401                                                                                   |               |
| <b>o-Xylene</b>                         |                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |               |
| CAS-No. : 95-47-6<br>EC-No. : 202-422-2 | Flammable liquids Category 3; Acute toxicity Category 5; Acute toxicity Category 4; Skin corrosion/irritation Category 2; Serious eye damage/eye irritation Category 2A; Specific target organ toxicity - single exposure Category 3; Aspiration hazard Category 1; Short-term (acute) aquatic hazard Category 2; Long-term (chronic) aquatic hazard Category 3; H226, H303, H332, H312, H315, H319, H335, H304, H401, H412Concentration limits: >= 20 %: STOT SE 3, H335; |               |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General advice

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

#### In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

#### If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

#### Unsuitable extinguishing media

no data available

### 5.2 Special hazards arising from the substance or mixture

no data available

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

### 5.4 Further information

no data available

---

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

### 6.4 Reference to other sections

For disposal see section 13.

---

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

## 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool and ventilated warehouse.

## 7.3 Specific end use(s)

no data available

---

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

#### Personal protective equipment

##### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

##### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

##### Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

##### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

**Control of environmental exposure**

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

|                                                 |                   |
|-------------------------------------------------|-------------------|
| a) Appearance                                   | no data available |
| b) Odour                                        | no data available |
| c) Odour Threshold                              | no data available |
| d) pH                                           | no data available |
| e) Melting point/freezing point                 | no data available |
| f) Initial boiling point and boiling range      | no data available |
| g) Flash point                                  | no data available |
| h) Evaporation rate                             | no data available |
| i) Flammability (solid, gas)                    | no data available |
| j) Upper/lower flammability or explosive limits | no data available |
| k) Vapour pressure                              | no data available |
| l) Vapour density                               | no data available |
| m) Relative density                             | no data available |
| n) Water solubility                             | no data available |
| o) Partition coefficient: n-octanol/water       | no data available |
| p) Auto-ignition temperature                    | no data available |
| q) Decomposition temperature                    | no data available |
| r) Viscosity                                    | no data available |
| s) Explosive properties N                       | no data available |
| t) Oxidizing properties N                       | no data available |

**9.2 Other safety information**

no data available

**SECTION 10: Stability and reactivity****10.1 Reactivity**

no data available

**10.2 Chemical stability**

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

no data available

**10.4 Conditions to avoid**

Heating

## 10.5 Incompatible materials

no data available

## 10.6 Hazardous decomposition products

no data available

---

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male - 3,523 mg/kg (EC Directive 92/69/EEC B.1 Acute Toxicity (Oral)) LC50 Inhalation - Rat - male and female - 4 h - 27.12 mg/l - vapor (US-EPA) Symptoms: Inhalation may lead to the formation of oedemas in the respiratory tract. Symptoms: mucosal irritations, Cough, Shortness of breath, Possible damages:, damage of respiratory tract LD50 Dermal - Rabbit - male - 12,126 mg/kg Remarks: (ECHA)

#### Skin corrosion/irritation

no data available

#### Serious eye damage/eye irritation

no data available

#### Respiratory or skin sensitisation

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

#### Reproductive toxicity

no data available

#### Specific target organ toxicity - single exposure

no data available

#### Specific target organ toxicity - repeated exposure

no data available

#### Aspiration hazard

no data available

#### Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

---

## SECTION 12: Ecological information

### 12.1 Toxicity

ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

## 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available

## 12.6 Other adverse effects

no data available

## SECTION 13:

### 13.1 Disposal considerations

#### Product

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.

Observe all federal, state and local regulations when disposing of the substance.

#### Contaminated packaging

Dispose of as unused product.

## SECTION 14: Transport information

### DOT (US)

UN number: 1131

Packing group: I

Class: 3(6.1)

Proper shipping name: Ortho xylene standard solution

Reportable Quantity(RQ): no data available

Poison Inhalation Hazard: no data available

Environmental Hazards: no

### IMDG

UN number: 1131

Packing group: I

EMS-No: no data available

Proper shipping name: Ortho xylene standard solution

### IATA

UN number: 1131

Packing group: I

Class: 3(6.1)

Proper shipping name: Ortho xylene standard solution

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

Phone: +1 (833) 552-7181 Email: [QualityAssurance@aladdinsci.com](mailto:QualityAssurance@aladdinsci.com) Website: <https://www.aladdinsci.com/>



ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

---

**SECTION 16: Other information****Prepared By**

Regulatory Affairs

ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

**Creation Date**

17-Jun-2025

**Revision Date**

10-Sep-2025

**Print Date**

12-Sep-2025

**Revision Summary**

SDS sections updated v1

**Disclaimer**

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.