

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-16

Print Date: 2024-01-23

### SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Xylene
Product Number : X139941
Brand : aladdin
CAS-No. : 1330-20-7

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®. Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (Class 3), H226

Acute toxicity, oral (Class 5), H303

Acute toxicity, inhalation (Class 4), H332

Acute toxicity, percutaneous (Class 4), H312

Skin corrosion/irritation (Category 2), H315

Severe eye injury/eye irritation (Category 2A), H319

Carcinogenicity (Category 2), H351

Specific target Organ system toxicity (single exposure) (Category 3), respiratory tract irritation, anesthetic effect,

H335, H336

Specific target Organ system toxicity (repeated exposure) (Category 2), auditory organ, H373

Specific target Organ system toxicity (repeated exposure), inhalation (Category 2), central nervous system, liver,

kidney, H373

Inhalation hazard (Category 1), H304



14078 Meridian Parkway, Riverside, CA. 92518

Acute (short-term) aquatic hazards (Category 2), H401 Long term aquatic hazards (Category 3), H412

## 2.2 GHS Label elements, including precautionary statements

Pictogram			
Signal word	Danger		

Signa	i word		

Hazard	statement(s)
nazaiu	Statement(S)

H226 Flammable liquid and vapor H303 May be harmful if swallowed

H304 May be fatal if swallowed and enters airways

H315 Causes skin irritation

H319 Causes serious eye irritation
H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness
H351 Suspected of causing cancer

H373 Causes damage to organs through prolonged or repeated exposure

H401 Toxic to aquatic life

H412 Harmful to aquatic life with long lasting effects
H312+H332 Harmful in contact with skin or if inhaled

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P202 Do not handle until all safety precautions have been read and understood.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P260 Do not breathe dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P312 Call a POISON CENTER or doctor/... if you feel unwell.

P331 Do NOT induce vomiting.

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor/...

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].



14078 Meridian Parkway, Riverside, CA. 92518

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P332+P313 IF SKIN irritation occurs: Get medical advice/attention.
P337+P313 IF eye irritation persists: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P304+P340+P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call

a POISON CENTER or doctor. if you feel unwell.

## 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

## SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Synonyms : Xylene mixture of isomers Dimethylbenzene ksylen

Formula : C8H10 Molecular weight : 106.17

Component Classification Concentration

#### Ethylbenzene solution

CAS-No.: 100-41-4 Flam. Liq. 2; Acute Tox. 4; STOT RE 2; Asp. Tox. 1; Aquatic Chronic 3;

EC-No.: 202-849-4 H225, H332, H373, H304, H412

#### **Xylene**

CAS-No.: 1330-20-7 Flammable liquids (Category 3), H226 Acute toxicity, Inhalation (Category

EC-No. : 4), H332 Acute toxicity, Dermal (Category 4), H312 Skin irritation

(Category 2), H315 Eye irritation (Category 2), H319 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure (Category 2), hearing organs, H373 Specific target organ toxicity - repeated exposure, Inhalation (Category 2), Central nervous system, Liver, Kidney, H373 Aspiration hazard (Category 1), H304 Long-term (chronic) aquatic hazard (Category

3), H412

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



14078 Meridian Parkway, Riverside, CA. 92518

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

If swallowed

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) foam dry powder

Unsuitable extinguishing media

There are no restrictions on extinguishing agents for this substance/mixture.

### 5.2 Special hazards arising from the substance or mixture

Oxocarbon Flammable Vapor is heavier than air, so it can diffuse along the ground. Forming explosive mixtures with air at high temperatures When a fire occurs, it may cause the generation of hazardous gases or vapors

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

no data available

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.



14078 Meridian Parkway, Riverside, CA. 92518

### 6.2 Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

## 6.3 Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4 Reference to other sections

For disposal see section 13.

### SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Operators should be specially trained and strictly abide by the operating procedures. Operation and disposal should be carried out in a place with local ventilation or general ventilation facilities. Avoid eye and skin contact and avoid breathing vapor. See Section 8 for personal protective measures. Keep away from fire and heat sources, and smoking is strictly prohibited in the workplace. Use explosion-proof ventilation systems and equipment. If canning is required, the flow rate should be controlled, and there should be a grounding device to prevent the accumulation of static electricity. Avoid contact with incompatible substances such as oxidizing agents (see section 10 for incompatible substances). When handling, it should be lightly loaded and unloaded to prevent damage to packaging and containers. Empty containers may be harmful residues. Wash hands after use and prohibit eating or drinking in the workplace. Equipped with the corresponding variety and quantity of fire fighting equipment and leakage emer

### 7.2 Conditions for safe storage, including any incompatibilities

Tightly closed Drying.

## 7.3 Specific end use(s)

no data available

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

## 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection



9.1

#### ALADDIN SCIENTIFIC CORPORATION

14078 Meridian Parkway, Riverside, CA. 92518

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU)2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN(EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

### SECTION 9: Physical and chemical properties

# Information on basic physical and chemical properties

a) Appearance form: Liquid color: Colorless

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available
e) Melting point/freezing point no data available
f) Initial boiling point and boiling range
137-140°C
g) Flash point 29°C

g) Flash point 29°C h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 0.86

n) Water solubility
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature
no data available
q) Decomposition temperature
no data available
r) Viscosity
no data available
s) Explosive properties N
no data available



14078 Meridian Parkway, Riverside, CA. 92518

t) Oxidizing properties N

no data available

### 9.2 Other safety information

no data available

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

## 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

Exothermic reaction: Strong oxidant acid sulfur concentrated sulfuric acid Explosion/heat release hazardous reactants: nitric acid Uranium hexafluoride

#### 10.4 Conditions to avoid

Heating

## 10.5 Incompatible materials

no data available

# 10.6 Hazardous decomposition products

In case of fire: see Section 5 Fire Extinguishing Measures

### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

Acute toxicity estimate inhalation -4 hours -12.25 mg/l - vapor (calculation method)

Symptoms: Possible symptoms: Mucosal irritation, cough, shortness of breath, possible damage: Damage to the respiratory tract

Acute toxicity estimated transdermal -1467 mg/kg (calculation method)

Skin corrosion/irritation

The mixture can cause skin irritation.

Serious eye damage/eye irritation

Mixtures can cause severe eye irritation

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available

Carcinogenicity



#### 14078 Meridian Parkway, Riverside, CA. 92518

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

The mixture can cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Long term or repeated exposure to the mixture may cause organ damage. -Auditory organ Long term or repeated exposure to the mixture may cause organ damage. -Central nervous system, liver, kidney

Aspiration hazard

There is no data on inhalation hazards. Inhalation may cause Pulmonary edema and pneumonia.

Additional Information

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

## 12.2 Persistence and degradability

no data available

### 12.3 Bioaccumulative potential

no data available

#### 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

no data available

### **SECTION 13:**

### 13.1 Disposal considerations

**Product** 

Recycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.



14078 Meridian Parkway, Riverside, CA. 92518

Contaminated packaging

Dispose of as unused product.

## **SECTION 14: Transport information**

DOT (US)

UN number: 1993 Packing group: III Class: 3

Proper shipping name: Flammable Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

liquid, n.o.s. (Xylene, ethylbenzene) available available

Environmental Hazards: no

**IMDG** 

UN number: 1993 Packing group: III EMS-No: no data available

Proper shipping name: Flammable liquid, n.o.s. (Xylene, ethylbenzene)

IATA

UN number: 1993 Packing group: III Class: 3

Proper shipping name: Flammable liquid, n.o.s. (Xylene, ethylbenzene)

## **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

## **SECTION 16: Other information**

**Regulatory Affairs** 

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date13-Sep-2023Revision Date16-Jan-2024Print Date23-Jan-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.