

14078 Meridian Parkway, Riverside, CA. 92518

SAFETY DATA SHEET

Version: v1

Revision Date: 2024-06-13

Print Date: 2024-06-13

SECTION 1:Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Zinc chloride
Product Number : Z141099
Brand : aladdin
CAS-No. : 7646-85-7

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®. Outside the USA :

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (class 2), H225

Acute toxicity, oral (category 4), H302

Skin corrosion/irritation (category 1B), H314

Serious eye injury/eye irritation (category 1), H318

Carcinogenicity (Category 2), H351

Specific target organ system toxicity (first exposure) (category 3), respiratory tract irritation, anesthetic effect, H335,

H336

Acute (short-term) aquatic hazards (category 1), H400

Long-term aquatic hazards (category 2), H411



14078 Meridian Parkway, Riverside, CA. 92518

2.2 GHS Label elements, including precautionary statements

| Pictogram | | | | \$ |
|-------------|--------|---|---|-----------|
| Signal word | Danger | • | • | • |

Hazard statement(s)

H225 Highly Flammable liquid and vapor

H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness
H351 Suspected of causing cancer
H400 Very toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

P201 Obtain special instructions before use.

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P202 Do not handle until all safety precautions have been read and understood.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof [electrical/ventilating/lighting/.../] equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P310 Immediately call a POISON CENTER or doctor/physician.

P363 Wash contaminated clothing before reuse.

P391 Collect spillage.

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353 IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN

with water [or shower].

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do - continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P370+P378 In case of fire: Use ... to extinguish.



14078 Meridian Parkway, Riverside, CA. 92518

P405 Store locked up.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

P301+P312+P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.

2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Synonyms : Butter of zinc; Dichlorozinc

Formula : Cl2Zn Molecular weight : 136.3

| Component | Component Classification | | |
|---|---|--|--|
| Tetrahydrofuran | | | |
| CAS-No.: 109-99-9 | Flam. Liq. 2; Acute Tox. 4; Eye Irrit. 2; Carc. 2; STOT SE 3; H225, H302, | | |
| EC-No.: 203-726-8 H319, H351, H336, H335 Concentration limits: >= 25 %: Eye Irrit. 2, H319; >= 25 %: STOT SE 3, H335; | | | |

Zinc chloride

CAS-No.: 7646-85-7 Acute toxicity category 4; Skin corrosion/irritation category 1B; Serious

EC-No.: 231-592-0 eye injury/eye irritation category 1; Specific target system toxicity (first

exposure) category 3; Acute (short-term) aquatic hazard category 1; Long-term aquatic hazard category 1 h302, h314, h318, h335, h400,

h410m-factor-Aquatic Acute: 10 M- factor-Aquatic Chronic: 1

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a

physician immediately. In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed



14078 Meridian Parkway, Riverside, CA. 92518

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

no data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Hydrogen chloride gas Zinc/zinc oxides Combustible. Pay attention to flashback. Vapors are heavier than air and may spread along floors. Development of hazardous combustion gases or vapours possible in the event of fire. Forms explosive mixtures with air at ambient temperatures.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains. Risk of explosion.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material. Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.



14078 Meridian Parkway, Riverside, CA. 92518

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat and sources of ignition. Test for peroxide formation periodically and before distillation.

7.3 Specific end use(s)

no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

| Component | CAS No | value | controls parameter | according to |
|-----------------|-----------|-------------|-----------------------|--|
| Tetrahydrofuran | 109-99-9 | PC- TWA | 300 mg/m3 | Harmful factors in workplace occupational exposure limits-chemical harmful factors |
| zinc chloride | 7646-85-7 | PC- TWA | 1 mg/m3 | Harmful factors in workplace occupational exposure limits-chemical harmful factors |
| | | PC- STEL | 2 mg/m3 | Harmful factors in workplace occupational exposure limits-chemical harmful factors |

Biological limit



14078 Meridian Parkway, Riverside, CA. 92518

| Component | CAS No | parameter | value | biological sample | according to |
|-----------------|----------|---|--------|----------------------|------------------------------|
| Tetrahydrofuran | 109-99-9 | Tetrahydrofuran | 2 mg/l | Urine | ACGIH-biological limit (BEI) |
| | Remarks | Sampling immediately after contact or after working hours | | | |

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

SECTION 9: Physical and chemical properties



14078 Meridian Parkway, Riverside, CA. 92518

9.1 Information on basic physical and chemical properties

a) Appearance no data available b) Odour no data available c) Odour Threshold no data available d) pH no data available

e) Melting point/freezing point 283°C f) Initial boiling point and boiling range 732°C

g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available I) Vapour density no data available m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available p) Auto-ignition temperature no data available q) Decomposition temperature no data available no data available r) Viscosity s) Explosive properties N no data available t) Oxidizing properties N no data available

9.2 Other safety information

no data available

SECTION 10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

It is stable under the recommended storage conditions

10.3 Possibility of hazardous reactions

no data available

10.4 Conditions to avoid

Warming. Moisture.

10.5 Incompatible materials

Oxidizing agents, Strong oxidizing agents, Oxygen



14078 Meridian Parkway, Riverside, CA. 92518

10.6 Hazardous decomposition products

Peroxides

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Tetrahydrofuran

LD50 oral-rat-male and female-1,650 mg/kg

Remarks: (ECHA)

Symptoms: irritation of mucous membranes

LC50 inhalation-rat-male and female-4 h-> 16.9 mg/L.

(US-EPA)

Symptoms: mucosal irritation, cough, shortness of breath, possible damage: damage to respiratory tract

The LD50 was percutaneous-rat-male and female-> 2,000 mg/kg

(OECD test guideline 402)

zinc chloride

LD50 oral-rat-male-1,100 mg/kg

(OECD test guideline 401)

LC50 inhalation-rat-female-10min-<= 1,975 mg/m3

Remarks: (ECHA)

The LD50 was percutaneous-rat-male and female-> 2,000 mg/kg

(OECD test guideline 402)

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

no data available

Germ cell mutagenicity

no data available



14078 Meridian Parkway, Riverside, CA. 92518

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

Mixtures can cause respiratory irritation. The mixture may cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

As far as we know, the chemical, physical and toxic properties have not been completely studied., which has great damage to mucous membrane, upper respiratory tract, eyes and skin. Spasm, inflammation, sore throat, spasm, inflammation, bronchitis, pneumonia, pulmonary edema, burning sadness: cough, wheezing, laryngitis, shortness of breath, headache can not rule out other dangers. This substance must be handled with special care. Operate in accordance with good industrial hygiene and safety regulations.

SECTION 12: Ecological information

12.1 Toxicity

no data available

12.2 Persistence and degradability

no data available

12.3 Bioaccumulative potential

no data available

12.4 Mobility in soil

no data available

12.5 Results of PBT and vPvB assessment

no data available

12.6 Other adverse effects

no data available

SECTION 13:

13.1 Disposal considerations

Product

ecycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an



14078 Meridian Parkway, Riverside, CA. 92518

afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur.

Observe all federal, state and local regulations when disposing of the substance

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

DOT (US)

UN number: 2924 Packing group: II Class: 3 (8)

Proper shipping name: Flammable Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

liquid, corrosive, n.o.s. available available

(Tetrahydrofuran, zinc chloride) Environmental Hazards: no

IMDG

UN number: 2924 Packing group: II EMS-No: no data available

Proper shipping name: Flammable liquid, corrosive, n.o.s. (Tetrahydrofuran, zinc chloride)

IATA

UN number: 2924 Packing group: II Class: 3 (8) Proper shipping name: Flammable liquid, corrosive, n.o.s. (Tetrahydrofuran, zinc chloride)

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

SECTION 16: Other information

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date24-Aug-2021Revision Date13-Jun-2024Print Date13-Jun-2024

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.