

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2024-01-21

Print Date: 2024-01-26

### SECTION 1:Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : Bromine thymol blue indicator

Product Number : B196458
Brand : aladdin

CAS-No. : no data available

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Flammable liquid (category 2), H225

Serious eye damage/eye irritation (category 2A), H319

Specific target organ toxicity (single exposure) (category 3), narcotic effects, H33

# 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word Danger

Hazard statement(s)

H225 Highly Flammable liquid and vapor
H319 Causes serious eye irritation



### 14078 Meridian Parkway, Riverside, CA. 92518

H336	May cause drowsiness or dizziness		
Precautionary statement(s)			
P210	Keep away from heat, hot surface, sparks, open flames and other ignition		
	sources No smoking.		
P233	Keep container tightly closed.		
P240	Ground/bond container and receiving equipment.		
P241	Use explosion-proof [electrical/ventilating/lighting//] equipment.		
P242	Use only non-sparking tools.		
P243	Take precautionary measures against static discharge.		
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.		
P264	Wash hands [and] thoroughly after handling.		
P271	Use only outdoors or in a well-ventilated area.		
P280	Wear protective gloves/protective clothing/eye protection/face protection.		
P303+P361+P353	IF ON SKIN (or hair): Take off Immediately all contaminated clothing. Rinse SKIN		
	with water [or shower].		
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact		
	lenses if present and easy to do - continue rinsing.		
P337+P313	IF eye irritation persists: Get medical advice/attention.		
P370+P378	In case of fire: Use to extinguish.		
P405	Store locked up.		
P403+P233	Store in a well-ventilated place. Keep container tightly closed.		
P403+P235	Store in a well-ventilated place. Keep cool.		
P501	Dispose of contents/container to an approved waste disposal plant.		
P304+P340+P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing.Call		
	a POISON CENTER or doctor. if you feel unwell.		

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

Synonyms : no data available
Formula : no data available
Molecular weight : no data available

Component	Classification	Concentration
Isopropyl Alcohol		
CAS-No.: 67-63-0 EC-No.: 200-661-7	Flammable liquids (Category 2), H225 Eye irritation (Category 2), H319 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336	



14078 Meridian Parkway, Riverside, CA. 92518

Component	Classification	Concentration
Bromothymol blue		

CAS-No.: 76-59-5 EC-No.: 200-971-2

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice

Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

# 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described on the label (see section 2.2) and/or section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) foam dry powder

Unsuitable extinguishing media

no data available

# 5.2 Special hazards arising from the substance or mixture

Carbon oxides are combustible. Beware of tempering. Vapor is heavier than air, so it can spread over the ground. In the event of a fire, hazardous gas or vapor may be produced. It forms an explosive mixture with air at moderate temperatures.

# 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.



14078 Meridian Parkway, Riverside, CA. 92518

#### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

### 6.2 Environmental precautions

Do not let the product enter the drain. Risk of explosion.

### 6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up dry. Dispose of properly. Clean up affected area. Avoid generation of dusts.

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid generating vapor or smoke. Keep away from open flames, hot surfaces and sources of ignition. Take measures to prevent electrostatic discharge. Change contaminated clothing. Wash hands after using this substance. For precautions, see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep the container tightly closed and store in a dry and ventilated place. Keep away from heat and fire sources.

# 7.3 Specific end use(s)

no data available

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **Predicted No Effect Concentration (PNEC)**

Compartment Value

Soil	28 mg/kg
Marine water	140,9 mg/l
Fresh water	140,9 mg/l
Marine sediment	552 mg/kg



14078 Meridian Parkway, Riverside, CA. 92518

Fresh water sediment	552 mg/kg

### 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN166(EU).

Skin protection

Gloves must be checked before use. Please use proper methods to remove the gloves (do not touch the outer surface of the gloves), and avoid any skin parts contacting the product. After use, please handle the contaminated gloves carefully according to relevant laws and regulations and effective laboratory rules and procedures. Please clean and blow dry the protective gloves selected for your hands must meet the specifications given in regulation (EU) 2016 / 425 and the en 374 standard derived from it.

**Body Protection** 

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

no data available
no data available



14078 Meridian Parkway, Riverside, CA. 92518

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available no data available I) Vapour density m) Relative density no data available n) Water solubility no data available o) Partition coefficient: n-octanol/water no data available no data available p) Auto-ignition temperature q) Decomposition temperature no data available no data available r) Viscosity s) Explosive properties N no data available t) Oxidizing properties N no data available

# 9.2 Other safety information

no data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

no data available

#### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

no data available

#### 10.4 Conditions to avoid

Warm up

### 10.5 Incompatible materials

Rubber, various plastics, oils

### 10.6 Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral-Rat-5,840 mg/kg

(OECD Test Guideline 401)



#### 14078 Meridian Parkway, Riverside, CA. 92518

LC50 inhalation-rat-male and female-4 h-37.5 mg/l

(OECD Test Guideline 403)

LD50 transdermal-rabbit-12,800 mg/kg

Remarks: (RTECS)

Skin corrosion/irritation

Skin-Rabbit Result: No skin irritation-4 hours (OECD Test Guideline 404)

Serious eye damage/eye irritation

no data available

Respiratory or skin sensitisation

Respiratory or skin sensitization Buehler guinea pig test-guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity

Test type: Ames test Test system: Salmonella typhimurium Metabolic activation: With or without metabolic activation Method: OECD Test Guideline 471 Result: Negative test type: In vitro mammalian cell gene mutation test Test system: Chinese hamster ovary cell metabolism activation: Yes Or without metabolic activation method: OECD

Test Guideline 476 Result: Negative Test Type: In vivo micronucleus test Species: Mouse

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

Inhalation, oral-may cause drowsiness or dizziness. -Central Nervous System Remarks: Classification according to EU CLP Regulation 1272/2008, Annex 6 (Table 3.1/3.2)

Additional Information

Registration of Toxic Effects of Chemical Substances: NT8050000

Central nervous system depression, long-term or frequent exposure can cause:, nausea, headache, vomiting, anesthesia, drowsiness, overexposure may cause moderate, reversible

Liver effects, inhalation can cause:, pulmonary edema, pneumonia

As far as we know, the chemical, physical and toxic properties have not been fully studied.

After absorption:

Headache

Dizziness

drunk



14078 Meridian Parkway, Riverside, CA. 92518

Lose consciousness

anaesthetization

After taking a large amount:

coma

Operate in accordance with good industrial hygiene and safety regulations.

Kidney-Irregular-Based on Human Evidence

### **SECTION 12: Ecological information**

# 12.1 Toxicity

Toxicity to fish Flow-through test LC50-Pimephales promelas (fathead minnow)-9,640 mg/l-96 h

(OECD Test Guideline 203)

No ridge to water flea and other aquatic species

Toxicity of Vertebral Animals

EC50-Daphnia magna (Water flea)-13,299 mg/l-48 h

Remarks: (IUCLID)

Toxicity to algae IC50-Desmodesmus subspicatus (green algae)-> 1,000 mg/l-72 h

Remarks: (IUCLID)

Toxicity to bacteria EC5-Pseudomonas putida-1,050 mg/l-16 h

Remarks: (Lit.)

### 12.2 Persistence and degradability

Biodegradability Aerobic-Exposure time 5 d Result: 53%-Rapidly biodegradable. (Directive 67/548/EEC, Appendix V, C.6.) Theoretical oxygen demand 2,400 mg/g Remarks: (Lit.) Ratio of biochemical oxygen demand to theoretical biochemical oxygen demand 49% Remarks: (IUCLID)

### 12.3 Bioaccumulative potential

No bioaccumulation is expected (log Pow <= 4).

#### 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

no data available



14078 Meridian Parkway, Riverside, CA. 92518

#### 12.6 Other adverse effects

no data available

#### **SECTION 13:**

### 13.1 Disposal considerations

**Product** 

ecycle to process, if possible. Consult your local regional authorities and an expert of disposal. You may be able to dissolve or mix material with a combustible solvent and little by little burn in a chemical incinerator equipped with an afterburner and scrubber system. If a large amount of the substance is burned at a time, an explosion may occur. Observe all federal, state and local regulations when disposing of the substance.

Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1219 Packing group: II Class: 3

Proper shipping name: Isopropanol Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: No

**IMDG** 

UN number: 1219 Packing group: II EMS-No: no data available

Proper shipping name: Isopropanol

IATA

UN number: 1219 Packing group: II Class: 3

Proper shipping name: Isopropanol

# **SECTION 15: Regulatory information**

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

Creation Date21-Dec-2021Revision Date21-Jan-2024Print Date26-Jan-2024

Revision Summary SDS sections updated v1



14078 Meridian Parkway, Riverside, CA. 92518

#### Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.