

14078 Meridian Parkway, Riverside, CA. 92518

# SAFETY DATA SHEET

Version: v1

Revision Date: 2023-12-29

Print Date: 2023-12-29

## SECTION 1:Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifiers

Product name : Zinc powder
Product Number : Z112712
Brand : aladdin

CAS-No. : 7440-66-6(powder)

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances.

1.3 Company

Company : ALADDIN SCIENTIFIC CORPORATION

Address : 14078 Meridian Parkway,

Riverside, CA. 92518

Telephone : +1 (833) 552-7181 Fax : no data available

1.4 Emergency telephone number

CHEMTREC®, Inside the USA : 1-800-424-9300

CHEMTREC®, Outside the USA :

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Spontaneous combustion (category 1), H250

Self-heating substances and mixtures (category 1), H251

Substances and substances that emit smoke when in contact with water (category 1), H260

Acute (short-term) aquatic hazard (category 1), H400

Long-term aquatic hazard (category 1), H410

# 2.2 GHS Label elements, including precautionary statements

Pictogram





Signal word Danger



#### 14078 Meridian Parkway, Riverside, CA. 92518

Hazard statement(s)

H250 Catches fire spontaneously if exposed to air

H251 Self-heating; may catch fire

H260 In contact with water releases flammable gases which may ignite spontaneously

H410 Very toxic to aquatic life with long lasting effects

Precautionary statement(s)

P210 Keep away from heat, hot surface, sparks, open flames and other ignition

sources. - No smoking.

P222 Do not allow contact with air.
P223 Do not allow contact with water.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P231+P232 Handle under inert gas/... Protect from moisture.

P235+P410 Keep cool. Protect from sunlight.

P391 Collect spillage.

P335+P334 Brush off loose particles from skin. Immerse in cool water/wrap in wet

bandages.

P370+P378 In case of fire: Use ... to extinguish.

P407 Maintain air gap between stacks or pallets.

P420 Store separately.
P422 Store contents under ...

P402+P404 Store in a dry place. Store in a closed container. P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container to an approved waste disposal plant.

# 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS

# SECTION 3: Composition/information on ingredients

### 3.1 Substances

Synonyms : Zinc dust Formula : Zn Molecular weight : 65.39

CAS No. : 7440-66-6(powder) EC-NO. : no data available

Component	Classification	Concentration
Zinc powder		
	Pyr. Sol. 1; Self-heat. 1; Water-react 1; Aquatic Acute 1; Aquatic Chronic 1; H250, H251, H260, H400, H410 M-Factor - Aquatic Acute: 10 - Aquatic Chronic: 1	Analytical Reagent



14078 Meridian Parkway, Riverside, CA. 92518

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### 4.3 Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

Suitable extinguishing media

Dry powder Dry sand

Unsuitable extinguishing media

Do NOT use water jet.

## 5.2 Special hazards arising from the substance or mixture

Zinc/zinc oxides

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# 5.4 Further information

Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.



14078 Meridian Parkway, Riverside, CA. 92518

# 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Do not flush with water. Keep in suitable, closed containers for disposal. Contain spillage, pick up with an electrically protected vacuum cleaner or by wet-brushing and transfer to a container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Never allow product to get in contact with water during storage. Under Inert Atmosphere

# 7.3 Specific end use(s)

no data available

### SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

# 8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government

standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without



14078 Meridian Parkway, Riverside, CA. 92518

touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

**Body Protection** 

Impervious clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous

substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multipurpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

If safety requires, prevent further leakage or spillage. Do not let the product enter the sewer.

### **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

a) Appearance form: powder color: grey to silver

b) Odour no data available
c) Odour Threshold no data available
d) pH no data available

e) Melting point/freezing point 419.6°C f) Initial boiling point and boiling range 907°C

g) Flash point no data available h) Evaporation rate no data available i) Flammability (solid, gas) no data available

j) Upper/lower flammability or

explosive limits no data available k) Vapour pressure no data available l) Vapour density no data available

m) Relative density 7.133

n) Water solubility no data available
o) Partition coefficient: n-octanol/water no data available
p) Auto-ignition temperature no data available
q) Decomposition temperature no data available
r) Viscosity no data available
s) Explosive properties N no data available
t) Oxidizing properties N no data available

# Other safety information

9.2



14078 Meridian Parkway, Riverside, CA. 92518

no data available

# SECTION 10: Stability and reactivity

# 10.1 Reactivity

no data available

### 10.2 Chemical stability

Stable under recommended storage conditions.

### 10.3 Possibility of hazardous reactions

Reacts violently with water.

## 10.4 Conditions to avoid

Exposure to moisture.

### 10.5 Incompatible materials

Strong acids and oxidizing agents

## 10.6 Hazardous decomposition products

no data available

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Acute toxicity

LD50 Oral-Cannabis-Male and Female-> 2,000 mg/kg

(OECD Test Guideline 401)

LC50 Sex-Elf-Male and Female-4 h-> 5.41 mg/l

(OECD Test Guideline 403)

Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 5 Days Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: Zinc oxide

Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 24 h (OECD Test Guideline 405)

Respiratory or skin sensitisation

Maximization Test - Guinea pig Result: negative (OECD Test Guideline 406) Remarks: (in analogy to similar products)

The value is given in analogy to the following substances: Zinc oxide

Germ cell mutagenicity

In vitro mammalian cell gene mutation test mouse lymphoma cells Result: negative Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: zinc chloride Ames test Escherichia



### 14078 Meridian Parkway, Riverside, CA. 92518

coli/Salmonella typhimurium Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Zinc sulphate Chromosome aberration test in vitro Result: negative Remarks: (in analogy to similar products) (ECHA) The value is given in analogy to the following substances: zinc chloride Mouse - male and female - Red blood cells (erythrocytes) Result: negative Remarks: (in analogy to similar products) The value is given in analogy to the following substances: Zinc sulphate

Carcinogenicity

no data available

Reproductive toxicity

no data available

Specific target organ toxicity - single exposure

no data available

Specific target organ toxicity - repeated exposure

no data available

Aspiration hazard

no data available

Additional Information

Repeated exposure toxicity-Rat-Male and female-Oral-13 weeks-No harmful effect observed-31.52 mg/kg-Observed

The lowest level of harmful effects-53.8 mg/kg

Remarks: (Compared with similar products)

Cold, dry throat, sweetness, fever, cough, nausea, vomiting, weakness

As far as we know, the chemical, physical and toxic properties have not been fully studied.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish LC50-Cyprinus carpio (carp)-0.45 mg/l-96 h

Remarks: (ECOTOX database)

Toxicity to water flea and other aquatic invertebrates

Static test EC50-Ceriodaphnia dubia (Ceriodaphnia dubia)-0.155 mg/l-48 h

(US-EPA)

Toxicity to algae static test NOEC-Pseudokirchneriella subcapitata-0.05 mg/l-3 days

(OECD Test Guideline 201)

Toxicity to bacteria static test NOEC-activated sludge-0.1 mg/l-4 h

(ISO 9509)



14078 Meridian Parkway, Riverside, CA. 92518

# 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

### 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself.

#### 12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

### **SECTION 13:**

# 13.1 Disposal considerations

Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as

Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

DOT (US)

UN number: 1436 Packing group: II Class: 4.3

Proper shipping name: ZINC POWDER Reportable Quantity(RQ): no data Poison Inhalation Hazard: no data

available available

Environmental Hazards: No

IMDG

UN number: 1436 Packing group: II EMS-No: no data available

Proper shipping name: ZINC POWDER

IATA

UN number: 1436 Packing group: II Class: 4.3

Proper shipping name: ZINC POWDER

### **SECTION 15: Regulatory information**



14078 Meridian Parkway, Riverside, CA. 92518

Please note that waste disposal should also meet the requirements of local regulations.

If applicable, the chemical meets the requirements of the "Regulations on the Safety Management of Hazardous Chemicals" (adopted by the State Council on December 4, 2013).

#### **SECTION 16: Other information**

Regulatory Affairs

Prepared By ALADDIN SCIENTIFIC CORPORATION

Email: QualityAssurance@aladdinsci.com

 Creation Date
 09-Sep-2021

 Revision Date
 29-Dec-2023

 Print Date
 29-Dec-2023

Revision Summary SDS sections updated v1

Disclaimer

Copyright Aladdin Co. Ltd. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Aladdin Co. Ltd. and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.